

Miharu Nakanishi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/574764/publications.pdf>

Version: 2024-02-01

89
papers

1,176
citations

489802

18
h-index

591227

27
g-index

93
all docs

93
docs citations

93
times ranked

1321
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of bullying victimization in the pathway between autistic traits and psychotic experiences in adolescence: Data from the Tokyo Teen Cohort study. <i>Schizophrenia Research</i> , 2022, 239, 111-115.	1.1	6
2	Psychotic experiences predict subsequent loneliness among adolescents: A population-based birth cohort study. <i>Schizophrenia Research</i> , 2022, 239, 123-127.	1.1	6
3	Adolescent Carers' Psychological Symptoms and Mental Well-being During the COVID-19 Pandemic: Longitudinal Study Using Data From the UK Millennium Cohort Study. <i>Journal of Adolescent Health</i> , 2022, 70, 877-884.	1.2	12
4	Deficient Autophagy in Microglia Aggravates Repeated Social Defeat Stress-Induced Social Avoidance. <i>Neural Plasticity</i> , 2022, 2022, 1-13.	1.0	19
5	The Revised Medical Care Act is associated with a decrease in hospital death for the total Japanese older adult population regardless of dementia status: An interrupted time series analysis. <i>PLoS ONE</i> , 2022, 17, e0264624.	1.1	3
6	Association between maternal perceived capacity in life and physical punishment of teenage children: a longitudinal analysis of a population-based cohort in Tokyo, Japan. <i>BMJ Open</i> , 2022, 12, e058862.	0.8	1
7	Depression and anxiety among nursing students during the COVID-19 pandemic in Tohoku region, Japan: A cross-sectional survey. <i>Japan Journal of Nursing Science</i> , 2022, 19, e12483.	0.5	22
8	Role of advanced glycation end products in the longitudinal association between muscular strength and psychotic symptoms among adolescents. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	1
9	Implementing a Personalized Integrated Stepped-Care Method (STIP-Method) to Prevent and Treat Neuropsychiatric Symptoms in Persons With Dementia in Nursing Homes: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2022, 11, e34550.	0.5	3
10	Family caregivers' concerns about advance care planning for home-dwelling people with dementia: a cross-sectional observational study in Japan. <i>BMC Palliative Care</i> , 2022, 21, .	0.8	4
11	The Association Between COVID-19 Information Sources and Stigma Against Health Care Workers Among College Students: Cross-sectional, Observational Study. <i>JMIR Formative Research</i> , 2022, 6, e35806.	0.7	0
12	Facilitators and barriers associated with the implementation of a Swedish psychosocial dementia care programme in Japan: a secondary analysis of qualitative and quantitative data. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 430-441.	1.0	7
13	Inclusion of palliative care in health care policy for older people: A directed documentary analysis in 13 of the most rapidly ageing countries worldwide. <i>Palliative Medicine</i> , 2021, 35, 369-388.	1.3	9
14	System-level barriers to personal recovery in mental health: qualitative analysis of co-productive narrative dialogues between users and professionals. <i>BJPsych Open</i> , 2021, 7, e25.	0.3	6
15	Adolescent Problem Gaming and Loot Box Purchasing in Video Games: Cross-sectional Observational Study Using Population-Based Cohort Data. <i>JMIR Serious Games</i> , 2021, 9, e23886.	1.7	15
16	Costs and resource use of community-dwelling patients with Alzheimer's disease in Japan: 18-month results from the GERAS-J study. <i>Current Medical Research and Opinion</i> , 2021, 37, 1331-1339.	0.9	5
17	e-Learning and Web-Based Tools for Psychosocial Interventions Addressing Neuropsychiatric Symptoms of Dementia During the COVID-19 Pandemic in Tokyo, Japan: Quasi-Experimental Study. <i>JMIR Medical Education</i> , 2021, 7, e30652.	1.2	4
18	On-site Dining in Tokyo During the COVID-19 Pandemic: Time Series Analysis Using Mobile Phone Location Data. <i>JMIR MHealth and UHealth</i> , 2021, 9, e27342.	1.8	18

#	ARTICLE	IF	CITATIONS
19	Factors of feelings of happiness at work among staff in geriatric care facilities. <i>Geriatrics and Gerontology International</i> , 2021, 21, 818-824.	0.7	6
20	Japanese National Dementia Plan Is Associated with a Small Shift in Location of Death: An Interrupted Time Series Analysis. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 791-797.	1.2	3
21	Defining a good death for people with dementia: A scoping review. <i>Japan Journal of Nursing Science</i> , 2021, 18, e12402.	0.5	7
22	Time Investment for Program Implementation to Manage Neuropsychiatric Symptoms: An Observational Longitudinal Study in In-Home and Residential Care Settings. <i>Journal of Alzheimer's Disease Reports</i> , 2020, 4, 441-453.	1.2	1
23	Factors related to turnover intentions and work-related injuries and accidents among professional caregivers: a cross-sectional questionnaire study. <i>Environmental Health and Preventive Medicine</i> , 2020, 25, 24.	1.4	12
24	Impact of dementia on quality of death among cancer patients: An observational study of home palliative care users. <i>Geriatrics and Gerontology International</i> , 2020, 20, 354-359.	0.7	10
25	Costs and Resource Use Associated with Community-Dwelling Patients with Alzheimer's Disease in Japan: Baseline Results from the Prospective Observational GERAS-J Study. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 127-138.	1.2	14
26	Availability of home palliative care services and dying at home in conditions needing palliative care: A population-based death certificate study. <i>Palliative Medicine</i> , 2020, 34, 504-512.	1.3	8
27	Dog and Cat Ownership Predicts Adolescents' Mental Well-Being: A Population-Based Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 884.	1.2	19
28	National dementia plans to address escalating global palliative care needs. <i>Palliative Medicine</i> , 2020, 34, 966-967.	1.3	5
29	The Impact of Suicide Prevention Act (2006) on Suicides in Japan. <i>Crisis</i> , 2020, 41, 24-31.	0.9	7
30	Care preferences of healthy, middle-aged adults in Japan and the USA if they acquired dementia: A cross-sectional observational study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 829-833.	0.7	2
31	Midlife Psychological Well-Being and its Impact on Cognitive Functioning Later in Life: An Observational Study Using a Female British Birth Cohort. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 835-843.	1.2	6
32	The association between role model presence and self-regulation in early adolescence: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0222752.	1.1	10
33	Effectiveness of 1-day trauma-informed care training programme on attitudes in psychiatric hospitals: A pre-post study. <i>International Journal of Mental Health Nursing</i> , 2019, 28, 980-988.	2.1	20
34	Inhibited autonomy for promoting physical health: qualitative analysis of narratives from persons living with severe mental illness. <i>BJPsych Open</i> , 2019, 5, e10.	0.3	4
35	Response inhibition and anxiety in adolescents: Results from a population-based community sample. <i>Journal of Affective Disorders</i> , 2019, 246, 89-95.	2.0	4
36	Title is missing!. , 2019, 14, e0222752.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2019, 14, e0222752.		0
38	Title is missing!. , 2019, 14, e0222752.		0
39	Title is missing!. , 2019, 14, e0222752.		0
40	Dementia and Risk of 30â€­Day Readmission in Older Adults After Discharge from Acute Care Hospitals. Journal of the American Geriatrics Society, 2018, 66, 871-878.	1.3	38
41	Dementia behaviour management programme at home: impact of a palliative care approach on care managers and professional caregivers of home care services. Aging and Mental Health, 2018, 22, 1063-1068.	1.5	16
42	Psychosocial behaviour management programme for homeâ€­dwelling people with dementia: A clusterâ€­randomized controlled trial. International Journal of Geriatric Psychiatry, 2018, 33, 495-503.	1.3	23
43	Physical restraint to patients with dementia in acute physical care settings: effect of the financial incentive to acute care hospitals. International Psychogeriatrics, 2018, 30, 991-1000.	0.6	28
44	Hospital death in dementia patients and regional provision of palliative and end-of-life care: National patient data analysis. Cogent Medicine, 2018, 5, 1483097.	0.7	1
45	In-hospital dementia-related deaths following implementation of the national dementia plan: observational study of national death certificates from 1996 to 2016. BMJ Open, 2018, 8, e023172.	0.8	6
46	The Association between Quality Improvement Initiatives in Dementia Care and Supportive Psychosocial Work Environments in Nursing Homes. Healthcare (Switzerland), 2018, 6, 44.	1.0	2
47	Purpose in life and tobacco use among community-dwelling mothers of early adolescents. BMJ Open, 2018, 8, e020586.	0.8	16
48	Dementia Care Competence Among Care Professionals and Reduced Challenging Behavior of Home-Dwelling Persons with Dementia: A Pre- and Post-Intervention Data Analysis. Journal of Alzheimer's Disease, 2018, 64, 515-523.	1.2	10
49	The Influence of Supportive and Ethical Work Environments on Work-Related Accidents, Injuries, and Serious Psychological Distress among Hospital Nurses. International Journal of Environmental Research and Public Health, 2018, 15, 240.	1.2	27
50	Quality of care for people with dementia and professional caregivers' perspectives regarding palliative care in Japanese community care settings. International Journal of Geriatric Psychiatry, 2017, 32, 1342-1351.	1.3	12
51	Sex differences in auditory verbal hallucinations in early, middle and late adolescence: results from a survey of 17 451 Japanese students aged 12â€­18 years. BMJ Open, 2017, 7, e015239.	0.8	13
52	Regional supply of outreach service and length of stay in psychiatric hospital among patients with schizophrenia: National case mix data analysis in Japan. Psychiatry Research, 2017, 258, 295-298.	1.7	8
53	Factors associated with endâ€­ofâ€­life by homeâ€­visit nursingâ€­care providers in Japan. Geriatrics and Gerontology International, 2017, 17, 991-998.	0.7	13
54	Death of Dementia Patients in Psychiatric Hospitals and Regional Supply of Psychiatric Services: Study of the National Data from 1996 to 2014 in Japan. Journal of Alzheimer's Disease, 2017, 56, 817-824.	1.2	5

#	ARTICLE	IF	CITATIONS
55	The Basic Act for Suicide Prevention: Effects on Longitudinal Trend in Deliberate Self-Harm with Reference to National Suicide Data for 1996–2014. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 104.	1.2	8
56	National Suicide Prevention, Local Mental Health Resources, and Suicide Rates in Japan. <i>Crisis</i> , 2017, 38, 384-392.	0.9	8
57	Challenges following discharge from acute psychiatric inpatient care in Japan: patients' perspectives. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2016, 23, 576-584.	1.2	23
58	Regional Supply of Nursing Home and Hospital Beds Determine Discharge Destination of Nursing Home Residents in Japan. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 672.e1-672.e5.	1.2	6
59	Japanese Care Location and Medical Procedures for People with Dementia in the Last Month of Life. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 747-755.	1.2	14
60	Palliative care for advanced dementia in Japan: knowledge and attitudes. <i>British Journal of Nursing</i> , 2016, 25, 146-155.	0.3	15
61	Discharge Destination of Dementia Patients Who Undergo Intermediate Care at a Facility. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 92.e1-92.e7.	1.2	15
62	Association between length of hospital stay and implementation of discharge planning in acute psychiatric inpatients in Japan. <i>International Journal of Mental Health Systems</i> , 2015, 9, 23.	1.1	19
63	A Japanese booklet about palliative care for advanced dementia in nursing homes. <i>International Journal of Palliative Nursing</i> , 2015, 21, 385-391.	0.2	12
64	Ageing in Place Policy in Japan: Association Between the Development of an Integrated Community Care System and the Number of Nursing Home Placements Under the Public Long-Term Care Insurance Program Among Municipal Governments. <i>Ageing International</i> , 2015, 40, 248-261.	0.6	13
65	Japanese Public Long-Term Care Insured: Preferences for Future Long-Term Care Facilities, Including Relocation, Waiting Times, and Individualized Care. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 350.e9-350.e20.	1.2	23
66	An evaluation of palliative care contents in national dementia strategies in reference to the European Association for Palliative Care white paper. <i>International Psychogeriatrics</i> , 2015, 27, 1551-1561.	0.6	53
67	National strategy for suicide prevention in Japan: Impact of a national fund on progress of developing systems for suicide prevention and implementing initiatives among local authorities. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 55-64.	1.0	23
68	Documentation of nursing home residents' preferences regarding end-of-life care in Japan: Does the documentation serve as an advanced directive in care planning?. <i>European Journal for Person Centered Healthcare</i> , 2015, 3, 309.	0.3	3
69	Percutaneous endoscopic gastrostomy (PEG) tubes are placed in elderly adults in Japan with advanced dementia regardless of expectation of improvement in quality of life. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 503-509.	1.5	34
70	Systems Development and Difficulties in Implementing Procedures for Elder Abuse Prevention Among Private Community General Support Centers in Japan. <i>Journal of Elder Abuse and Neglect</i> , 2014, 26, 31-43.	0.5	4
71	Features of the Japanese national dementia strategy in comparison with international dementia policies: How should a national dementia policy interact with the public health and social care systems?. <i>Alzheimer's and Dementia</i> , 2014, 10, 468.	0.4	85
72	Health Care and Personal Care Needs Among Residents in Nursing Homes, Group Homes, and Congregate Housing in Japan: Why Does Transition Occur, and Where Can the Frail Elderly Establish a Permanent Residence?. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 76.e1-76.e6.	1.2	30

#	ARTICLE	IF	CITATIONS
73	Provision of individualized care and built environment of nursing homes in Japan. Archives of Gerontology and Geriatrics, 2013, 56, 416-424.	1.4	16
74	Educating families about end-of-life care in advanced dementia: acceptability of a Canadian family booklet to nurses from Canada, France, and Japan. International Journal of Palliative Nursing, 2013, 19, 67-74.	0.2	33
75	Community-Based System, Reports, and Substantiated Cases of Elder Abuse: Disparities Between Municipalities and Relating Factors in Japan. Journal of Aging and Social Policy, 2013, 25, 234-247.	0.9	4
76	Translation and cross-cultural adaptation of a family booklet on comfort care in dementia: sensitive topics revised before implementation. Journal of Medical Ethics, 2013, 39, 104-109.	1.0	31
77	A Family Booklet About Comfort Care in Advanced Dementia: Three-Country Evaluation. Journal of the American Medical Directors Association, 2012, 13, 368-375.	1.2	30
78	Priority for Elderly Persons With Behavioral and Psychological Symptoms of Dementia on Waiting Lists for Placement in Nursing Homes in Japan: Do Nursing Homes Change Priorities Based on Their Own Guidelines?. Journal of the American Medical Directors Association, 2012, 13, 794-799.	1.2	19
79	Job role quality and intention to leave current facility and to leave profession of direct care workers in Japanese residential facilities for elderly. Archives of Gerontology and Geriatrics, 2012, 54, 102-108.	1.4	32
80	Quality of life of residents with dementia in a group-living situation: an approach to creating small, homelike environments in traditional nursing homes in Japan. Nippon Koshu Eisei Zasshi/Japanese Journal of Public Health, 2012, 59, 3-10.	1.0	9
81	Physicians' and Nurses' Perceived Usefulness and Acceptability of a Family Information Booklet about Comfort Care in Advanced Dementia. Journal of Palliative Medicine, 2011, 14, 614-622.	0.6	21
82	Disparities in systems development for elder abuse prevention among municipalities in Japan: Implications for strategies to help municipalities develop community systems. Social Science and Medicine, 2010, 71, 400-404.	1.8	6
83	Development of a clinical pathway for long-term inpatients with schizophrenia. Psychiatry and Clinical Neurosciences, 2010, 64, 99-103.	1.0	7
84	Processes of decision making and end-of-life care for patients with dementia in group homes in Japan. Archives of Gerontology and Geriatrics, 2009, 48, 296-299.	1.4	29
85	Impact of the elder abuse prevention and caregiver support law on system development among municipal governments in Japan. Health Policy, 2009, 90, 254-261.	1.4	18
86	Addition of antipsychotics to medication regimens during schizophrenic inpatient care. Psychiatry and Clinical Neurosciences, 2008, 62, 56-64.	1.0	5
87	Symptom dimensions and needs of care among patients with schizophrenia in hospital and the community. Psychiatry and Clinical Neurosciences, 2007, 61, 495-501.	1.0	16
88	Nurses' collaboration with physicians in managing medication improves patient outcome in acute psychiatric care. Psychiatry and Clinical Neurosciences, 2006, 60, 196-203.	1.0	13
89	Maternal parenting stress from birth to 36 months, maternal depressive symptoms, and physical punishment to 10-year-old children: a population-based birth cohort study. Social Psychiatry and Psychiatric Epidemiology, 0, , .	1.6	0