

# Wen-Qing Geng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5750089/publications.pdf>

Version: 2024-02-01

42  
papers

710  
citations

623734

14  
h-index

642732

23  
g-index

54  
all docs

54  
docs citations

54  
times ranked

878  
citing authors

#	ARTICLE	IF	CITATIONS
1	Discontinuation, suboptimal adherence, and reinitiation of oral HIV pre-exposure prophylaxis: a global systematic review and meta-analysis. <i>Lancet HIV</i> , 2022, 9, e254-e268.	4.7	66
2	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. <i>BMC Infectious Diseases</i> , 2014, 14, 642.	2.9	54
3	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	54
4	High HIV incidence epidemic among men who have sex with men in china: results from a multi-site cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2016, 5, 82.	3.7	42
5	Female and younger subjects have lower adherence in PrEP trials: a meta-analysis with implications for the uptake of PrEP service to prevent HIV. <i>Sexually Transmitted Infections</i> , 2018, 94, 163-168.	1.9	36
6	Internet-Based Sex-Seeking Behavior Promotes HIV Infection Risk: A 6-Year Serial Cross-Sectional Survey to MSM in Shenyang, China. <i>BioMed Research International</i> , 2016, 2016, 1-11.	1.9	32
7	The Effect of Using Geosocial Networking Apps on the HIV Incidence Rate Among Men Who Have Sex With Men: Eighteen-Month Prospective Cohort Study in Shenyang, China. <i>Journal of Medical Internet Research</i> , 2018, 20, e11303.	4.3	31
8	Poppers use and Sexual Partner Concurrency Increase the HIV Incidence of MSM: a 24-month Prospective Cohort Survey in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 24.	3.3	28
9	Protocol for a multicenter, real-world study of HIV pre-exposure prophylaxis among men who have sex with men in China (CROPPrEP). <i>BMC Infectious Diseases</i> , 2019, 19, 721.	2.9	26
10	Sexual Risk Behaviors and HIV Infection among Men Who Have Sex with Men and Women in China: Evidence from a Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	25
11	HIV Incidence and Care Linkage among MSM First-Time-Testers in Shenyang, China 2012–2014. <i>AIDS and Behavior</i> , 2018, 22, 711-721.	2.7	24
12	Preference for daily versus on-demand pre-exposure prophylaxis for HIV and correlates among men who have sex with men: the China Real-world Oral PrEP Demonstration study. <i>Journal of the International AIDS Society</i> , 2021, 24, e25667.	3.0	20
13	Vpr counteracts the restriction of LAMP1 to promote HIV-1 infection in macrophages. <i>Nature Communications</i> , 2021, 12, 3691.	12.8	20
14	Rapid CD4+ T-cell decline is associated with coreceptor switch among MSM primarily infected with HIV-1 CRF01_AE in Northeast China. <i>Aids</i> , 2019, 33, 13-22.	2.2	18
15	Urine alpha1-microglobulin is a better marker for early tubular dysfunction than beta2-microglobulin among tenofovir-exposed human immunodeficiency virus-infected men who have sex with men. <i>Brazilian Journal of Infectious Diseases</i> , 2015, 19, 410-416.	0.6	17
16	Membrane metalloprotease TRABD2A restricts HIV-1 progeny production in resting CD4+ T cells by degrading viral Gag polyprotein. <i>Nature Immunology</i> , 2019, 20, 711-723.	14.5	17
17	Decreasing age at first anal intercourse among men who have sex with men in China: a multicentre cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2016, 19, 20792.	3.0	16
18	Intimate Partner Violence Correlates With A Higher HIV Incidence Among MSM: A 12-Month Prospective Cohort Study in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 2879.	3.3	16

#	ARTICLE	IF	CITATIONS
19	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. <i>BMC Infectious Diseases</i> , 2016, 16, 765.	2.9	15
20	Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e22388.	4.3	14
21	Mobile Phone Intervention Based on an HIV Risk Prediction Tool for HIV Prevention Among Men Who Have Sex With Men in China: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e19511.	3.7	13
22	Development and Validation of a Personalized Social Media Platform-Based HIV Incidence Risk Assessment Tool for Men Who Have Sex With Men in China. <i>Journal of Medical Internet Research</i> , 2019, 21, e13475.	4.3	13
23	Treatment-seeking behaviour and barriers to service access for sexually transmitted diseases among men who have sex with men in China: a multicentre cross-sectional survey. <i>Infectious Diseases of Poverty</i> , 2017, 6, 15.	3.7	12
24	Feasibility of Indirect Secondary Distribution of HIV Self-test Kits via WeChat Among Men Who Have Sex With Men: National Cross-sectional Study in China. <i>Journal of Medical Internet Research</i> , 2021, 23, e28508.	4.3	12
25	High-risk behaviour and HIV infection risk among non-local men who have sex with men with less than a single year's residence in urban centres: a multicentre cross-sectional study from China. <i>Sexually Transmitted Infections</i> , 2018, 94, 51-54.	1.9	11
26	Rapid Disease Progression in HIV-1-Infected Men Who Have Sex with Men Is Negatively Correlated with Peripheral Plasmacytoid Dendritic Cell Counts at the Early Stage of Primary Infection. <i>Journal of Clinical Immunology</i> , 2011, 31, 882-890.	3.8	10
27	Lipids profile among ART-naïve HIV infected patients and men who have sex with men in China: a case control study. <i>Lipids in Health and Disease</i> , 2016, 15, 149.	3.0	10
28	Prevalence and Determinants of Herpes Simplex Virus Type 2 (HSV-2)/Syphilis Co-Infection and HSV-2 Mono-Infection among Human Immunodeficiency Virus Positive Men Who Have Sex with Men: a Cross-Sectional Study in Northeast China. <i>Japanese Journal of Infectious Diseases</i> , 2017, 70, 284-289.	1.2	8
29	Plasma metabolic changes in Chinese HIV-infected patients receiving lopinavir/ritonavir based treatment: Implications for HIV precision therapy. <i>Cytokine</i> , 2018, 110, 204-212.	3.2	8
30	Internet-Based HIV Self-Testing Among Men Who Have Sex With Men Through Pre-exposure Prophylaxis: 3-Month Prospective Cohort Analysis From China. <i>Journal of Medical Internet Research</i> , 2021, 23, e23978.	4.3	8
31	Association of nitrite inhalants use and unprotected anal intercourse and HIV/syphilis infection among MSM in China: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 1378.	2.9	6
32	Factors Influencing Clinicians' Willingness to Prescribe Pre-exposure Prophylaxis for Persons at High Risk of HIV in China: Cross-sectional Online Survey Study. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24235.	2.6	6
33	Correction: Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e25565.	4.3	5
34	Reduced bone mineral density among ART-naive male patients with HIV in China. <i>Future Virology</i> , 2015, 10, 827-833.	1.8	4
35	Increasing Condomless Anal Intercourse and HIV Prevalence Among Men Who Have Sex with Men Who Have Never Been Tested for HIV Before: A Serial Cross-Sectional Study in Shenyang, China from 2012 to 2016. <i>AIDS and Behavior</i> , 2020, 24, 2918-2926.	2.7	4
36	FOXO3, IRF4, and xIAP Are Correlated with Immune Activation in HIV-1-Infected Men Who Have Sex with Men During Early HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 172-180.	1.1	3

#	ARTICLE	IF	CITATIONS
37	Low CD1câ€‰+â€‰myeloid dendritic cell counts correlated with a high risk of rapid disease progression during early HIV-1 infection. BMC Infectious Diseases, 2015, 15, 342.	2.9	2
38	HIV and other STIs self-testing to reduce risk compensation among men who have sex with men who use oral pre-exposure prophylaxis in China: protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e036231.	1.9	2
39	Alteration of CCR6 + CD95 + CD4 + naÃve T cells in HIV-1 infected patients: Implication for clinical practice. Cellular Immunology, 2018, 327, 47-53.	3.0	1
40	P156â€‰...Study on the effect of slanDC-mediated ADCC in HIV-1-infected patients. , 2019, , .		0
41	Context and Barriers to the Prescription of Nonoccupational Postexposure Prophylaxis Among HIV Medical Care Providers: National Internet-Based Observational Study in China. JMIR Public Health and Surveillance, 2021, 7, e24234.	2.6	0
42	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. Journal of Infection, 2022, 84, 248-288.	3.3	0