

Wen-Qing Geng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5750089/publications.pdf>

Version: 2024-02-01

42
papers

710
citations

706676

14
h-index

721071

23
g-index

54
all docs

54
docs citations

54
times ranked

941
citing authors

#	ARTICLE	IF	CITATIONS
1	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. <i>Journal of Infection</i> , 2022, 84, 248-288.	1.7	0
2	Discontinuation, suboptimal adherence, and reinitiation of oral HIV pre-exposure prophylaxis: a global systematic review and meta-analysis. <i>Lancet HIV</i> , 2022, 9, e254-e268.	2.1	66
3	Preference for daily versus on-demand pre-exposure prophylaxis for HIV and correlates among men who have sex with men: the China Real-world Oral PrEP Demonstration study. <i>Journal of the International AIDS Society</i> , 2021, 24, e25667.	1.2	20
4	Feasibility of Indirect Secondary Distribution of HIV Self-test Kits via WeChat Among Men Who Have Sex With Men: National Cross-sectional Study in China. <i>Journal of Medical Internet Research</i> , 2021, 23, e28508.	2.1	12
5	Context and Barriers to the Prescription of Nonoccupational Postexposure Prophylaxis Among HIV Medical Care Providers: National Internet-Based Observational Study in China. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24234.	1.2	0
6	Mobile Phone Intervention Based on an HIV Risk Prediction Tool for HIV Prevention Among Men Who Have Sex With Men in China: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e19511.	1.8	13
7	Factors Influencing Clinicians' Willingness to Prescribe Pre-exposure Prophylaxis for Persons at High Risk of HIV in China: Cross-sectional Online Survey Study. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e24235.	1.2	6
8	Vpr counteracts the restriction of LAPT ^{M5} to promote HIV-1 infection in macrophages. <i>Nature Communications</i> , 2021, 12, 3691.	5.8	20
9	Internet-Based HIV Self-Testing Among Men Who Have Sex With Men Through Pre-exposure Prophylaxis: 3-Month Prospective Cohort Analysis From China. <i>Journal of Medical Internet Research</i> , 2021, 23, e23978.	2.1	8
10	HIV and other STIs self-testing to reduce risk compensation among men who have sex with men who use oral pre-exposure prophylaxis in China: protocol for a randomised waitlist-controlled trial. <i>BMJ Open</i> , 2020, 10, e036231.	0.8	2
11	Association of nitrite inhalants use and unprotected anal intercourse and HIV/syphilis infection among MSM in China: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 1378.	1.2	6
12	Increasing Condomless Anal Intercourse and HIV Prevalence Among Men Who Have Sex with Men Who Have Never Been Tested for HIV Before: A Serial Cross-Sectional Study in Shenyang, China from 2012 to 2016. <i>AIDS and Behavior</i> , 2020, 24, 2918-2926.	1.4	4
13	Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e22388.	2.1	14
14	Correction: Risk-Taking Behaviors and Adherence to HIV Pre-Exposure Prophylaxis in Users of Geosocial Networking Apps: Real-World, Multicenter Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e25565.	2.1	5
15	Protocol for a multicenter, real-world study of HIV pre-exposure prophylaxis among men who have sex with men in China (CROP ^{PrEP}). <i>BMC Infectious Diseases</i> , 2019, 19, 721.	1.3	26
16	Membrane metalloprotease TRABD2A restricts HIV-1 progeny production in resting CD4+ T cells by degrading viral Gag polyprotein. <i>Nature Immunology</i> , 2019, 20, 711-723.	7.0	17
17	P156...Study on the effect of slanDC-mediated ADCC in HIV-1-infected patients. , 2019, , .		0
18	Rapid CD4+ T-cell decline is associated with coreceptor switch among MSM primarily infected with HIV-1 CRF01_AE in Northeast China. <i>Aids</i> , 2019, 33, 13-22.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Development and Validation of a Personalized Social Media Platform-Based HIV Incidence Risk Assessment Tool for Men Who Have Sex With Men in China. <i>Journal of Medical Internet Research</i> , 2019, 21, e13475.	2.1	13
20	Alteration of CCR6 + CD95 + CD4 + naïve T cells in HIV-1 infected patients: Implication for clinical practice. <i>Cellular Immunology</i> , 2018, 327, 47-53.	1.4	1
21	Intimate Partner Violence Correlates With A Higher HIV Incidence Among MSM: A 12-Month Prospective Cohort Study in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 2879.	1.6	16
22	Poppers use and Sexual Partner Concurrency Increase the HIV Incidence of MSM: a 24-month Prospective Cohort Survey in Shenyang, China. <i>Scientific Reports</i> , 2018, 8, 24.	1.6	28
23	High-risk behaviour and HIV infection risk among non-local men who have sex with men with less than a single year's residence in urban centres: a multicentre cross-sectional study from China. <i>Sexually Transmitted Infections</i> , 2018, 94, 51-54.	0.8	11
24	HIV Incidence and Care Linkage among MSM First-Time-Testers in Shenyang, China 2012-2014. <i>AIDS and Behavior</i> , 2018, 22, 711-721.	1.4	24
25	Female and younger subjects have lower adherence in PrEP trials: a meta-analysis with implications for the uptake of PrEP service to prevent HIV. <i>Sexually Transmitted Infections</i> , 2018, 94, 163-168.	0.8	36
26	Plasma metabolic changes in Chinese HIV-infected patients receiving lopinavir/ritonavir based treatment: Implications for HIV precision therapy. <i>Cytokine</i> , 2018, 110, 204-212.	1.4	8
27	The Effect of Using Geosocial Networking Apps on the HIV Incidence Rate Among Men Who Have Sex With Men: Eighteen-Month Prospective Cohort Study in Shenyang, China. <i>Journal of Medical Internet Research</i> , 2018, 20, e11303.	2.1	31
28	Treatment-seeking behaviour and barriers to service access for sexually transmitted diseases among men who have sex with men in China: a multicentre cross-sectional survey. <i>Infectious Diseases of Poverty</i> , 2017, 6, 15.	1.5	12
29	FOXO3, IRF4, and xIAP Are Correlated with Immune Activation in HIV-1-Infected Men Who Have Sex with Men During Early HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 172-180.	0.5	3
30	Prevalence and Determinants of Herpes Simplex Virus Type 2 (HSV-2)/Syphilis Co-Infection and HSV-2 Mono-Infection among Human Immunodeficiency Virus Positive Men Who Have Sex with Men: a Cross-Sectional Study in Northeast China. <i>Japanese Journal of Infectious Diseases</i> , 2017, 70, 284-289.	0.5	8
31	Internet-Based Sex-Seeking Behavior Promotes HIV Infection Risk: A 6-Year Serial Cross-Sectional Survey to MSM in Shenyang, China. <i>BioMed Research International</i> , 2016, 2016, 1-11.	0.9	32
32	Lipids profile among ART-naïve HIV infected patients and men who have sex with men in China: a case control study. <i>Lipids in Health and Disease</i> , 2016, 15, 149.	1.2	10
33	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. <i>BMC Infectious Diseases</i> , 2016, 16, 765.	1.3	15
34	Decreasing age at first anal intercourse among men who have sex with men in China: a multicentre cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2016, 19, 20792.	1.2	16
35	High HIV incidence epidemic among men who have sex with men in china: results from a multi-site cross-sectional study. <i>Infectious Diseases of Poverty</i> , 2016, 5, 82.	1.5	42
36	Sexual Risk Behaviors and HIV Infection among Men Who Have Sex with Men and Women in China: Evidence from a Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2015, 2015, 1-12.	0.9	25

#	ARTICLE	IF	CITATIONS
37	Reduced bone mineral density among ART-naive male patients with HIV in China. <i>Future Virology</i> , 2015, 10, 827-833.	0.9	4
38	Urine alpha1-microglobulin is a better marker for early tubular dysfunction than beta2-microglobulin among tenofovir-exposed human immunodeficiency virus-infected men who have sex with men. <i>Brazilian Journal of Infectious Diseases</i> , 2015, 19, 410-416.	0.3	17
39	Low CD1câ€™+â€™myeloid dendritic cell counts correlated with a high risk of rapid disease progression during early HIV-1 infection. <i>BMC Infectious Diseases</i> , 2015, 15, 342.	1.3	2
40	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. <i>BMC Infectious Diseases</i> , 2014, 14, 642.	1.3	54
41	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	54
42	Rapid Disease Progression in HIV-1-Infected Men Who Have Sex with Men Is Negatively Correlated with Peripheral Plasmacytoid Dendritic Cell Counts at the Early Stage of Primary Infection. <i>Journal of Clinical Immunology</i> , 2011, 31, 882-890.	2.0	10