

Xiao-Feng Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5751787/publications.pdf>

Version: 2024-02-01

77
papers

5,344
citations

109264

35
h-index

82499

72
g-index

77
all docs

77
docs citations

77
times ranked

5652
citing authors

#	ARTICLE	IF	CITATIONS
1	Fabrication of Electrospun Xylan-g-PMMA/TiO ₂ Nanofibers and Photocatalytic Degradation of Methylene Blue. <i>Polymers</i> , 2022, 14, 2489.	2.0	5
2	Chemically-Crosslinked Xylan/Graphene Oxide Composite Hydrogel for Copper Ions Removal. <i>Journal of Polymers and the Environment</i> , 2022, 30, 3999-4013.	2.4	10
3	Hemicelluloses-based hydrogels. , 2021, , 181-216.		2
4	High-Performance Hydrogel Adsorbent Based on Cellulose, Hemicellulose, and Lignin for Copper(II) Ion Removal. <i>Polymers</i> , 2021, 13, 3063.	2.0	16
5	Superadsorbent hydrogel based on lignin and montmorillonite for Cu(II) ions removal from aqueous solution. <i>International Journal of Biological Macromolecules</i> , 2019, 127, 511-519.	3.6	68
6	Preparation and swelling behavior of pH/temperature responsive semi-IPN hydrogel based on carboxymethyl xylan and poly(N-isopropyl acrylamide). <i>Cellulose</i> , 2019, 26, 1909-1922.	2.4	43
7	Hemicellulose-based magnetic hydrogel for enzyme drug immobilisation. <i>Journal of Investigative Medicine</i> , 2017, 65, A2.2-A2.	0.7	1
8	Preparation and Property of Xylan/Poly(Methacrylic Acid) Semi-Interpenetrating Network Hydrogel. <i>International Journal of Polymer Science</i> , 2016, 2016, 1-8.	1.2	15
9	Adsorption of methylene blue on hemicellulose-based stimuli-responsive porous hydrogel. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	32
10	Preparation and adsorption property of xylan/poly(acrylic acid) magnetic nanocomposite hydrogel adsorbent. <i>Carbohydrate Polymers</i> , 2015, 118, 16-23.	5.1	149
11	Physical-chemical properties of xylan/PAAc magnetic semi-interpenetrating network hydrogel. <i>Polymer Composites</i> , 2015, 36, 2317-2325.	2.3	11
12	Preparation and adsorption properties of a novel superabsorbent based on multiwalled carbon nanotubes-xylan composite and poly(methacrylic acid) for methylene blue from aqueous solution. <i>Polymer Composites</i> , 2014, 35, 1516-1528.	2.3	21
13	Preparation of hemicellulose-poly(methacrylic acid)/carbon nanotube composite hydrogel and adsorption properties. <i>Polymer Composites</i> , 2014, 35, 45-52.	2.3	25
14	Preparation and Properties of a Novel Hemicellulose-Based Magnetic Hydrogel. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2014, 30, 111-120.	2.2	10
15	Preparation and swelling behaviors of porous hemicellulose-polyacrylamide hydrogels. <i>Journal of Applied Polymer Science</i> , 2013, 128, 1861-1870.	1.3	11
16	Hemicellulose-based pH-sensitive and biodegradable hydrogel for controlled drug delivery. <i>Carbohydrate Polymers</i> , 2013, 92, 1357-1366.	5.1	179
17	Removal of low concentration Cr(VI) from aqueous solution by modified wheat straw. <i>Journal of Applied Polymer Science</i> , 2013, 129, 1555-1562.	1.3	7
18	Chemical Exploitation of Agricultural Residues as Novel Materials for Industrial Use. <i>Advanced Materials Research</i> , 2012, 531, 432-436.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Structural characterization and isolation of lignin and hemicelluloses from barley straw. <i>Industrial Crops and Products</i> , 2011, 33, 588-598.	2.5	105
20	Extraction and characterization of lignins from maize stem and sugarcane bagasse. <i>Journal of Applied Polymer Science</i> , 2011, 120, 3587-3595.	1.3	22
21	Extraction and characterisation of hemicelluloses from maize stem. <i>Phytochemical Analysis</i> , 2010, 21, 406-415.	1.2	25
22	Rapid phthaloylation and succinylation of hemicelluloses by microwave irradiation. <i>E-Polymers</i> , 2008, 8, .	1.3	0
23	Modification and characterization of fibers of three sandy willow shrub species. <i>Forestry Studies in China</i> , 2006, 8, 16-21.	0.4	1
24	Physico-chemical and thermal characterization of cellulose from barley straw. <i>Polymer Degradation and Stability</i> , 2005, 88, 521-531.	2.7	105
25	Physicochemical characterisation of residual hemicelluloses isolated with cyanamide-activated hydrogen peroxide from organosolv pre-treated wheat straw. <i>Bioresource Technology</i> , 2005, 96, 1342-1349.	4.8	31
26	Characteristics of degraded hemicellulosic polymers obtained from steam exploded wheat straw. <i>Carbohydrate Polymers</i> , 2005, 60, 15-26.	5.1	118
27	Comparative study of cellulose isolated by totally chlorine-free method from wood and cereal straw. <i>Journal of Applied Polymer Science</i> , 2005, 97, 322-335.	1.3	47
28	Characteristics of degraded cellulose obtained from steam-exploded wheat straw. <i>Carbohydrate Research</i> , 2005, 340, 97-106.	1.1	545
29	Comparative Study of Hemicelluloses Isolated with Alkaline Peroxide from Lignocellulosic Materials. <i>Journal of Wood Chemistry and Technology</i> , 2005, 24, 239-262.	0.9	30
30	Extraction and Characterization of Original Lignin and Hemicelluloses from Wheat Straw. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 860-870.	2.4	226
31	Fractional and physico-chemical characterization of hemicelluloses from ultrasonic irradiated sugarcane bagasse. <i>Carbohydrate Research</i> , 2004, 339, 291-300.	1.1	114
32	Degradation of wheat straw lignin and hemicellulosic polymers by a totally chlorine-free method. <i>Polymer Degradation and Stability</i> , 2004, 83, 47-57.	2.7	71
33	Comparative study of lignins from ultrasonic irradiated sugar-cane bagasse. <i>Polymer International</i> , 2004, 53, 1711-1721.	1.6	32
34	Acetylation of sugarcane bagasse hemicelluloses under mild reaction conditions by using NBS as a catalyst. <i>Journal of Applied Polymer Science</i> , 2004, 92, 53-61.	1.3	30
35	Oleoylation of sugarcane bagasse hemicelluloses using N-bromosuccinimide as a catalyst. <i>Journal of the Science of Food and Agriculture</i> , 2004, 84, 800-810.	1.7	46
36	Characteristics of degraded lignins obtained from steam exploded wheat straw. <i>Polymer Degradation and Stability</i> , 2004, 86, 245-256.	2.7	80

#	ARTICLE	IF	CITATIONS
37	Acetylation of sugarcane bagasse using NBS as a catalyst under mild reaction conditions for the production of oil sorption-active materials. <i>Bioresource Technology</i> , 2004, 95, 343-350.	4.8	140
38	Effect of tertiary amine catalysts on the acetylation of wheat straw for the production of oil sorption-active materials. <i>Comptes Rendus Chimie</i> , 2004, 7, 125-134.	0.2	20
39	Isolation and characterisation of cellulose obtained by a two-stage treatment with organosolv and cyanamide activated hydrogen peroxide from wheat straw. <i>Carbohydrate Polymers</i> , 2004, 55, 379-391.	5.1	78
40	Fractional extraction and structural characterization of sugarcane bagasse hemicelluloses. <i>Carbohydrate Polymers</i> , 2004, 56, 195-204.	5.1	272
41	Physicochemical Characterization of Lignin Isolated with High Yield and Purity from Wheat Straw. <i>International Journal of Polymer Analysis and Characterization</i> , 2004, 9, 317-337.	0.9	19
42	Analysis and Characterization of Acetylated Sugarcane Bagasse Hemicelluloses. <i>International Journal of Polymer Analysis and Characterization</i> , 2004, 9, 229-244.	0.9	9
43	Comparative Study of Crude and Purified Cellulose from Wheat Straw. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 839-847.	2.4	108
44	Title is missing!. <i>Journal of Materials Science</i> , 2003, 38, 3915-3923.	1.7	55
45	Acetylation of wheat straw using simplified procedure and ultrasonic irradiation. <i>Journal of Applied Polymer Science</i> , 2003, 87, 1277-1284.	1.3	3
46	Comparative study of hemicelluloses released during two-stage treatments with acidic organosolv and alkaline peroxide from <i>Caligonum monogoliacum</i> and <i>Tamarix</i> spp. <i>Polymer Degradation and Stability</i> , 2003, 80, 315-325.	2.7	28
47	Preparation of sugarcane bagasse hemicellulosic succinates using NBS as a catalyst. <i>Carbohydrate Polymers</i> , 2003, 53, 483-495.	5.1	64
48	Hemicelluloses and Their Derivatives. <i>ACS Symposium Series</i> , 2003, , 2-22.	0.5	65
49	Inhomogeneities in the Chemical Structure of Sugarcane Bagasse Lignin. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6719-6725.	2.4	160
50	Fractional Isolation and Physico-Chemical Characterization of Hemicelluloses by a Two-Stage Treatment from <i>Haloxylon ammodendron</i> and <i>Elaeagnus angustifolia</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6400-6407.	2.4	9
51	Acetylation of Rice Straw with or without Catalysts and Its Characterization as a Natural Sorbent in Oil Spill Cleanup. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6428-6433.	2.4	172
52	EXTRACTION AND CHARACTERIZATION OF LIPOPHILIC EXTRACTIVES FROM RICE STRAW. II. SPECTROSCOPIC AND THERMAL ANALYSIS. <i>Journal of Wood Chemistry and Technology</i> , 2002, 22, 1-9.	0.9	8
53	Fractional separation and structural characterization of lignins and hemicelluloses by a two-stage treatment from rice straw. <i>Separation Science and Technology</i> , 2002, 37, 2433-2458.	1.3	9
54	Preparation and Characterization of Wheat Straw Hemicellulosic Succinates. <i>International Journal of Polymer Analysis and Characterization</i> , 2002, 7, 130-144.	0.9	12

#	ARTICLE	IF	CITATIONS
55	Analysis of Lignins Solubilized in Two-Stage Organosolv and Alkaline Peroxide Treatments from Haloxylon ammodendron and Elaeagnus angustifolia. <i>International Journal of Polymer Analysis and Characterization</i> , 2002, 7, 244-262.	0.9	2
56	Ester and ether linkages between hydroxycinnamic acids and lignins from wheat, rice, rye, and barley straws, maize stems, and fast-growing poplar wood. <i>Industrial Crops and Products</i> , 2002, 15, 179-188.	2.5	147
57	Structural and thermal characterization of acetylated rice, wheat, rye, and barley straws and poplar wood fibre. <i>Industrial Crops and Products</i> , 2002, 16, 225-235.	2.5	41
58	Effect of ultrasound on the physicochemical properties of organosolv lignins from wheat straw. <i>Journal of Applied Polymer Science</i> , 2002, 84, 2512-2522.	1.3	25
59	Succinylation of wheat straw hemicelluloses with a low degree of substitution in aqueous systems. <i>Journal of Applied Polymer Science</i> , 2002, 83, 757-766.	1.3	25
60	Effect of ultrasound on the structural and physicochemical properties of organosolv soluble hemicelluloses from wheat straw. <i>Ultrasonics Sonochemistry</i> , 2002, 9, 95-101.	3.8	90
61	Structural and physicochemical characterization of hemicelluloses isolated by alkaline peroxide from barley straw. <i>Polymer International</i> , 2002, 51, 117-124.	1.6	63
62	Physicochemical and thermal characterisation of residual hemicelluloses isolated by TAED activated peroxide from ultrasonic irradiated and alkali organosolv pre-treated wheat straw. <i>Polymer Degradation and Stability</i> , 2002, 78, 295-303.	2.7	19
63	Succinylation of sago starch in the N,N-dimethylacetamide/lithium chloride system. <i>Carbohydrate Polymers</i> , 2002, 47, 323-330.	5.1	17
64	Fractional and structural characterization of hemicelluloses isolated by alkali and alkaline peroxide from barley straw. <i>Carbohydrate Polymers</i> , 2002, 49, 415-423.	5.1	114
65	Structural and physico-chemical characterization of lignins solubilized during alkaline peroxide treatment of barley straw. <i>European Polymer Journal</i> , 2002, 38, 1399-1407.	2.6	62
66	EXTRACTION AND CHARACTERIZATION OF LIPOPHILIC EXTRACTIVES FROM RICE STRAW. I. CHEMICAL COMPOSITION. <i>Journal of Wood Chemistry and Technology</i> , 2001, 21, 397-411.	0.9	21
67	Quantitative Determination of Hydroxycinnamic Acids in Wheat, Rice, Rye, and Barley Straws, Maize Stems, Oil Palm Frond Fiber, and Fast-Growing Poplar Wood. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 5122-5129.	2.4	137
68	Fractional and Structural Characterization of Lignins Isolated by Alkali and Alkaline Peroxide from Barley Straw. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 5322-5330.	2.4	32
69	SEPARATION AND CHARACTERIZATION OF LIPOPHILIC EXTRACTS FROM BARLEY STRAW. <i>Separation Science and Technology</i> , 2001, 36, 3027-3048.	1.3	11
70	The chemical modification of lignins with succinic anhydride in aqueous systems. <i>Polymer Degradation and Stability</i> , 2001, 71, 223-231.	2.7	124
71	Physico-chemical and thermal characterization of lignins from <i>Caligonum monogoliacum</i> and <i>Tamarix</i> spp.. <i>Polymer Degradation and Stability</i> , 2001, 72, 229-238.	2.7	85
72	Chemical, structural, and thermal characterizations of alkali-soluble lignins and hemicelluloses, and cellulose from maize stems, rye straw, and rice straw. <i>Polymer Degradation and Stability</i> , 2001, 74, 307-319.	2.7	669

#	ARTICLE	IF	CITATIONS
73	Succinylation of wheat straw hemicelluloses in N,N-dimethylformamide/lithium chloride systems. <i>Polymer International</i> , 2001, 50, 803-811.	1.6	16
74	Physicochemical characterization of lignins from rice straw by hydrogen peroxide treatment. <i>Journal of Applied Polymer Science</i> , 2001, 79, 719-732.	1.3	92
75	Identification and quantitation of lipophilic extractives from wheat straw. <i>Industrial Crops and Products</i> , 2001, 14, 51-64.	2.5	34
76	Fractional isolation and physico-chemical characterization of alkali-soluble lignins from fast-growing poplar wood. <i>Polymer</i> , 2000, 41, 8409-8417.	1.8	50
77	Hemicellulose-Based Porous Hydrogel for Methylene Blue Adsorption. <i>Advanced Materials Research</i> , 0, 560-561, 482-487.	0.3	3