

Quanling Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5752228/quanting-yang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

2,037
citations

25
h-index

40
g-index

98
ext. papers

2,682
ext. citations

6.6
avg, IF

5.43
L-index

#	Paper	IF	Citations
94	Solid-state cooling by elastocaloric polymer with uniform chain-lengths.. <i>Nature Communications</i> , 2022 , 13, 9	17.4	3
93	Manganese oxide/nitrogen-doped carbon aerogels from cellulose nanofibrils for high-performance supercapacitor electrodes. <i>Diamond and Related Materials</i> , 2022 , 122, 108813	3.5	0
92	Porous cellulose composite aerogel films with super piezoelectric properties for energy harvesting.. <i>Carbohydrate Polymers</i> , 2022 , 288, 119407	10.3	4
91	Fabrication of carbon nanofibril/carbon nanotube composites with high sulfur loading from nanocellulose for high-performance lithium-sulfur batteries. <i>Diamond and Related Materials</i> , 2022 , 126, 109137	3.5	0
90	Toward Strong and Tough Wood-Based Hydrogels for Sensors. <i>Biomacromolecules</i> , 2021 ,	6.9	3
89	Achieving high-performance energy harvesting and self-powered sensing in a flexible cellulose nanofibril/MoS ₂ /BaTiO ₃ composite piezoelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 15552-15565	7.1	5
88	Incorporation of Fe ₃ O ₄ nanoparticles in three-dimensional carbon nanofiber/carbon nanotube aerogels for high-performance anodes of lithium-ion batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 631, 127716	5.1	1
87	Antifreezing ionotronic skin based on flexible, transparent, and tunable ionic conductive nanocellulose hydrogels. <i>Cellulose</i> , 2021 , 28, 5657	5.5	5
86	Organic montmorillonite and doped polyaniline-enhanced self-healing polydimethylsiloxane. <i>Journal of Materials Research</i> , 2021 , 36, 1730-1739	2.5	0
85	Flexible and environment-friendly regenerated cellulose/MoS ₂ nanosheet nanogenerators with high piezoelectricity and output performance. <i>Cellulose</i> , 2021 , 28, 6513-6522	5.5	2
84	Electrochemical performances of graphene/poly-3,4-dioxyethylenethiophene aerogels as supercapacitor electrode materials. <i>Ionics</i> , 2021 , 27, 3615-3626	2.7	1
83	In-situ synthesis of flexible nanocellulose/carbon nanotube/polypyrrole hydrogels for high-performance solid-state supercapacitors. <i>Cellulose</i> , 2021 , 28, 7097-7108	5.5	10
82	A liquid-like poly(6-chloroindole) with monodisperse core-shell structure and efficient luminescence. <i>Ionics</i> , 2021 , 27, 4097-4104	2.7	
81	Rationally designed N, P Co-doped porous film via steam etching as self-supported binder-free anode for high-performance lithium-ion battery. <i>Carbon</i> , 2021 , 171, 36-44	10.4	7
80	A novel ternary composite aerogel for high-performance supercapacitor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 610, 125644	5.1	9
79	Recent advances in cellulose-based piezoelectric and triboelectric nanogenerators for energy harvesting: a review. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 1910-1937	13	61
78	Optimized structure and electrochemical properties of sulfonated carbon nanotubes/CoNi bimetallic layered hydroxide composites for high-performance supercapacitors. <i>Ceramics International</i> , 2021 , 47, 4648-4658	5.1	4

77	High-performance nanogenerators based on flexible cellulose nanofibril/MoS ₂ nanosheet composite piezoelectric films for energy harvesting. <i>Nano Energy</i> , 2021 , 80, 105541	17.1	36
76	Synthesis of the novel binary composite of self-suspended polyaniline (S-PANI) and functionalized multi-walled carbon nanotubes for high-performance supercapacitors. <i>Ionics</i> , 2021 , 27, 1743-1755	2.7	5
75	High Performance Supercapacitors Based on Mesopore Structured Multiwalled Carbon Nanotubes. <i>ChemistryOpen</i> , 2021 , 10, 347-351	2.3	4
74	Flexible and sensitive piezoresistive electronic skin based on TOCN/PPy hydrogel films. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51367	2.9	6
73	Regenerated cellulose/layered double hydroxide nanocomposite films with improved mechanical property. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51448	2.9	1
72	Fe ₃ O ₄ nanoparticle/high residual carbon nanofibril aerogels for anode material of lithium-ion battery with enhanced capacity. <i>Ionics</i> , 2021 , 27, 4225-4232	2.7	0
71	Regenerated Cellulose/NaNbO ₃ Nanowire Dielectric Composite Films with Superior Discharge Energy Density and Efficiency. <i>ACS Applied Energy Materials</i> , 2021 , 4, 8150-8157	6.1	3
70	Flexible dielectric nanocomposite films based on chitin/boron nitride/copper calcium titanate with high energy density. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 149, 106554	8.4	4
69	Fabrication of porous carbon nanofibril/MnO ₂ composite aerogels from TEMPO-oxidized cellulose nanofibrils for high-performance supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 626, 127003	5.1	5
68	Flexible cellulose/alumina (Al ₂ O ₃) nanocomposite films with enhanced energy density and efficiency for dielectric capacitors. <i>Cellulose</i> , 2021 , 28, 1541-1553	5.5	1
67	Highly Sensitive Multifunctional Electronic Skin Based on Nanocellulose/MXene Composite Films with Good Electromagnetic Shielding Biocompatible Antibacterial Properties. <i>Biomacromolecules</i> , 2021 ,	6.9	4
66	Chitin/MoS Nanosheet Dielectric Composite Films with Significantly Enhanced Discharge Energy Density and Efficiency. <i>Biomacromolecules</i> , 2020 , 21, 2929-2937	6.9	22
65	Carbon nanofibril composites with high sulfur loading fabricated from nanocellulose for high-performance lithium-sulfur batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 603, 125249	5.1	14
64	Supertough and ultrasensitive flexible electronic skin based on nanocellulose/sulfonated carbon nanotube hydrogel films. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 6311-6318	13	61
63	Facile fabrication of Fe ₃ O ₄ nanoparticle/carbon nanofiber aerogel from Fe-ion cross-linked cellulose nanofibrils as anode for lithium-ion battery with superhigh capacity. <i>Journal of Alloys and Compounds</i> , 2020 , 829, 154541	5.7	22
62	Necklace-like ferroferric oxide (FeO) nanoparticle/carbon nanofibril aerogels with enhanced lithium storage by carbonization of ferric alginate. <i>Journal of Colloid and Interface Science</i> , 2020 , 576, 119-126	9.3	11
61	Facile and efficient synthesis of magnetic fluorescent nanocomposites based on carbon nanotubes. <i>Ceramics International</i> , 2020 , 46, 8928-8934	5.1	2
60	Carbonized Cellulose Nanofibril/Graphene Oxide Composite Aerogels for High-Performance Supercapacitors. <i>ACS Applied Energy Materials</i> , 2020 , 3, 1145-1151	6.1	29

59	Transparent and flexible cellulose dielectric films with high breakdown strength and energy density. <i>Energy Storage Materials</i> , 2020 , 26, 105-111	19.4	35
58	Few-layer MoS ₂ nanosheets anchored by CNT network for superior lithium storage. <i>Electrochimica Acta</i> , 2020 , 331, 135392	6.7	7
57	Incorporation of elaborately Synthesized BNNSs by a mild mechanical stirring process for the concurrent enhancement of thermal conductivity and dielectric breakdown strength of PVDF. <i>Composites Science and Technology</i> , 2020 , 200, 108381	8.6	8
56	Cellulose/BaTiO nanofiber dielectric films with enhanced energy density by interface modification with poly(dopamine). <i>Carbohydrate Polymers</i> , 2020 , 249, 116883	10.3	4
55	Flexible electronic skin sensor based on regenerated cellulose/carbon nanotube composite films. <i>Cellulose</i> , 2020 , 27, 10199-10211	5.5	20
54	Flexible dielectric film with high energy density based on chitin/boron nitride nanosheets. <i>Chemical Engineering Journal</i> , 2020 , 383, 123147	14.7	35
53	Constructing enhanced pseudocapacitive Li ⁺ intercalation via multiple ionically bonded interfaces toward advanced lithium storage. <i>Energy Storage Materials</i> , 2020 , 24, 138-146	19.4	16
52	Doubly cross-linked nanocellulose hydrogels with excellent mechanical properties. <i>Cellulose</i> , 2019 , 26, 8645-8654	5.5	23
51	Fe ³⁺ Cross-Linked Polyaniline/Cellulose Nanofibril Hydrogels for High-Performance Flexible Solid-State Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 17653-17660	8.3	25
50	Transparent konjac glucomannan/cellulose nanofibril composite films with improved mechanical properties and thermal stability. <i>Cellulose</i> , 2019 , 26, 3155-3165	5.5	14
49	Flexible cellulose nanofibril/pristine graphene nanocomposite films with high electrical conductivity. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 119, 119-126	8.4	20
48	Flexible Cellulose/BaTiO ₃ Nanocomposites with High Energy Density for Film Dielectric Capacitor. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 10641-10648	8.3	34
47	Multi-color fluorescent carbon dots with single wavelength excitation for white light-emitting diodes. <i>Journal of Alloys and Compounds</i> , 2019 , 793, 613-619	5.7	26
46	Enhanced piezoelectricity of a PVDF-based nanocomposite utilizing high-yield dispersions of exfoliated few-layer MoS ₂ . <i>Ceramics International</i> , 2019 , 45, 11347-11352	5.1	20
45	Flexible MoS ₂ @electrospun PVDF hybrid membrane as advanced anode for lithium storage. <i>Chemical Engineering Journal</i> , 2019 , 370, 547-555	14.7	12
44	Phytic acid modified manganese dioxide/graphene composite aerogel as high-performance electrode materials for supercapacitors. <i>Applied Surface Science</i> , 2019 , 495, 143589	6.7	16
43	Carboxylated nanocellulose/poly(ethylene oxide) composite films as solid-solid phase-change materials for thermal energy storage. <i>Carbohydrate Polymers</i> , 2019 , 225, 115215	10.3	23
42	Nanopolysaccharides in Energy Storage Applications. <i>Springer Series in Biomaterials Science and Engineering</i> , 2019 , 137-169	0.6	

41	Understanding Interfacial Mechanics and Mechanisms of Exfoliation and Stabilization of Graphene Using Urea/Glycerol Solvents. <i>Advanced Theory and Simulations</i> , 2019 , 2, 1900155	3.5	5
40	TEMPO-oxidized cellulose nanofibril/layered double hydroxide nanocomposite films with improved hydrophobicity, flame retardancy and mechanical properties. <i>Composites Science and Technology</i> , 2019 , 171, 111-117	8.6	25
39	Solution-processed Graphene-MoS2 heterostructure for efficient hole extraction in organic solar cells. <i>Carbon</i> , 2019 , 142, 156-163	10.4	23
38	Atomic simulation of melting and surface segregation of ternary Fe-Ni-Cr nanoparticles. <i>Applied Surface Science</i> , 2019 , 465, 871-879	6.7	22
37	Flexible Regenerated Cellulose/Boron Nitride Nanosheet High-Temperature Dielectric Nanocomposite Films with High Energy Density and Breakdown Strength. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 7151-7158	8.3	72
36	Synthesis and Characterization of a Fluid-Like Novel Aniline Pentamer. <i>Macromolecular Research</i> , 2018 , 26, 233-237	1.9	6
35	Facile dissolution of wood pulp in aqueous NaOH/urea solution by ball milling pretreatment. <i>Industrial Crops and Products</i> , 2018 , 118, 48-52	5.9	19
34	Ordered porous structure of nitrogen-self-doped carbon supporting Co3O4 nanoparticles as anode for improving cycle stability in lithium-ion batteries. <i>Journal of Materials Research</i> , 2018 , 33, 1226-1235	2.5	9
33	Facile preparation of pristine graphene using urea/glycerol as efficient stripping agents. <i>Nano Research</i> , 2018 , 11, 820-830	10	18
32	Cellulose nanofibril/boron nitride nanosheet composites with enhanced energy density and thermal stability by interfibrillar cross-linking through Ca ²⁺ . <i>Journal of Materials Chemistry A</i> , 2018 , 6, 1403-1411	13	84
31	Carbon nanotube/zirconia composite-coated separator for a high-performance rechargeable lithium-sulfur battery. <i>AIP Advances</i> , 2018 , 8, 105315	1.5	5
30	Thiokol with Excellent Restriction on the Shuttle Effect in Lithium-Sulfur Batteries. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 79	2.6	2
29	Luminescent and Transparent Nanocellulose Films Containing Europium Carboxylate Groups as Flexible Dielectric Materials. <i>ACS Applied Nano Materials</i> , 2018 , 1, 4972-4979	5.6	25
28	Facile one-step exfoliation of large-size 2D materials via simply shearing in triethanolamine. <i>Materials Letters</i> , 2017 , 199, 124-127	3.3	17
27	Properties of gel polymer electrolytes based on poly(butyl acrylate) semi-interpenetrating polymeric networks toward Li-ion batteries. <i>Ionics</i> , 2017 , 23, 2319-2325	2.7	8
26	The Complexation between Amide Groups of Polyamide-6 and Polysulfides in the Lithium-Sulfur Battery. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700122	3.9	12
25	A three-dimensional graphene aerogel containing solvent-free polyaniline fluid for high performance supercapacitors. <i>Nanoscale</i> , 2017 , 9, 17710-17716	7.7	40
24	A novel fluid-filler/polymer composite as high-temperature thermally conductive and electrically insulating material. <i>Composites Science and Technology</i> , 2017 , 150, 128-134	8.6	16

23	Flexible Carbon Nanotube Modified Separator for High-Performance Lithium-Sulfur Batteries. <i>Nanomaterials</i> , 2017 , 7,	5.4	22
22	Novel Three-Dimensional Carbon Nanotube/Graphene Architecture with Abundant Chambers and Its Application in Lithium-Silicon Batteries. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 13807-13814	3.8	20
21	Dissolution of Wood Pulp in Aqueous NaOH/Urea Solution via Dilute Acid Pretreatment. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 6113-9	5.7	24
20	Creation of a new material stream from Japanese cedar resources to cellulose nanofibrils. <i>Reactive and Functional Polymers</i> , 2015 , 95, 19-24	4.6	15
19	Cellulose nanofibrils improve the properties of all-cellulose composites by the nano-reinforcement mechanism and nanofibril-induced crystallization. <i>Nanoscale</i> , 2015 , 7, 17957-63	7.7	56
18	Effects of lignin and hemicellulose contents on dissolution of wood pulp in aqueous NaOH/urea solution. <i>Cellulose</i> , 2014 , 21, 1205-1215	5.5	23
17	Highly tough and transparent layered composites of nanocellulose and synthetic silicate. <i>Nanoscale</i> , 2014 , 6, 392-9	7.7	61
16	Structure and Properties of Regenerated Cellulose Filaments Prepared from Cellulose Carbamate/NaOH/ZnO Aqueous Solution. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 2604-2612	8.3	41
15	Increase in the water contact angle of composite film surfaces caused by the assembly of hydrophilic nanocellulose fibrils and nanoclay platelets. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 12707-12	9.5	34
14	Formation of nanosized islands of dialkyl ketooester bonds for efficient hydrophobization of a cellulose film surface. <i>Langmuir</i> , 2014 , 30, 8109-18	4	14
13	Cellulose-clay layered nanocomposite films fabricated from aqueous cellulose/LiOH/urea solution. <i>Carbohydrate Polymers</i> , 2014 , 100, 179-84	10.3	38
12	Transparent, flexible, and high-strength regenerated cellulose/saponite nanocomposite films with high gas barrier properties. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 3168-3174	2.9	11
11	Comparative characterization of TEMPO-oxidized cellulose nanofibril films prepared from non-wood resources. <i>International Journal of Biological Macromolecules</i> , 2013 , 59, 208-13	7.9	57
10	Facile fabrication of transparent cellulose films with high water repellency and gas barrier properties. <i>Cellulose</i> , 2012 , 19, 1913-1921	5.5	35
9	Improvement of mechanical and oxygen barrier properties of cellulose films by controlling drying conditions of regenerated cellulose hydrogels. <i>Cellulose</i> , 2012 , 19, 695-703	5.5	28
8	Transparent cellulose films with high gas barrier properties fabricated from aqueous alkali/urea solutions. <i>Biomacromolecules</i> , 2011 , 12, 2766-71	6.9	184
7	The dissolution of cellulose in NaOH-based aqueous system by two-step process. <i>Cellulose</i> , 2011 , 18, 237-245	5.5	64
6	Properties of cellulose films prepared from NaOH/urea/zincate aqueous solution at low temperature. <i>Cellulose</i> , 2011 , 18, 681-688	5.5	55

5	Role of sodium zincate on cellulose dissolution in NaOH/urea aqueous solution at low temperature. <i>Carbohydrate Polymers</i> , 2011 , 83, 1185-1191	10.3	64
4	Reinforcement of ramie fibers on regenerated cellulose films. <i>Composites Science and Technology</i> , 2010 , 70, 2319-2324	8.6	46
3	Properties and bioapplications of blended cellulose and corn protein films. <i>Macromolecular Bioscience</i> , 2009 , 9, 849-56	5.5	33
2	Preparation and Properties of Cellulose/Poly(vinyl alcohol) Blend Films Based on Dissolution in a Non-Toxic Solvent System. <i>Journal of Biobased Materials and Bioenergy</i> , 2009 , 3, 199-204	1.4	3
1	Electrode materials from cuprous oxide and chitin nanofibrils for supercapacitors with high specific capacity. <i>Ionics</i> , 1	2.7	1