

Sandra Roberta G Ferreira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5753323/sandra-roberta-g-ferreira-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,410
citations

20
h-index

34
g-index

87
ext. papers

1,743
ext. citations

4.1
avg, IF

4.66
L-index

#	Paper	IF	Citations
76	Anti-fat attitudes of Nutrition undergraduates in Brazil toward individuals with obesity.. <i>Ciencia E Saude Coletiva</i> , 2022 , 27, 747-760	2.2	0
75	Low Birth Weight, βCell Function and Insulin Resistance in Adults: The Brazilian Longitudinal Study of Adult Health.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 842233	5.7	1
74	Pre-pregnancy BMI is associated with offspring body composition in adulthood before adiposity-related disorders: a retrospective cohort. <i>Public Health Nutrition</i> , 2021 , 24, 1296-1303	3.3	3
73	Branched-chain amino acids predict incident diabetes in the Brazilian Longitudinal Study of Adult Health - ELSA-Brasil. <i>Diabetes Research and Clinical Practice</i> , 2021 , 174, 108747	7.4	3
72	Maternal and paternal obesity are associated with offspring obestatin levels in the NutritionistsT Health Study. <i>Nutrition</i> , 2021 , 83, 111067	4.8	2
71	Birth weight associated with dual energy X-ray absorptiometry-determined muscle-bone unit in young healthy women from the NutritionistsTHealth Study. <i>Journal of Developmental Origins of Health and Disease</i> , 2021 , 12, 42-49	2.4	1
70	Diabetes and covid-19: more than the sum of two morbidities. <i>Revista De Saude Publica</i> , 2020 , 54, 54	2.4	9
69	Probiotics supplementation and insulin resistance: a systematic review. <i>Diabetology and Metabolic Syndrome</i> , 2020 , 12, 98	5.6	16
68	Breastfeeding duration is associated with offspring's adherence to prudent dietary pattern in adulthood: results from the Nutritionist's Health Study. <i>Journal of Developmental Origins of Health and Disease</i> , 2020 , 11, 136-145	2.4	5
67	Early life feeding and current dietary patterns are associated with biomarkers of glucose and lipid metabolism in young women from the Nutritionist's Health Study. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 509-517	5.2	2
66	Changes in lipoprotein subfractions following menopause in the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Maturitas</i> , 2019 , 130, 32-37	5	1
65	Prevalence of diabetic kidney disease in prediabetes. <i>Obesity Medicine</i> , 2019 , 15, 100105	2.6	0
64	The Gut Microbiome in Vegetarians 2019 , 393-400		
63	Utility of combined inflammatory biomarkers for the identification of cognitive dysfunction in non-diabetic participants of the ELSA-Brasil. <i>Psychoneuroendocrinology</i> , 2019 , 103, 61-66	5	3
62	Greater expression of postprandial inflammatory genes in humans after intervention with saturated when compared to unsaturated fatty acids. <i>European Journal of Nutrition</i> , 2018 , 57, 2887-2895 ^{5.2}	5.2	7
61	Gut microbiota interactions with the immunomodulatory role of vitamin D in normal individuals. <i>Metabolism: Clinical and Experimental</i> , 2017 , 69, 76-86	12.7	78
60	Reply to Letter to the Editor: Epicardial adipose tissue and cardiometabolic risk. <i>Clinical Nutrition</i> , 2017 , 36, 1453	5.9	

59	Worse inflammatory profile in omnivores than in vegetarians associates with the gut microbiota composition. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 62	5.6	45
58	Lifestyle intervention using the psychoeducational approach is associated with greater cardiometabolic benefits and retention of individuals with worse health status. <i>Archives of Endocrinology and Metabolism</i> , 2017 , 61, 36-44	2.2	2
57	Impact of menopause and diabetes on atherogenic lipid profile: is it worth to analyse lipoprotein subfractions to assess cardiovascular risk in women?. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 22	5.6	30
56	Association between carotid intima-media thickness and adiponectin in participants without diabetes or cardiovascular disease of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 116-122	3.9	16
55	Inflammatory and metabolic responses to dietary intervention differ among individuals at distinct cardiometabolic risk levels. <i>Nutrition</i> , 2017 , 33, 331-337	4.8	7
54	Enterotype May Drive the Dietary-Associated Cardiometabolic Risk Factors. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 47	5.9	43
53	Akkermansia muciniphila mediates negative effects of IFN γ on glucose metabolism. <i>Nature Communications</i> , 2016 , 7, 13329	17.4	144
52	NutritionistsHealth Study cohort: a web-based approach of life events, habits and health outcomes. <i>BMJ Open</i> , 2016 , 6, e012081	3	8
51	Modification in a single meal is sufficient to provoke benefits in inflammatory responses of individuals at low-to-moderate cardiometabolic risk. <i>Clinical Nutrition</i> , 2016 , 35, 1242-1250	5.9	16
50	Usefulness of circulating E-selectin to early detection of the atherosclerotic process in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2016 , 8, 19	5.6	11
49	Circulating early biomarkers of atherogenesis in participants of the Longitudinal Study of Adult Health (ELSA-Brasil) without diabetes or cardiovascular disease. <i>Archives of Endocrinology and Metabolism</i> , 2016 , 60, 573-581	2.2	2
48	Distinct breakfast patterns on satiety perception in individuals with weight excess. <i>Archives of Endocrinology and Metabolism</i> , 2016 , 60, 333-40	2.2	3
47	Impact of the Content of Fatty Acids of Oral Fat Tolerance Tests on Postprandial Triglyceridemia: Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2016 , 8,	6.7	25
46	Impact of lifestyle interventions on depressive symptoms in individuals at-risk of, or with, type 2 diabetes mellitus: A systematic review and meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 649-62	4.5	15
45	Novel biomarkers of cardiometabolic risk are associated with plasma glucose within non-diabetic range. The Brazilian Longitudinal Study of Adult Health - ELSA-Brasil. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 110-6	7.4	9
44	Reassessing lipid metabolism and its potentialities in the prediction of cardiovascular risk. <i>Archives of Endocrinology and Metabolism</i> , 2015 , 59, 171-80	2.2	13
43	Ability of a single meal composition in changing postprandial inflammatory responses. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7,	5.6	78
42	Type 2 diabetes in Brazil: epidemiology and management. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2015 , 8, 17-28	3.4	28

41	Influence of depression on cardiometabolic responses to a lifestyle intervention in at-risk individuals. <i>Journal of Affective Disorders</i> , 2015 , 174, 516-21	6.6	3
40	Association of fruits and vegetables consumption and related-vitamins with inflammatory and oxidative stress markers in prediabetic individuals. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 22	5.6	20
39	Healthy Eating Index is associated with certain markers of inflammation and insulin resistance but not with lipid profile in individuals at cardiometabolic risk. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014 , 39, 497-502	3	21
38	Diet quality is associated with leisure-time physical activity in individuals at cardiometabolic risk. <i>Journal of the American College of Nutrition</i> , 2014 , 33, 297-305	3.5	5
37	Realistic changes in monounsaturated fatty acids and soluble fibers are able to improve glucose metabolism. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 136	5.6	6
36	Association between peripheral arterial disease and C-reactive protein in the Japanese-Brazilian population. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2014 , 41, 168-75	0.5	1
35	Biomarkers of inflammation may be of use for identification of more severe peripheral arterial occlusive disease. <i>Jornal Vascular Brasileiro</i> , 2014 , 13, 182-191	0.9	2
34	Willingness to pay as patient preference to bariatric surgery. <i>Health Expectations</i> , 2014 , 17, 73-81	3.7	7
33	HbA1c, fasting and 2 h plasma glucose in current, ex- and never-smokers: a meta-analysis. <i>Diabetologia</i> , 2014 , 57, 30-9	10.3	38
32	Study of risk factors associated with peripheral arteriopathy in Japanese-Brazilians from Bauru (SP). <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 143-50	1.2	3
31	Cardiometabolic risk reduction through lifestyle intervention programs in the Brazilian public health system. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 21	5.6	17
30	Parathyroid hormone has an important role in blood pressure regulation in vitamin D-insufficient individuals. <i>Nutrition</i> , 2013 , 29, 1147-51	4.8	2
29	Management of diabetes mellitus and associated cardiovascular risk factors in Brazil - the Brazilian study on the practice of diabetes care. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 46	5.6	2
28	FTO T/A and peroxisome proliferator-activated receptor- α Pro12Ala polymorphisms but not ApoA1 -75 are associated with better response to lifestyle intervention in Brazilians at high cardiometabolic risk. <i>Metabolic Syndrome and Related Disorders</i> , 2013 , 11, 169-76	2.6	11
27	Benefits on quality of life concomitant to metabolic improvement in intervention program for prevention of diabetes mellitus. <i>Quality of Life Research</i> , 2012 , 21, 105-13	3.7	20
26	Assessment of leisure-time physical activity for the prediction of inflammatory status and cardiometabolic profile. <i>Journal of Science and Medicine in Sport</i> , 2012 , 15, 511-8	4.4	10
25	Associations of the TNF- α -308 G/A, IL6 -174 G/C and AdipoQ 45 T/G polymorphisms with inflammatory and metabolic responses to lifestyle intervention in Brazilians at high cardiometabolic risk. <i>Diabetology and Metabolic Syndrome</i> , 2012 , 4, 49	5.6	16
24	A behavioral intervention in a cohort of Japanese-Brazilians at high cardiometabolic risk. <i>Revista De Saude Publica</i> , 2012 , 46, 602-9	2.4	5

23	Trans fatty acid intake is associated with insulin sensitivity but independently of inflammation. <i>Brazilian Journal of Medical and Biological Research</i> , 2012 , 45, 625-31	2.8	17
22	Prevalence of metabolic syndrome in elderly Japanese-Brazilians. <i>Medical Science Monitor</i> , 2012 , 18, PH1-5	3.2	0
21	Impacto de um programa de intervenç�o sobre o estilo de vida nos perfis metab�lico, antropom�trico e diet�tico em nipo-brasileiros com e sem s�ndrome metab�lica. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2011 , 55, 134-145		2
20	Studies of gene variants related to inflammation, oxidative stress, dyslipidemia, and obesity: implications for a nutrigenetic approach. <i>Journal of Obesity</i> , 2011 , 2011, 497401	3.7	39
19	A revised version of the Healthy Eating Index for the Brazilian population. <i>Revista De Saude Publica</i> , 2011 , 45, 794-8	2.4	41
18	Hyperuricemia and associated factors: a cross-sectional study of Japanese-Brazilians. <i>Cadernos De Saude Publica</i> , 2011 , 27, 369-78	3.2	15
17	Role of vitamins and minerals in prevention and management of type 2 diabetes mellitus. <i>Nutrition Reviews</i> , 2010 , 68, 341-54	6.4	58
16	Assessing food dietary intakes in Japanese-Brazilians using factor analysis. <i>Cadernos De Saude Publica</i> , 2010 , 26, 2157-67	3.2	4
15	Impact of a 2-year intervention program on cardiometabolic profile according to the number of goals achieved. <i>Brazilian Journal of Medical and Biological Research</i> , 2010 , 43, 1088-94	2.8	6
14	Subclinical thyroid dysfunctions are independent risk factors for mortality in a 7.5-year follow-up: the Japanese-Brazilian thyroid study. <i>European Journal of Endocrinology</i> , 2010 , 162, 569-77	6.5	89
13	Nutritional intervention programme among a Japanese-Brazilian community: procedures and results according to gender. <i>Public Health Nutrition</i> , 2010 , 13, 1453-61	3.3	5
12	Prevalence of metabolic syndrome in Japanese-Brazilians according to specific definitions for ethnicity. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 143-8	2.6	5
11	Association of genetic variants in the adiponectin encoding gene (ADIPOQ) with type 2 diabetes in Japanese Brazilians. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 115-20	3.2	18
10	Improved endothelial function with simvastatin but unchanged insulin sensitivity with simvastatin or ezetimibe. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 921-6	12.7	25
9	Dietary omega-3 fatty acid and omega-3: omega-6 fatty acid ratio predict improvement in glucose disturbances in Japanese Brazilians. <i>Nutrition</i> , 2010 , 26, 184-91	4.8	11
8	Synergistic effect of simvastatin and ezetimibe on lipid and pro-inflammatory profiles in pre-diabetic subjects. <i>Diabetology and Metabolic Syndrome</i> , 2010 , 2, 34	5.6	15
7	Predictive factors of non-deterioration of glucose tolerance following a 2-year behavioral intervention. <i>Diabetology and Metabolic Syndrome</i> , 2010 , 2, 52	5.6	5
6	Frequency of arterial hypertension and associated factors: Brazil, 2006. <i>Revista De Saude Publica</i> , 2009 , 43 Suppl 2, 98-106	2.4	21

5	Fat and fiber consumption are associated with peripheral arterial disease in a cross-sectional study of a Japanese-Brazilian population. <i>Circulation Journal</i> , 2008 , 72, 44-50	2.9	20
4	Effects of an intervention in eating habits and physical activity in Japanese-Brazilian women with a high prevalence of metabolic syndrome in Bauru, S Paulo State, Brazil. <i>Cadernos De Saude Publica</i> , 2008 , 24 Suppl 2, S294-302	3.2	9
3	The new adipose tissue and adipocytokines. <i>Current Diabetes Reviews</i> , 2006 , 2, 19-28	2.7	73
2	Association of dietary fiber with temporal changes in serum cholesterol in Japanese-Brazilians. <i>Journal of Nutritional Science and Vitaminology</i> , 2006 , 52, 205-10	1.1	8
1	Diabetes and covid-19: more than the sum of two morbidities. <i>Revista De Saude Publica</i> , 54, 1-6	2.4	9