Marcela Tamayo y Ortiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5754558/publications.pdf

Version: 2024-02-01

80 papers 1,152 citations

³⁹⁴²⁸⁶
19
h-index

454834 30 g-index

85 all docs 85 docs citations

85 times ranked 1652 citing authors

#	Article	IF	CITATIONS
1	Prenatal maternal phthalate exposures and trajectories of childhood adiposity from four to twelve years. Environmental Research, 2022, 204, 112111.	3.7	8
2	Critical windows of perinatal particulate matter (PM2.5) exposure and preadolescent kidney function. Environmental Research, 2022, 204, 112062.	3.7	5
3	Early childhood fluoride exposure and preadolescent kidney function. Environmental Research, 2022, 204, 112014.	3.7	5
4	Use of Private Sector Workforce Respiratory Disease Short-Term Disability Claims to Assess SARS-CoV-2, Mexico, 2020. Emerging Infectious Diseases, 2022, 28, .	2.0	3
5	Association between prenatal metal exposure and adverse respiratory symptoms in childhood. Environmental Research, 2022, 205, 112448.	3.7	7
6	Prenatal lead exposure and childhood lung function: Influence of maternal cortisol and child sex. Environmental Research, 2022, 205, 112447.	3.7	5
7	A review of studies on blood lead concentrations of traditional Mexican potters. International Journal of Hygiene and Environmental Health, 2022, 240, 113903.	2.1	2
8	Overview of Traditional and Environmental Factors Related to Bone Health. Environmental Science and Pollution Research, 2022, 29, 31042-31058.	2.7	3
9	The influence of maternal anxiety and cortisol during pregnancy on childhood anxiety symptoms. Psychoneuroendocrinology, 2022, 139, 105704.	1.3	11
10	Intermediate- and long-term associations between air pollution and ambient temperature and glycated hemoglobin levels in women of child bearing age. Environment International, 2022, 165, 107298.	4.8	4
11	Prenatal and early childhood critical windows for the association of nephrotoxic metal and metalloid mixtures with kidney function. Environment International, 2022, 166, 107361.	4.8	17
12	Prenatal maternal phthalate exposures and child lipid and adipokine levels at age six: A study from the PROGRESS cohort of Mexico City. Environmental Research, 2021, 192, 110341.	3.7	13
13	Prenatal and early life exposure to particulate matter, environmental tobacco smoke and respiratory symptoms in Mexican children. Environmental Research, 2021, 192, 110365.	3.7	15
14	Exposure to PM2.5 and Obesity Prevalence in the Greater Mexico City Area. International Journal of Environmental Research and Public Health, 2021, 18, 2301.	1.2	21
15	Exposure to Phenols, Phthalates, and Parabens and Development of Metabolic Syndrome Among Mexican Women in Midlife. Frontiers in Public Health, 2021, 9, 620769.	1.3	24
16	Exosomal miRNAs in urine associated with children's cardiorenal parameters: a cross-sectional study. Epigenomics, 2021, 13, 499-512.	1.0	3
17	Gestational and peripubertal phthalate exposure in relation to attention performance in childhood and adolescence. Environmental Research, 2021, 196, 110911.	3.7	4
18	Dairy consumption and subclinical atherosclerosis: A cross-sectional study among middle-aged Mexican women. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1747-1755.	1.1	9

#	Article	IF	Citations
19	Changes in Depressive Symptoms, Stress and Social Support in Mexican Women during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 8775.	1.2	6
20	Metal exposure and bone remodeling during pregnancy: Results from the PROGRESS cohort study. Environmental Pollution, 2021, 282, 116962.	3.7	11
21	Health Effects from Urban Stress in Women in Mexico City. ISEE Conference Abstracts, 2021, 2021, .	0.0	O
22	Nephrotoxic Metal Mixtures and Preadolescent Kidney Function. Children, 2021, 8, 673.	0.6	5
23	Prenatal blood lead levels and reduced preadolescent glomerular filtration rate: Modification by body mass index. Environment International, 2021, 154, 106414.	4.8	10
24	A Scoping Review of Life-Course Psychosocial Stress and Kidney Function. Children, 2021, 8, 810.	0.6	1
25	Prenatal urinary concentrations of phthalate metabolites and behavioral problems in Mexican children: The Programming Research in Obesity, Growth Environment and Social Stress (PROGRESS) study. Environmental Research, 2021, 201, 111338.	3.7	6
26	Infant feeding, appetite and satiety regulation, and adiposity during infancy: a study design and protocol of the â€~MAS-Lactancia' birth cohort. BMJ Open, 2021, 11, e051400.	0.8	5
27	Prenatal and Early Childhood Exposure to Lead and Repeated Measures of Metabolic Syndrome Risk Indicators From Childhood to Preadolescence. Frontiers in Pediatrics, 2021, 9, 750316.	0.9	7
28	Mitochondrial DNA Copy Number Adaptation as a Biological Response Derived from an Earthquake at Intrauterine Stage. International Journal of Environmental Research and Public Health, 2021, 18, 11771.	1.2	3
29	PM2.5 exposure as a risk factor for type 2 diabetes mellitus in the Mexico City metropolitan area. BMC Public Health, 2021, 21, 2087.	1.2	14
30	Identifying critical windows of prenatal particulate matter (PM2.5) exposure and early childhood blood pressure. Environmental Research, 2020, 182, 109073.	3.7	36
31	Using the delayed spatial alternation task to assess environmentally associated changes in working memory in very young children. NeuroToxicology, 2020, 77, 71-79.	1.4	3
32	Blood manganese levels during pregnancy and postpartum depression: A cohort study among women in Mexico. NeuroToxicology, 2020, 76, 183-190.	1.4	12
33	Children's acute respiratory symptoms associated with PM2.5 estimates in two sequential representative surveys from the Mexico City Metropolitan Area. Environmental Research, 2020, 180, 108868.	3.7	27
34	Particulate air pollution exposure during pregnancy and postpartum depression symptoms in women in Mexico City. Environment International, 2020, 134, 105325.	4.8	36
35	Early-Life Dietary Cadmium Exposure and Kidney Function in 9-Year-Old Children from the PROGRESS Cohort. Toxics, 2020, 8, 83.	1.6	10
36	Association of ambient PM2·5 exposure with maternal bone strength in pregnant women from Mexico City: a longitudinal cohort study. Lancet Planetary Health, The, 2020, 4, e530-e537.	5.1	12

#	Article	IF	CITATIONS
37	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among boys in Mexico City. Environmental Health, 2020, 19, 124.	1.7	12
38	Early Gestational Exposure to High-Molecular-Weight Phthalates and Its Association with 48-Month-Old Children's Motor and Cognitive Scores. International Journal of Environmental Research and Public Health, 2020, 17, 8150.	1,2	10
39	Maternal Prenatal Psychosocial Stress and Prepregnancy BMI Associations with Fetal Iron Status. Current Developments in Nutrition, 2020, 4, nzaa018.	0.1	8
40	Onset and tempo of sexual maturation is differentially associated with gestational phthalate exposure between boys and girls in a Mexico City birth cohort. Environment International, 2020, 136, 105469.	4.8	20
41	Fine particulate matter exposure and lipid levels among children in Mexico city. Environmental Epidemiology, 2020, 4, e088.	1.4	14
42	Lead Concentrations in Mexican Candy: A Follow-Up Report. Annals of Global Health, 2020, 86, 20.	0.8	3
43	Análisis de la distribución nacional de intoxicación por plomo en niños de 1 a 4 años. Implicaciones para la polÃŧica pública en México. Salud Publica De Mexico, 2020, 62, 627-636.	0.1	7
44	Maternal blood arsenic levels and associations with birth weight-for-gestational age. Environmental Research, 2019, 177, 108603.	3.7	29
45	In utero and peripubertal metals exposure in relation to reproductive hormones and sexual maturation and progression among girls in Mexico City. Environmental Research, 2019, 177, 108630.	3.7	48
46	Maternal Prenatal Psychosocial Stress and BMI Predict Lower Fetal Iron Status in a Mexico City Cohort (FS01-07-19). Current Developments in Nutrition, 2019, 3, nzz028.FS01-07-19.	0.1	0
47	Prenatal salivary sex hormone levels and birth-weight-for-gestational age. Journal of Perinatology, 2019, 39, 941-948.	0.9	11
48	Early Life Exposure in Mexico to ENvironmental Toxicants (ELEMENT) Project. BMJ Open, 2019, 9, e030427.	0.8	76
49	Association of Prenatal and Perinatal Exposures to Particulate Matter With Changes in Hemoglobin A _{1c} Levels in Children Aged 4 to 6 Years. JAMA Network Open, 2019, 2, e1917643.	2.8	18
50	Length of gestation and birth weight are associated with indices of combined kidney biomarkers in early childhood. PLoS ONE, 2019, 14, e0227219.	1.1	0
51	Prenatal co-exposure to manganese and depression and 24-months neurodevelopment. NeuroToxicology, 2018, 64, 134-141.	1.4	30
52	Maternal antenatal stress has little impact on child sleep: results from a prebirth cohort in Mexico City. Sleep Health, 2018, 4, 397-404.	1.3	8
53	Children's Blood Lead Concentrations from 1988 to 2015 in Mexico City: The Contribution of Lead in Air and Traditional Lead-Glazed Ceramics. International Journal of Environmental Research and Public Health, 2018, 15, 2153.	1.2	37
54	Diurnal Cortisol Concentrations and Growth Indexes of 12- to 48-Month-Old Children From Mexico City. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3386-3393.	1.8	0

#	Article	IF	Citations
55	Prenatal lead exposure modifies the effect of shorter gestation on increased blood pressure in children. Environment International, 2018, 120, 464-471.	4.8	30
56	Subconstructs of the Edinburgh Postpartum Depression Scale in a postpartum sample in Mexico City. Journal of Affective Disorders, 2018, 238, 142-146.	2.0	18
57	Reduced Lead Exposure Following a Sensitization Program in Rural Family Homes Producing Traditional Mexican Ceramics. Annals of Global Health, 2018, 84, 285-291.	0.8	11
58	Prenatal Exposure to Phthalates and Neurodevelopment in 48 month Children of Mexico City. ISEE Conference Abstracts, 2018, 2017, 589.	0.0	0
59	Relationship of Trimester-Specific Gestational Exposure to High Molecular Weight Phthalates with Neurodevelopment at 48 Months and Differences by Sex. ISEE Conference Abstracts, 2018, 2018, .	0.0	O
60	Exposure to PM2.5 in Mexico City's Metropolitan Area and Its Association with Obesity. ISEE Conference Abstracts, 2018, 2018, .	0.0	0
61	Estimation of Historic PM2.5 Concentrations Using the PM2.5-PM10 Ratio in Mexico City and Metropolitan Area. ISEE Conference Abstracts, 2018, 2018, .	0.0	O
62	Association of PM2.5 Exposure and Health Outcomes in a Representative Population Sample of the Mexico City Metropolitan Area Using Satellite and Monitor-Based Exposure Estimations. ISEE Conference Abstracts, 2018, 2018, .	0.0	0
63	In Utero and Peripubertal Metals Exposure in Relation to Reproductive Hormones and Sexual Maturation in Girls. ISEE Conference Abstracts, 2018, 2018, .	0.0	O
64	Exposure to Air Pollution during Critical Gestational Windows and Childhood Obesity. ISEE Conference Abstracts, 2018, 2018, .	0.0	0
65	Bone Remodeling and Metals Exposure during Pregnancy: Results from Progress Cohort. ISEE Conference Abstracts, 2018, 2018, .	0.0	O
66	Impact of In Utero and Adolescent Phthalate Exposure on Sexual Maturation Progression. ISEE Conference Abstracts, 2018, 2018, .	0.0	0
67	Three Decades of Lead Poisoning Prevalence in Mexico City Children: 1988 to 2015. ISEE Conference Abstracts, 2018, 2018, .	0.0	O
68	Maternal stress modifies the effect of exposure to lead during pregnancy and 24-month old children's neurodevelopment. Environment International, 2017, 98, 191-197.	4.8	56
69	Prenatal and postnatal stress and wheeze in Mexican children. Annals of Allergy, Asthma and Immunology, 2016, 116, 306-312.e1.	0.5	55
70	Longitudinal associations of age and prenatal lead exposure on cortisol secretion of 12–24 month-old infants from Mexico City. Environmental Health, 2016, 15, 41.	1.7	18
71	Lead in candy consumed and blood lead levels of children living in Mexico City. Environmental Research, 2016, 147, 497-502.	3.7	20
72	Relating Phthalate and BPA Exposure to Metabolism in Peripubescence: The Role of Exposure Timing, Sex, and Puberty. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 79-88.	1.8	61

#	Article	IF	CITATIONS
73	Maternal violence, maternal lead exposure, and child neurodevelopment in a cohort of mothers and children in Mexico City. ISEE Conference Abstracts, 2016, 2016, .	0.0	О
74	Associations between prenatal cortisol exposure and cord blood mitochondrial DNA differ by maternal lifetime experience of violence ISEE Conference Abstracts, 2016, 2016, .	0.0	0
75	Mercury and psychosocial stress exposure interact to predict maternal diurnal cortisol during pregnancy. Environmental Health, 2015, 14, 28.	1.7	22
76	Offspring DNA methylation of the aryl-hydrocarbon receptor repressor gene is associated with maternal BMI, gestational age, and birth weight. Epigenetics, 2015, 10, 913-921.	1.3	65
77	Prenatal Co-Exposure To Lead And Stress Intensity And Diversity And Their Association With Neurodevelopment In Two-Year-Old Children From The Mexico Programming Research In Obesity, Growth, Environment And Social Stressors (Progress) Birth Cohort. ISEE Conference Abstracts, 2015, 2015, 1493.	0.0	0
78	Relationships between lead biomarkers and diurnal salivary cortisol indices in pregnant women from Mexico City: a cross-sectional study. Environmental Health, 2014, 13, 50.	1.7	75
79	Influence of Prenatal Lead and Stress Exposures on Infant Diurnal Cortisol Rhythms Up to Age 2 Years. ISEE Conference Abstracts, 2014, 2014, 2189.	0.0	O
80	Increased Prenatal Lead Exposure is Associated with Disruption of Infant Daytime Cortisol Production in a Prospective Birth Cohort Study. ISEE Conference Abstracts, 2013, 2013, 4656.	0.0	0