

Mohammad G Dekamin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5754751/mohammad-g-dekamin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

1,874
citations

24
h-index

39
g-index

116
ext. papers

2,280
ext. citations

3.7
avg, IF

5.44
L-index

#	Paper	IF	Citations
81	A molecular dynamic simulation study of anticancer agents and UiO-66 as a carrier in drug delivery systems.. <i>Journal of Molecular Graphics and Modelling</i> , 2022 , 113, 108147	2.8	1
80	Analysis of patents in photocatalytic water and wastewater treatment. Part I Photocatalytic materials 2022 , 159-182		
79	Analysis of patents in photocatalytic water and wastewater treatment. Part II Solar energy and nanotechnology 2022 , 183-208		
78	Supported copper on a diamide-diacid-bridged PMO: an efficient hybrid catalyst for the cascade oxidation of benzyl alcohols/Knoevenagel condensation.. <i>RSC Advances</i> , 2021 , 12, 437-450	3.7	2
77	Progresses in chitin, chitosan, starch, cellulose, pectin, alginate, gelatin and gum based (nano)catalysts for the Heck coupling reactions: A review. <i>International Journal of Biological Macromolecules</i> , 2021 , 192, 771-819	7.9	9
76	A straightforward, environmentally beneficial synthesis of spiro[diindeno[1,2-b:2'Se]pyridine-11,3Sindoline]-2'S10,12-triones mediated by a nano-ordered reusable catalyst. <i>Scientific Reports</i> , 2021 , 11, 4820	4.9	2
75	The Isocyanurate-Carbamate-Bridged Hybrid Mesoporous Organosilica: An Exceptional Anchor for Pd Nanoparticles and a Unique Catalyst for Nitroaromatics Reduction. <i>Catalysts</i> , 2021 , 11, 621	4	4
74	Sulfamic acid pyromellitic diamide-functionalized MCM-41 as a multifunctional hybrid catalyst for melting-assisted solvent-free synthesis of bioactive 3,4-dihydropyrimidin-2-(1H)-ones. <i>Scientific Reports</i> , 2021 , 11, 11199	4.9	2
73	Tetramethylguanidine-functionalized nanosize Al ₂ O ₃ as a novel and efficient catalyst for the four-component synthesis of pyrazolopyranopyrimidine derivatives. <i>Journal of the Iranian Chemical Society</i> , 2021 , 18, 1419-1431	2	4
72	Tetramethylguanidine-functionalized melamine as a multifunctional organocatalyst for the expeditious synthesis of 1,2,4-triazoloquinazolinones. <i>Scientific Reports</i> , 2021 , 11, 14457	4.9	5
71	Synthesis of nanocellulose aerogels and Cu-BTC/nanocellulose aerogel composites for adsorption of organic dyes and heavy metal ions. <i>Scientific Reports</i> , 2021 , 11, 18553	4.9	5
70	Dendrons containing boric acid and 1,3,5-tris(2-hydroxyethyl)isocyanurate covalently attached to silica-coated magnetite for the expeditious synthesis of Hantzsch esters. <i>Scientific Reports</i> , 2021 , 11, 2399	4.9	5
69	Fast and Efficient Green Procedure for the Synthesis of Benzo[5,6]chromene Derivatives and Their Sulfur Analogues in Water by Organocatalyst Potassium Phthalimide-N-oxyl. <i>Synthesis</i> , 2020 , 52, 1707-1718	2.8	8
68	Novel magnetic propylsulfonic acid-anchored isocyanurate-based periodic mesoporous organosilica (Iron oxide@PMO-ICS-PrSOH) as a highly efficient and reusable nanoreactor for the sustainable synthesis of imidazopyrimidine derivatives. <i>Scientific Reports</i> , 2020 , 10, 10646	4.9	14
67	Benzene-1,3,5-tricarboxylic acid-functionalized MCM-41 as a novel and recoverable hybrid catalyst for expeditious and efficient synthesis of 2,3-dihydroquinazolin-4(1H)-ones via one-pot three-component reaction. <i>Research on Chemical Intermediates</i> , 2020 , 46, 3891-3909	2.8	11
66	DABA MNPs: a new and efficient magnetic bifunctional nanocatalyst for the green synthesis of biologically active pyrano[2,3-c]pyrazole and benzylpyrazolyl coumarin derivatives. <i>New Journal of Chemistry</i> , 2020 , 44, 13952-13961	3.6	18
65	Carbamate-Isocyanurate-Bridged Periodic Mesoporous Organosilica for van der Waals CO Capture. <i>Inorganic Chemistry</i> , 2020 , 59, 11223-11227	5.1	12

64	Sodium alginate: A biopolymeric catalyst for the synthesis of novel and known polysubstituted pyrano[3,2-c]chromenes. <i>International Journal of Biological Macromolecules</i> , 2019 , 140, 605-613	7.9	14
63	Synthesis of ionic liquids with multifunctional tribological properties as excellent single-component package additives for turbine oils. <i>Lubrication Science</i> , 2019 , 31, 311-320	1.3	1
62	New Hydrogen-Bond-Enriched 1,3,5-Tris(2-hydroxyethyl) Isocyanurate Covalently Functionalized MCM-41: An Efficient and Recoverable Hybrid Catalyst for Convenient Synthesis of Acridinedione Derivatives. <i>ACS Omega</i> , 2019 , 4, 20618-20633	3.9	17
61	A practical and highly efficient synthesis of densely functionalized nicotinonitrile derivatives catalyzed by zinc oxide-decorated superparamagnetic silica attached to graphene oxide nanocomposite. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e4735	3.1	7
60	Cu(II) and magnetite nanoparticles decorated melamine-functionalized chitosan: A synergistic multifunctional catalyst for sustainable cascade oxidation of benzyl alcohols/Knoevenagel condensation. <i>Scientific Reports</i> , 2019 , 9, 17758	4.9	27
59	Melamine-modified chitosan materials: An efficient and recyclable bifunctional organocatalyst for green synthesis of densely functionalized bioactive dihydropyrano[2,3-c]pyrazole and benzylpyrazolyl coumarin derivatives. <i>International Journal of Biological Macromolecules</i> , 2019 , 129, 407-421	7.9	26
58	Superparamagnetic silica core-shell hybrid attached to graphene oxide as a promising recoverable catalyst for expeditious synthesis of TMS-protected cyanohydrins. <i>Journal of Colloid and Interface Science</i> , 2018 , 521, 232-241	9.3	15
57	MCM-41 mesoporous silica: a highly efficient and recoverable catalyst for rapid synthesis of α -aminonitriles and imines. <i>Green Chemistry Letters and Reviews</i> , 2018 , 11, 36-46	4.7	27
56	Activation of hexamethyldisilazane (HMDS) by TiO ₂ nanoparticles for protection of alcohols and phenols: the effect of the catalyst phase on catalytic activity. <i>Research on Chemical Intermediates</i> , 2018 , 44, 2951-2963	2.8	5
55	Selective and highly efficient synthesis of xanthenedione or tetraketone derivatives catalyzed by ZnO nanorod-decorated graphene oxide. <i>New Journal of Chemistry</i> , 2018 , 42, 14246-14262	3.6	16
54	Preparation of 5-Substituted-1H-Tetrazoles Catalyzed by MOFs via Two Strategies: Direct Condensation of Aryl Nitriles with Sodium Azide, and Tri-Component Reaction Method. <i>ChemistrySelect</i> , 2018 , 3, 8332-8337	1.8	8
53	Nanoporous metal-organic framework Cu ₂ (BDC) ₂ (DABCO) as an efficient heterogeneous catalyst for one-pot facile synthesis of 1,2,3-triazole derivatives in ethanol and evaluating antimicrobial activity of the novel derivatives. <i>Scientia Iranica</i> , 2018 , 0-0	1.5	2
52	Alginic acid: A mild and renewable bifunctional heterogeneous biopolymeric organocatalyst for efficient and facile synthesis of polyhydroquinolines. <i>International Journal of Biological Macromolecules</i> , 2018 , 108, 1273-1280	7.9	33
51	Melamine-Functionalized Chitosan: A New Bio-Based Reusable Bifunctional Organocatalyst for the Synthesis of Cyanocinnamitrile Intermediates and Densely Functionalized Nicotinonitrile Derivatives. <i>ChemistrySelect</i> , 2018 , 3, 10450-10463	1.8	18
50	Propylsulfonic acid-anchored isocyanurate-based periodic mesoporous organosilica (PMO-ICS-Pr-SOH): A new and highly efficient recoverable nanoporous catalyst for the one-pot synthesis of bis(indolyl)methane derivatives. <i>Journal of Colloid and Interface Science</i> , 2017 , 505, 956-963	9.3	29
49	1,3,5-Tris(2-hydroxyethyl)isocyanurate functionalized graphene oxide: a novel and efficient nanocatalyst for the one-pot synthesis of 3,4-dihydropyrimidin-2(1H)-ones. <i>New Journal of Chemistry</i> , 2017 , 41, 6893-6901	3.6	23
48	A facile and environmentally benign polyethylene glycol 600-mediated method for the synthesis of densely functionalized 2-aminothiophene derivatives under ultrasonication. <i>Green Chemistry Letters and Reviews</i> , 2017 , 10, 315-323	4.7	11
47	Green and Facile Synthesis of 4H-Pyran Scaffold Catalyzed by Pure Nano-Ordered Periodic Mesoporous Organosilica with Isocyanurate Framework (PMO-ICS). <i>ChemistrySelect</i> , 2017 , 2, 9236-9243	1.8	14

46	Propylsulfonic Acid-Anchored Isocyanurate-Based Periodic Mesoporous Organosilica (PMO-ICS-PrSO ₃ H): A Highly Efficient and Recoverable Nanoporous Catalyst for the One-Pot Synthesis of Substituted Polyhydroquinolines. <i>Catalysis Letters</i> , 2017 , 147, 2656-2663	2.8	20
45	An improved solvent-free synthesis of flunixin and 2-(arylamino) nicotinic acid derivatives using boric acid as catalyst. <i>Chemistry Central Journal</i> , 2017 , 11, 124		3
44	Phthalimide-N-oxyl salts: efficient organocatalysts for facile synthesis of (Z)-3-methyl-4-(arylmethylene)-isoxazole-5(4H)-one derivatives in water. <i>Monatshefte Für Chemie</i> , 2016 , 147, 445-450	1.4	31
43	Isocyanurate-based periodic mesoporous organosilica (PMO-ICS): a highly efficient and recoverable nanocatalyst for the one-pot synthesis of substituted imidazoles and benzimidazoles. <i>RSC Advances</i> , 2016 , 6, 86982-86988	3.7	31
42	An efficient catalyst- and solvent-free method for the synthesis of medicinally important dihydropyrano[2,3-c]pyrazole derivatives using ball milling technique. <i>Journal of the Iranian Chemical Society</i> , 2016 , 13, 591-596	2	13
41	Sodium alginate: An efficient biopolymeric catalyst for green synthesis of 2-amino-4H-pyran derivatives. <i>International Journal of Biological Macromolecules</i> , 2016 , 87, 172-9	7.9	53
40	Tetraethylammonium 2-(carbamoyl)benzoate as a bifunctional organocatalyst for one-pot synthesis of Hantzsch 1,4-dihydropyridine and polyhydroquinoline derivatives. <i>Monatshefte Für Chemie</i> , 2016 , 147, 1779-1787	1.4	16
39	MCM-41-SO ₃ H-catalyzed synthesis of highly substituted 3-amino-imidazo[1,2-a]pyridines or pyrazines via the Groebke-Blackburn-Bienaym multicomponent reaction under grinding conditions at ambient temperature. <i>Scientia Iranica</i> , 2016 , 23, 2724-2734	1.5	2
38	Organocatalytic clean synthesis of densely functionalized 4H-pyrans by bifunctional tetraethylammonium 2-(carbamoyl)benzoate using ball milling technique under mild conditions. <i>Green Chemistry Letters and Reviews</i> , 2016 , 9, 96-105	4.7	12
37	Chitosan: An efficient biomacromolecule support for synergic catalyzing of Hantzsch esters by CuSO. <i>International Journal of Biological Macromolecules</i> , 2016 , 93, 767-774	7.9	30
36	Optimization of catalytic activity of sulfated titania for efficient synthesis of isoamyl acetate by response surface methodology. <i>Monatshefte Für Chemie</i> , 2015 , 146, 1949-1957	1.4	9
35	SO ₃ H-functionalized mesoporous silica materials as solid acid catalyst for facile and solvent-free synthesis of 2H-indazolo[2,1-b]phthalazine-1,6,11-trione derivatives. <i>New Journal of Chemistry</i> , 2015 , 39, 9665-9671	3.6	23
34	Life cycle assessment for rainbow trout (<i>Oncorhynchus mykiss</i>) production systems: a case study for Iran. <i>Journal of Cleaner Production</i> , 2015 , 91, 43-55	10.3	28
33	Alginate: a highly efficient renewable and heterogeneous biopolymeric catalyst for one-pot synthesis of the Hantzsch 1,4-dihydropyridines. <i>RSC Advances</i> , 2014 , 4, 56658-56664	3.7	54
32	Highly efficient organocatalytic synthesis of diverse and densely functionalized 2-amino-3-cyano-4H-pyrans under mechanochemical ball milling. <i>Green Chemistry</i> , 2014 , 16, 4914-4921	10	102
31	Fast and Convenient Synthesis of Cross-Linked Poly(urethane-isocyanurate) in the Presence of Tetrabutylammonium Phthalimide-N-oxyl or Tetraethylammonium 2-(Carbamoyl)benzoate as Efficient Metal-free Cyclotrimerization Catalysts. <i>Polymer-Plastics Technology and Engineering</i> , 2013 , 52, 1127-1132		11
30	Potassium phthalimide-N-oxyl: a novel, efficient, and simple organocatalyst for the one-pot three-component synthesis of various 2-amino-4H-chromene derivatives in water. <i>Tetrahedron</i> , 2013 , 69, 1074-1085	2.4	211
29	Chitosan: a highly efficient renewable and recoverable bio-polymer catalyst for the expeditious synthesis of amino nitriles and imines under mild conditions. <i>Green Chemistry</i> , 2013 , 15, 811	10	177

28	Highly efficient and convenient Strecker reaction of carbonyl compounds and amines with TMSCN catalyzed by MCM-41 anchored sulfonic acid as a recoverable catalyst. <i>Tetrahedron</i> , 2012 , 68, 922-930	2.4	82
27	Gaseous Nitrogen Dioxide for Sustainable Oxidative Deprotection of Trimethylsilyl Ethers. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2012 , 187, 142-148	1	5
26	Tetraethylammonium 2-(N-hydroxycarbamoyl)benzoate: a powerful bifunctional metal-free catalyst for efficient and rapid cyanosilylation of carbonyl compounds under mild conditions. <i>Catalysis Science and Technology</i> , 2012 , 2, 1375	5.5	30
25	A rapid, convenient and chemoselective synthesis of acylals from aldehydes catalyzed by reusable nano-ordered MCM-41-SO ₃ H. <i>Comptes Rendus Chimie</i> , 2012 , 15, 1072-1076	2.7	11
24	Immobilized metalloporphyrins on 3-aminopropyl-functionalized silica support as heterogeneous catalysts for selective oxidation of primary and secondary alcohols. <i>Monatshefte für Chemie</i> , 2012 , 143, 1031-1038	1.4	18
23	Tetrabutylammonium phthalimide-N-oxyl: An efficient organocatalyst for trimethylsilylation of alcohols and phenols with hexamethyldisilazane. <i>Journal of the Iranian Chemical Society</i> , 2011 , 8, 537-544		19
22	Nano-ordered B-MCM-41: An efficient and recoverable solid acid catalyst for three-component Strecker reaction of carbonyl compounds, amines and TMSCN. <i>Scientia Iranica</i> , 2011 , 18, 1356-1364	1.5	33
21	Organocatalytic, rapid and facile cyclotrimerization of isocyanates using tetrabutylammonium phthalimide-N-oxyl and tetraethylammonium 2-(carbamoyl)benzoate under solvent-free conditions. <i>Catalysis Communications</i> , 2010 , 12, 226-230	3.2	26
20	Organocatalytic synthesis of cyanohydrin trimethylsilyl ethers by potassium 4-benzylpiperidinedithiocarbamate under solvent-free conditions. <i>Applied Organometallic Chemistry</i> , 2010 , 24, 229-235	3.1	15
19	Kneading ball-milling and stoichiometric melts for the quantitative derivatization of carbonyl compounds with gas-solid recovery. <i>ChemSusChem</i> , 2009 , 2, 248-54	8.3	53
18	Sodium Tetraalkoxyborates: Intermediates for the Quantitative Reduction of Aldehydes and Ketones to Alcohols through Ball Milling with NaBH ₄ . <i>European Journal of Organic Chemistry</i> , 2009 , 2009, 3567-3572	3.2	42
17	An expeditious synthesis of cyanohydrin trimethylsilyl ethers using tetraethylammonium 2-(carbamoyl)benzoate as a bifunctional organocatalyst. <i>Tetrahedron Letters</i> , 2009 , 50, 4063-4066	2	44
16	Activation of trimethylsilyl cyanide by potassium phthalimide for facile synthesis of TMS-protected cyanohydrins. <i>Journal of Organometallic Chemistry</i> , 2009 , 694, 1789-1794	2.3	25
15	Organocatalytic cyanosilylation of carbonyl compounds by tetrabutylammonium phthalimide-N-oxyl. <i>Catalysis Communications</i> , 2009 , 10, 582-585	3.2	27
14	Synthesis of cyanohydrin trimethylsilyl ethers catalyzed by potassium p-toluenesulfinate. <i>Catalysis Communications</i> , 2008 , 9, 1352-1355	3.2	17
13	Potassium phthalimide-N-oxyl: An efficient catalyst for cyanosilylation of carbonyl compounds under mild conditions. <i>Journal of Molecular Catalysis A</i> , 2008 , 283, 29-32		22
12	The Performance of Phthalimide-N-oxyl Anion. <i>Monatshefte für Chemie</i> , 2006 , 137, 1591-1595	1.4	17
11	Combination of Sulfite Anion and Phase Transfer Catalysts for Green Cyclotrimerization of Aryl Isocyanates. <i>Synthetic Communications</i> , 2005 , 35, 427-434	1.7	8

10	Sulfate catalysed multicomponent cyclisation reaction of aryl isocyanates under green conditions. <i>Journal of Chemical Research</i> , 2005 , 2005, 177-179	0.6	6
9	A Simple and Efficient Method for Synthesis of Isocyanurates Catalyzed by Potassium Phthalimide Under Solvent-Free Conditions. <i>Letters in Organic Chemistry</i> , 2005 , 2, 734-738	0.6	22
8	Microwave-promoted pseudo-thia-Fries rearrangement of aryl benzy sulfonates; highly reactive benzyl cation generation. <i>Journal of Sulfur Chemistry</i> , 2004 , 25, 125-130	2.3	5
7	Solvent-free Efficient Synthesis of Symmetrical Isocyanurates by a Combination Catalyst: Sodium Saccharin and Tetrabutylammonium Iodide. <i>Monatshefte Für Chemie</i> , 2004 , 135, 849	1.4	9
6	Efficient and Selective Trimerization of Aryl and Alkyl Isocyanates Catalyzed by Sodium-p-Toluenesulfinate in the Presence of TBAI in a Solvent-Free Condition. <i>Bulletin of the Chemical Society of Japan</i> , 2002 , 75, 851-852	5.1	21
5	Genuinely catalytic Fries rearrangement using sulfated zirconia. <i>Green Chemistry</i> , 2002 , 4, 366-368	10	12
4	FeCl ₃ as an efficient and new catalyst for the thia-Fries rearrangement of aryl sulfinates. <i>Tetrahedron Letters</i> , 2001 , 42, 8119-8121	2	7
3	Microwave assisted Willgerodt-Kindler reaction of styrenes. <i>Journal of Chemical Research</i> , 2000 , 2000, 228-229	0.6	19
2	Thia-Fries rearrangement of aryl sulfonates in dry media under microwave activation. <i>Tetrahedron Letters</i> , 2000 , 41, 3479-3481	2	28
1	Pyromellitic diamide diacid bridged mesoporous organosilica nanospheres with controllable morphologies: a novel PMO for the facile and expeditious synthesis of imidazole derivatives. <i>Nanoscale Advances</i> ,	5.1	4