

# Paulo Csar De Faccio Carvalho

## List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5755512/paulo-cesar-de-faccio-carvalho-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219

papers

3,831

citations

31

h-index

49

g-index

246

ext. papers

4,825

ext. citations

2.8

avg, IF

5.45

L-index

#	Paper	IF	Citations
219	The farm coaching experience to support the transition to integrated crop-livestock systems: From gaming to action. <i>Agricultural Systems</i> , <b>2022</b> , 196, 103339	6.1	1
218	Long-term effects of grazing intensities on soil aggregation and organic matter in a no-tilled integrated soybean-cattle system. <i>Soil Security</i> , <b>2022</b> , 6, 100028	6	0
217	Does grass-legume intercropping change soil quality and grain yield in integrated crop-livestock systems?. <i>Applied Soil Ecology</i> , <b>2022</b> , 170, 104257	5	4
216	Native Grasslands at the Core: A New Paradigm of Intensification for the Campos of Southern South America to Increase Economic and Environmental Sustainability. <i>Frontiers in Sustainable Food Systems</i> , <b>2021</b> , 5,	4.8	12
215	Intense winter grazing impairs subsequent Italian ryegrass re-establishment in soybean-pasture rotations. <i>Grass and Forage Science</i> , <b>2021</b> , 76, 258-269	2.3	
214	Biological N <sub>2</sub> fixation by soybeans grown with or without liming on acid soils in a no-till integrated crop-livestock system. <i>Soil and Tillage Research</i> , <b>2021</b> , 209, 104923	6.5	7
213	What, how, and how much do herbivores eat? The Continuous Bite Monitoring method for assessing forage intake of grazing animals. <i>Ecology and Evolution</i> , <b>2021</b> , 11, 9217-9226	2.8	0
212	Low-Intensity, High-Frequency Grazing Positively Affects Defoliating Behavior, Nutrient Intake and Blood Indicators of Nutrition and Stress in Sheep. <i>Frontiers in Veterinary Science</i> , <b>2021</b> , 8, 631820	3.1	1
211	RotatinuousTstocking as a climate-smart grazing management strategy for sheep production. <i>Science of the Total Environment</i> , <b>2021</b> , 753, 141790	10.2	5
210	Does grazing management provide opportunities to mitigate methane emissions by ruminants in pastoral ecosystems?. <i>Science of the Total Environment</i> , <b>2021</b> , 754, 142029	10.2	12
209	Forms and balance of soil potassium from a long-term integrated crop-livestock system in a subtropical Oxisol. <i>Soil and Tillage Research</i> , <b>2021</b> , 207, 104864	6.5	1
208	Pastureland intensification and diversification in Brazil mediate soil bacterial community structure changes and soil C accumulation. <i>Applied Soil Ecology</i> , <b>2021</b> , 160, 103858	5	1
207	LAND-USE INTENSIFICATION TRENDS IN THE RIO DE LA PLATA REGION OF SOUTH AMERICA: TOWARD SPECIALIZATION OR RECOUPLING CROP AND LIVESTOCK PRODUCTION. <i>Frontiers of Agricultural Science and Engineering</i> , <b>2021</b> , 8, 97	1.7	1
206	Livestock integration into soybean systems improves long-term system stability and profits without compromising crop yields. <i>Scientific Reports</i> , <b>2021</b> , 11, 1649	4.9	6
205	Predicting soil C changes after pasture intensification and diversification in Brazil. <i>Catena</i> , <b>2021</b> , 202, 105238	5.8	5
204	Potential of grazing management to improve beef cattle production and mitigate methane emissions in native grasslands of the Pampa biome. <i>Science of the Total Environment</i> , <b>2021</b> , 780, 146582	10.2	1
203	Characterization of microstructural stability of biochar-amended Planosol under conventional tillage for irrigated lowland rice ecosystem. <i>Soil and Tillage Research</i> , <b>2021</b> , 212, 105051	6.5	2

202	Enteric methane mitigation strategies for ruminant livestock systems in the Latin America and Caribbean region: A meta-analysis. <i>Journal of Cleaner Production</i> , <b>2021</b> , 312, 127693	10.3	7
201	Feed intake, methane yield, and efficiency of utilization of energy and nitrogen by sheep fed tropical grasses. <i>Tropical Animal Health and Production</i> , <b>2021</b> , 53, 452	1.7	0
200	Soil K forms and K budget in integrated crop-livestock systems in subtropical paddy fields. <i>Soil and Tillage Research</i> , <b>2021</b> , 213, 105070	6.5	0
199	Low-Intensity, High-Frequency Grazing Strategy Increases Herbage Production and Beef Cattle Performance on Sorghum Pastures.. <i>Animals</i> , <b>2021</b> , 12,	3.1	1
198	Integrated crop-livestock systems in lowlands increase the availability of nutrients to irrigated rice. <i>Land Degradation and Development</i> , <b>2020</b> , 31, 2962-2972	4.4	7
197	The role of South American grazing lands in mitigating greenhouse gas emissions. A reply to: "Reassessing the role of grazing lands in carbon-balance estimations: Meta-analysis and review", by Viglizzo et al., (2019). <i>Science of the Total Environment</i> , <b>2020</b> , 740, 140108	10.2	4
196	A comparison of two rotational stocking strategies on the foraging behaviour and herbage intake by grazing sheep. <i>Animal</i> , <b>2020</b> , 14, 2503-2510	3.1	5
195	Integrated crop-livestock systems in paddy fields: New strategies for flooded rice nutrition. <i>Agronomy Journal</i> , <b>2020</b> , 112, 2219-2229	2.2	8
194	Resilience of an Integrated Crop-livestock System to Climate Change: A Simulation Analysis of Cover Crop Grazing in Southern Brazil. <i>Frontiers in Sustainable Food Systems</i> , <b>2020</b> , 4,	4.8	6
193	Metabolic profile of female lambs on annual ryegrass pasture managed under different grazing intensities and methods. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , <b>2020</b> , 72, 2331-2338	0.3	
192	Functional Classification of Feed Items in Pampa Grassland, Based on Their Near-Infrared Spectrum. <i>Rangeland Ecology and Management</i> , <b>2020</b> , 73, 358-367	2.2	4
191	The effect of crop rotation and sheep grazing management on plant production and soil C and N stocks in a long-term integrated crop-livestock system in Southern Brazil. <i>Soil and Tillage Research</i> , <b>2020</b> , 203, 104678	6.5	7
190	Sward height determines pasture production and animal performance in a long-term soybean-beef cattle integrated system. <i>Agricultural Systems</i> , <b>2020</b> , 177, 102716	6.1	19
189	Nine-year impact of grazing management on soil acidity and aluminum speciation and fractionation in a long-term no-till integrated crop-livestock system in the subtropics. <i>Geoderma</i> , <b>2020</b> , 359, 113986	6.7	7
188	Nitrous oxide emission factor from cattle urine and dung in native grassland of the Pampa biome, South Brazil. <i>Soil Research</i> , <b>2020</b> , 58, 198	1.8	2
187	Foraging Behavior Development of Foals in Natural Grassland. <i>Rangeland Ecology and Management</i> , <b>2020</b> , 73, 243-251	2.2	5
186	Increased grazing intensity in pastures reduces the abundance and richness of ground spiders in an integrated crop-livestock system. <i>Agronomy for Sustainable Development</i> , <b>2020</b> , 40, 1	6.8	2
185	Spatiotemporal Distribution of Cattle Dung Patches in a Subtropical Soybean-Beef System under Different Grazing Intensities in Winter. <i>Agronomy</i> , <b>2020</b> , 10, 1423	3.6	1

184	Mechanisms of Grazing Management in Heterogeneous Swards. <i>Sustainability</i> , <b>2020</b> , 12, 8676	3.6	3
183	Tall fescue sward structure affects the grazing process of sheep. <i>Scientific Reports</i> , <b>2020</b> , 10, 11786	4.9	1
182	System diversification and grazing management as resilience-enhancing agricultural practices: The case of crop-livestock integration. <i>Agricultural Systems</i> , <b>2020</b> , 184, 102904	6.1	9
181	Integrated crop-livestock system with system fertilization approach improves food production and resource-use efficiency in agricultural lands. <i>Agronomy for Sustainable Development</i> , <b>2020</b> , 40, 1	6.8	11
180	Sheep Dung Composition and Phosphorus and Potassium Release Affected by Grazing Intensity and Pasture Development Stage in an Integrated Crop-Livestock System. <i>Agronomy</i> , <b>2020</b> , 10, 1162	3.6	3
179	Soybean Yield Does Not Rely on Mineral Fertilizer in Rotation with Flooded Rice under a No-Till Integrated Crop-Livestock System. <i>Agronomy</i> , <b>2020</b> , 10, 1371	3.6	3
178	A 3-year assessment of nitrous oxide emission factors for urine and dung of grazing sheep in a subtropical ecosystem. <i>Journal of Soils and Sediments</i> , <b>2020</b> , 20, 982-991	3.4	4
177	Soil acidification and P, K, Ca and Mg budget as affected by sheep grazing and crop rotation in a long-term integrated crop-livestock system in southern Brazil. <i>Geoderma</i> , <b>2019</b> , 351, 197-208	6.7	21
176	Optimizing forage allowance for productivity and weed management in integrated crop-livestock systems. <i>Agronomy for Sustainable Development</i> , <b>2019</b> , 39, 1	6.8	5
175	Winter grazing does not affect soybean yield despite lower soil water content in a subtropical crop-livestock system. <i>Agronomy for Sustainable Development</i> , <b>2019</b> , 39, 1	6.8	12
174	Soil chemical properties under no-tillage as affected by agricultural trophic complexity. <i>European Journal of Soil Science</i> , <b>2019</b> , 71, 1090	3.4	3
173	Effect of sward management on the emissions of CH <sub>4</sub> and N <sub>2</sub> O from faeces of sheep grazing Italian ryegrass pastures. <i>Small Ruminant Research</i> , <b>2019</b> , 178, 123-128	1.7	3
172	Mitigation of enteric methane emissions through pasture management in integrated crop-livestock systems: Trade-offs between animal performance and environmental impacts. <i>Journal of Cleaner Production</i> , <b>2019</b> , 213, 968-975	10.3	32
171	Integrated Crop-Livestock Systems as a Solution Facing the Destruction of Pampa and Cerrado Biomes in South America by Intensive Monoculture Systems <b>2019</b> , 257-273		15
170	Public policies for low carbon emission agriculture foster beef cattle production in southern Brazil. <i>Land Use Policy</i> , <b>2019</b> , 80, 269-273	5.6	10
169	Grazing intensity determines pasture spatial heterogeneity and productivity in an integrated crop-livestock system. <i>Grassland Science</i> , <b>2019</b> , 65, 49-59	1.3	19
168	Sward structure and short-term herbage intake in <i>Arachis pintoi</i> cv. Belmonte subjected to varying intensities of grazing. <i>Journal of Agricultural Science</i> , <b>2018</b> , 156, 92-99	1	6
167	Rotatinuous stocking: A grazing management innovation that has high potential to mitigate methane emissions by sheep. <i>Journal of Cleaner Production</i> , <b>2018</b> , 186, 602-608	10.3	29

166	Performance and behaviour of Nellore steers on integrated systems. <i>Animal Production Science</i> , <b>2018</b> , 58, 920	1.4	27
165	Improving forage nutritive value and botanical composition in a natural grassland using different grazing methods and herbage allowances. <i>Animal Production Science</i> , <b>2018</b> , 58, 1677	1.4	1
164	NDVI and meteorological data as indicators of the Pampa biome natural grasslands growth. <i>Bragantia</i> , <b>2018</b> , 77, 404-414	1.2	5
163	Integrating the pastoral component in agricultural systems. <i>Revista Brasileira De Zootecnia</i> , <b>2018</b> , 47,	1.2	22
162	Grazing down process: The implications of sheep's ingestive behavior for sward management. <i>Livestock Science</i> , <b>2018</b> , 214, 202-208	1.7	9
161	Changes in composition and functional soil properties in long-term no-till integrated crop-livestock system. <i>Geoderma</i> , <b>2018</b> , 330, 232-243	6.7	24
160	Animal production and soil characteristics from integrated crop-livestock systems: toward sustainable intensification. <i>Journal of Animal Science</i> , <b>2018</b> , 96, 3513-3525	0.7	30
159	Soil organic carbon in an integrated crop-livestock system under different grazing intensities. <i>Revista Brasileira de Ciencias Agrarias</i> , <b>2018</b> , 13, 1-7	1.1	3
158	Performance and methane emissions by beef heifer grazing in temperate pastures and in integrated crop-livestock systems: The effect of shade and nitrogen fertilization. <i>Agriculture, Ecosystems and Environment</i> , <b>2018</b> , 253, 90-97	5.7	23
157	Effects of crop rotation and sheep grazing management on the seedbank and emerged weed flora under a no-tillage integrated crop-livestock system. <i>Journal of Agricultural Science</i> , <b>2018</b> , 156, 810-820	1	10
156	Comparison of faecal crude protein and n-alkanes techniques to estimate herbage intake by grazing sheep. <i>Animal Feed Science and Technology</i> , <b>2018</b> , 242, 144-149	3	2
155	Phosphorus and potassium cycling in a long-term no-till integrated soybean-beef cattle production system under different grazing intensities in subtropics. <i>Nutrient Cycling in Agroecosystems</i> , <b>2017</b> , 108, 21-33	3.3	25
154	Social and ecological analysis of commercial integrated crop livestock systems: Current knowledge and remaining uncertainty. <i>Agricultural Systems</i> , <b>2017</b> , 155, 136-146	6.1	60
153	Mechanisms and implications of a type IV functional response for short-term intake rate of dry matter in large mammalian herbivores. <i>Journal of Animal Ecology</i> , <b>2017</b> , 86, 1159-1168	4.7	15
152	Calcium and Magnesium Released from Residues in an Integrated Crop-Livestock System under Different Grazing Intensities. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2017</b> , 41,	1.5	2
151	Impact of an integrated no-till soybean-beef cattle production system on Oxisol mineralogy in southern Brazil. <i>Applied Clay Science</i> , <b>2017</b> , 149, 67-74	5.2	10
150	Changes in the short-term intake rate of herbage by heifers grazing annual grasses throughout the growing season. <i>Grassland Science</i> , <b>2017</b> , 63, 255-264	1.3	6
149	Low-carbon agriculture in South America to mitigate global climate change and advance food security. <i>Environment International</i> , <b>2017</b> , 98, 102-112	12.9	100

148	Short-term Impacts on Soil-quality Assessment in Alternative Land Uses of Traditional Paddy Fields in Southern Brazil. <i>Land Degradation and Development</i> , <b>2017</b> , 28, 534-542	4.4	16
147	Effects of nitrogen fertilization and cutting intensity on the agronomic performance of warm-season grasses. <i>Grass and Forage Science</i> , <b>2017</b> , 72, 663-675	2.3	12
146	Ryegrass pasture combined with partial total mixed ration reduces enteric methane emissions and maintains the performance of dairy cows during mid to late lactation. <i>Journal of Dairy Science</i> , <b>2016</b> , 99, 4374-4383	4	11
145	Long-, medium- and short-term dynamics of soil acidity in an integrated crop-livestock system under different grazing intensities. <i>Nutrient Cycling in Agroecosystems</i> , <b>2016</b> , 104, 67-77	3.3	14
144	Daily Forage Intake by Cattle on Natural Grassland: Response to Forage Allowance and Sward Structure. <i>Rangeland Ecology and Management</i> , <b>2016</b> , 69, 59-67	2.2	17
143	Least limiting water range and soybean yield in a long-term, no-till, integrated crop-livestock system under different grazing intensities. <i>Soil and Tillage Research</i> , <b>2016</b> , 156, 54-62	6.5	44
142	Diet Switching by Mammalian Herbivores in Response to Exotic Grass Invasion. <i>PLoS ONE</i> , <b>2016</b> , 11, e0150167	4	
141	Steers production in integrated crop-livestock systems: pasture management under different sward heights. <i>Revista Ciencia Agronomica</i> , <b>2016</b> , 47,	1	5
140	DINÂMICA DE CRESCIMENTO E PRODUTIVIDADE DE FORRAGEM DE Trachypogonplumosus SOB NÂO VÍS DE CORREÇÃO DA FERTILIDADE DO SOLO E IDADES DE REBROTA. <i>Ciencia Animal Brasileira</i> , <b>2016</b> , 17, 175-184	0.8	
139	Effectiveness of Current Fertilizer Recommendations for Irrigated Rice in Integrated Crop-Livestock Systems. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2016</b> , 40,	1.5	4
138	Soil moisture and soybean physiology affected by drought in an integrated crop-livestock system. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2016</b> , 51, 978-989	1.8	12
137	Temporal profiles of vegetation indices for characterizing grazing intensity on natural grasslands in Pampa biome. <i>Scientia Agricola</i> , <b>2016</b> , 73, 332-337	2.5	9
136	Sward structure and relationship between canopy height and light interception for tropical C4 grasses growing under trees. <i>Crop and Pasture Science</i> , <b>2016</b> , 67, 1199	2.2	11
135	Interactive Effects of Trees and Nitrogen Supply on the Agronomic Characteristics of Warm-Climate Grasses. <i>Agronomy Journal</i> , <b>2016</b> , 108, 1531-1541	2.2	6
134	Herbage intake, methane emissions and animal performance of steers grazing dwarf elephant grass v. dwarf elephant grass and peanut pastures. <i>Animal</i> , <b>2016</b> , 10, 1684-8	3.1	5
133	Soil phosphorus compounds in integrated crop-livestock systems of subtropical Brazil. <i>Geoderma</i> , <b>2016</b> , 274, 88-96	6.7	17
132	Grazing intensities affect weed seedling emergence and the seed bank in an integrated crop-livestock system. <i>Agriculture, Ecosystems and Environment</i> , <b>2016</b> , 232, 232-239	5.7	21
131	Methane emissions from sheep grazing pearl millet ( <i>Penisetum americanum</i> (L.) Leeke) swards fertilized with increasing nitrogen levels. <i>Small Ruminant Research</i> , <b>2016</b> , 141, 118-123	1.7	6

130	Can animal performance be predicted from short-term grazing processes?. <i>Animal Production Science</i> , <b>2015</b> , 55, 319	1.4	25
129	Synthesis: foraging decisions link plants, herbivores and human beings. <i>Animal Production Science</i> , <b>2015</b> , 55, 411	1.4	17
128	How much do sod-based rotations reduce nitrate leaching in a cereal cropping system?. <i>Agricultural Water Management</i> , <b>2015</b> , 150, 46-56	5.9	35
127	Carbon and nitrogen cycling in an integrated soybean-beef cattle production system under different grazing intensities. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2015</b> , 50, 967-978	1.8	18
126	Sheep Excreta as Source of Nitrous Oxide in Ryegrass Pasture in Southern Brazil. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2015</b> , 39, 1498-1506	1.5	4
125	Continuous bite monitoring: a method to assess the foraging dynamics of herbivores in natural grazing conditions. <i>Animal Production Science</i> , <b>2015</b> , 55, 339	1.4	38
124	The amounts and dynamics of nitrogen transfer to grasses differ in alfalfa and white clover-based grass-legume mixtures as a result of rooting strategies and rhizodeposit quality. <i>Plant and Soil</i> , <b>2015</b> , 389, 289-305	4.2	47
123	Suprimento de Nitrogênio para Culturas de Verão pela Aplicação Antecipada em Azevém Pastejado por Ovinos. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2015</b> , 39, 1406-1415	1.5	3
122	Grazing management in an integrated crop-livestock system: soybean development and grain yield. <i>Revista Ciencia Agronomica</i> , <b>2015</b> , 46,	1	5
121	Soil carbon indices as affected by 10 years of integrated crop-livestock production with different pasture grazing intensities in Southern Brazil. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 190, 60-69 <sup>5.7</sup>	5.7	40
120	Use of faecal components as markers to estimate intake and digestibility of grazing sheep. <i>Livestock Science</i> , <b>2014</b> , 165, 42-50	1.7	16
119	Soil carbon and nitrogen stocks and fractions in a long-term integrated crop-livestock system under no-tillage in southern Brazil. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 190, 52-59	5.7	67
118	Integrated crop-livestock systems in the Brazilian subtropics. <i>European Journal of Agronomy</i> , <b>2014</b> , 57, 4-9	5	121
117	Grazing intensity and stocking methods on animal production and methane emission by grazing sheep: Implications for integrated crop-livestock system. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 190, 112-119	5.7	34
116	Plant development controls leaf area expansion in alfalfa plants competing for light. <i>Annals of Botany</i> , <b>2014</b> , 113, 145-57	4.1	25
115	Amelioration of soil acidity and soybean yield after surface lime reapplication to a long-term no-till integrated crop-livestock system under varying grazing intensities. <i>Soil and Tillage Research</i> , <b>2014</b> , 144, 141-149	6.5	23
114	Italian ryegrass establishment by self-seeding in integrated crop-livestock systems: Effects of grazing management and crop rotation strategies. <i>European Journal of Agronomy</i> , <b>2014</b> , 53, 67-73	5	13
113	Toward agricultural sustainability through integrated crop-livestock systems. II. Production responses. <i>European Journal of Agronomy</i> , <b>2014</b> , 57, 1-3	5	5

112	Soil acidification and basic cation use efficiency in an integrated no-till crop-livestock system under different grazing intensities. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 195, 18-28	5.7	36
111	Integrated crop-livestock systems: Strategies to achieve synergy between agricultural production and environmental quality. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 190, 4-8	5.7	347
110	Impact of an integrated no-till crop-livestock system on phosphorus distribution, availability and stock. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 190, 43-51	5.7	34
109	Faecal index to estimate intake and digestibility in grazing sheep. <i>Journal of Agricultural Science</i> , <b>2014</b> , 152, 667-674	1	7
108	Chemical and physical soil attributes in integrated crop-livestock system under no-tillage. <i>Revista Ciencia Agronomica</i> , <b>2014</b> , 45, 946-955	1	6
107	Research on Integrated Crop-Livestock Systems in Brazil. <i>Revista Ciencia Agronomica</i> , <b>2014</b> , 45, 1024-1031	1	35
106	Toward agricultural sustainability through integrated crop-livestock systems. III. Social aspects. <i>Renewable Agriculture and Food Systems</i> , <b>2014</b> , 29, 192-194	1.8	5
105	Comparison of an integrated crop-livestock system with soybean only: Economic and production responses in southern Brazil. <i>Renewable Agriculture and Food Systems</i> , <b>2014</b> , 29, 230-238	1.8	16
104	Italian ryegrass establishment by self-seeding in integrated crop-livestock systems: Effects of grazing management and crop rotation strategies. <i>European Journal of Agronomy</i> , <b>2014</b> , 57, 77-83	5	14
103	Management targets for continuously stocked mixed oat ^ annual ryegrass pasture in a no-till integrated crop-livestock system. <i>European Journal of Agronomy</i> , <b>2014</b> , 57, 71-76	5	27
102	Pasture grazing intensity and presence or absence of cattle dung input and its relationships to soybean nutrition and yield in integrated crop-livestock systems under no-till. <i>European Journal of Agronomy</i> , <b>2014</b> , 57, 84-91	5	16
101	Behavioural mechanisms of intake rate by heifers grazing swards of contrasting structures. <i>Applied Animal Behaviour Science</i> , <b>2014</b> , 153, 1-9	2.2	59
100	Defini^ es e terminologias para Sistema Integrado de Produ^ o Agropecu^ a. <i>Revista Ciencia Agronomica</i> , <b>2014</b> , 45, 1040-1046	1	19
99	Sward structure management for a maximum short-term intake rate in annual ryegrass. <i>Grass and Forage Science</i> , <b>2013</b> , 68, 271-277	2.3	33
98	Grazing methods and herbage allowances effects on animal performances in natural grassland grazed during winter and spring with early pregnant ewes. <i>Livestock Science</i> , <b>2013</b> , 155, 364-372	1.7	3
97	Effect of sward surface height and level of herbage depletion on bite features of cattle grazing Sorghum bicolor swards. <i>Journal of Animal Science</i> , <b>2013</b> , 91, 4357-65	0.7	36
96	Perfilhamento em pastagens de azev^ em sucess^ a soja ou milho, sob diferentes m^ todos e intensidades de pastejo. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2013</b> , 48, 329-338	1.8	4
95	Caracter^ sticas morfog^ sticas e estruturais de Trachypogon plumosus de acordo com a fertilidade do solo e o n^ vel de desfolha. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2013</b> , 48, 320-328	1.8	2

94	Manejo do milheto em pastoreio rotativo para maximizar a taxa de ingestão por vacas leiteiras. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013, 65, 833-840	0.3	6
93	Harry Stobbs Memorial Lecture: Can grazing behavior support innovations in grassland management?. <i>Tropical Grasslands - Forrajes Tropicales</i> , 2013, 1, 137	1.8	63
92	Management targets for maximising the short-term herbage intake rate of cattle grazing in Sorghum bicolor. <i>Livestock Science</i> , 2012, 145, 205-211	1.7	76
91	Potential response to supplementation of ewe lambs grazing natural pastures over winter. <i>Small Ruminant Research</i> , 2012, 105, 22-28	1.7	9
90	Foraging behaviour of beef heifers and ewes in natural grasslands with distinct proportions of tussocks. <i>Applied Animal Behaviour Science</i> , 2012, 141, 108-116	2.2	17
89	Fat spectro-colorimetric characteristics of lambs switched from a low to a high dietary carotenoid level for various durations before slaughter. <i>Meat Science</i> , 2012, 92, 644-50	6.4	15
88	Forage Allowance as a Target of Grazing Management: Implications on Grazing Time and Forage Searching. <i>Rangeland Ecology and Management</i> , 2012, 65, 382-393	2.2	36
87	Impact of nitrogen fertilization on the forage characteristics and beef calf performance on native pasture overseeded with ryegrass. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 528-536	1.2	6
86	Effect of swine residue rates on corn, common bean, soybean and wheat yield. <i>Revista Brasileira De Ciencia Do Solo</i> , 2012, 36, 661-669	1.5	19
85	Maize and soybeans production in integrated system under no-tillage with different pasture combinations and animal categories. <i>Revista Ciencia Agronomica</i> , 2012, 43, 757-765	1	11
84	Viabilidade econômica da produção de novilhas leiteiras a pasto em sistema de integração lavoura-pecuária. <i>Pesquisa Agropecuaria Brasileira</i> , 2012, 47, 745-753	1.8	3
83	Comparison of methods to quantify the number of bites in calves grazing winter oats with different sward heights. <i>Applied Animal Behaviour Science</i> , 2012, 139, 50-57	2.2	8
82	Danos causados por bovinos em diferentes espécies arbóreas recomendadas para sistemas silvipastoris. <i>Pesquisa Florestal Brasileira</i> , 2012, 32, 67-76	0.5	9
81	Response of lamb plasma carotenoid concentration to a shift from a low to a high dietary carotenoid level. <i>Animal</i> , 2012, 6, 1139-42	3.1	4
80	Produção animal e vegetal em pastagem nativa manejada sob diferentes ofertas de forragem por bovinos. <i>Ciencia Rural</i> , 2012, 42, 1264-1270	1.3	9
79	Intensidade de pastejo e adubação nitrogenada na massa seca de aveia e produtividade do milho na integração lavoura-pecuária. <i>Semina: Ciencias Agrarias</i> , 2012, 33, 1323-1332	0.6	4
78	Desempenho e características das carcaças de novilhos superprecoceis em pastos hibernais submetidos a intensidades de pastejo. <i>Pesquisa Agropecuaria Brasileira</i> , 2011, 46, 1379-1384	1.8	3
77	Aspectos metodológicos do comportamento ingestivo de bovinos em pastejo. <i>Revista Brasileira De Zootecnia</i> , 2011, 40, 1114-1120	1.2	17

76	Trigo de duplo prop^ ôtico submetido ao pastejo de bovinos nos Campos Gerais do Paraná. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1247-1253	1.8	6
75	M^ todos de avalia^ ôb de massa de forragem em pastagens de capim-estrela submetidas a intensidades de pastejo. <i>Ciencia Rural</i> , 2011, 41, 2004-2009	1.3	0
74	Diversidade metab^ ôtica e atividade microbiana no solo em sistema de integra^ ôb laboura-pecu^ ôia sob intensidades de pastejo. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1254-1261	1.8	23
73	Dinâmica da composição ôb botânica numa pastagem natural sob efeito de diferentes ofertas de forragem. <i>Ciencia Rural</i> , 2011, 41, 1459-1465	1.3	3
72	Potencial de um m^ todo ac^ ôtico em quantificar as atividades de bovinos em pastejo. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 965-968	1.8	5
71	Atributos f^ ôicos do solo sob intensidades de pastejo e m^ todos de pastoreio com cordeiros em integra^ ôb laboura-pecu^ ôia. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1284-1290	1.8	4
70	Recria de borregas sob diferentes m^ todos de pastoreio em azev^ ôn anual em sucess^ ô a laboura. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1401-1408	1.8	5
69	Ciclagem e balan^ ô de pot^ ôsio e produtividade de soja na integra^ ôb laboura-pecu^ ôia sob semeadura direta. <i>Revista Brasileira De Ciencia Do Solo</i> , 2011, 35, 161-169	1.5	8
68	Densidade, agrega^ ôb e fra^ ôes de carbono de um Argissolo sob pastagem natural submetida a n^ ôeis de ofertas de forragem por longo tempo. <i>Revista Brasileira De Ciencia Do Solo</i> , 2011, 35, 579-587	1.5	17
67	Evolução ôb de atributos f^ ôicos de solo em sistema de integra^ ôb laboura-pecu^ ôia. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1301-1309	1.8	34
66	Desempenho de novilhas leiteiras em pastagens anuais de inverno sob sistema de integra^ ôb laboura-pecu^ ôia. <i>Pesquisa Agropecuária Brasileira</i> , 2011, 46, 1372-1378	1.8	1
65	Comportamento de cordeiros em pastejo de azev^ ôn ( <i>Lolium multiflorum</i> ) em diferentes fases fenológicas submetidos ^ ôaduba^ ôb nitrogenada. <i>Revista Ceres</i> , 2011, 58, 329-335	0.7	
64	Caracter^ ôtica produtiva e estrutural de pastos mistos de aveia e azev^ ôn manejados em quatro alturas sob lota^ ôb cont^ ôua. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 1857-1865	1.2	11
63	Efeitos da oferta de forragem, do m^ todo de pastejo, dos dias de avalia^ ôb e da ra^ ô no comportamento e temperamento de ovinos. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 1840-1848	1.2	
62	Potencial do capim-quicuio em manter a produ^ ôb e a qualidade do leite de vacas recebendo n^ ôeis decrescentes de suplementa^ ôb. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 1866-1874	1.2	0
61	Produção ôb de forragem e dinâmica de uma pastagem natural submetida a diferentes m^ todos de controle de esp^ ôcies indesej^ ôveis e ^ ôaduba^ ôb. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 2380-2388	1.2	9
60	Soil aggregation in a crop-livestock integration system under no-tillage. <i>Revista Brasileira De Ciencia Do Solo</i> , 2010, 34, 1365-1374	1.5	22
59	Leaf Traits as Functional Descriptors of the Intensity of Continuous Grazing in Native Grasslands in the South of Brazil. <i>Rangeland Ecology and Management</i> , 2010, 63, 350-358	2.2	74

58	Managing grazing animals to achieve nutrient cycling and soil improvement in no-till integrated systems. <i>Nutrient Cycling in Agroecosystems</i> , <b>2010</b> , 88, 259-273	3.3	154
57	Biomassa microbiana do solo em sistema de integração entre lavoura-pecuária em plantio direto, submetido a intensidades de pastejo. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2010</b> , 34, 79-88	1.5	29
56	Estrutura da vegetação e comportamento ingestivo de novilhos em pastagem natural do Rio Grande do Sul. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 818-826	1.2	7
55	Do bocado ao pastoreio de precisão: compreendendo a interface plantaanimal para explorar a multi-funcionalidade das pastagens. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 109-122	1.2	18
54	Estoques de carbono orgânico e de nitrogênio no solo em sistema de integração entre lavoura-pecuária em plantio direto, submetido a intensidades de pastejo. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 1829-1836	1.5	38
53	Sistema de integração entre lavoura-pecuária: efeito do manejo da altura em pastagem de aveia preta e azevinho anual sobre o rendimento da cultura da soja. <i>Ciencia Rural</i> , <b>2009</b> , 39, 1499-1506	1.3	19
52	Padrões de deslocamento e captura de forragem por novilhos em pastagem de azevinho-anual e aveia-preta manejada sob diferentes alturas em sistema de integração entre lavoura-pecuária. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 215-222	1.2	23
51	Concentração do potássio do solo em sistema de integração entre lavoura-pecuária em plantio direto submetido a intensidades de pastejo. <i>Revista Brasileira De Ciencia Do Solo</i> , <b>2009</b> , 33, 1675-1684	1.5	12
50	Relações planta-animal em ambiente pastoril heterogêneo: processo de ingestão de forragem. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 1655-1662	1.2	21
49	Relações planta-animal em ambiente pastoril heterogêneo: padrões de desfolhação e seleção de dietas. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 611-617	1.2	6
48	Access to land, livestock production and ecosystem conservation in the Brazilian Campos biome: The natural grasslands dilemma. <i>Livestock Science</i> , <b>2009</b> , 120, 158-162	1.7	67
47	Caracterização da estrutura da vegetação numa pastagem natural do Bioma Pampa submetida a diferentes estratégias de manejo da oferta de forragem. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 1685-1694	1.2	2
46	Comportamento ingestivo de cordeiros em três sistemas de produção em pastagem de Tifton 85. <i>Acta Scientiarum - Animal Sciences</i> , <b>2009</b> , 31,	0.3	2
45	Desempenho da cultura do feijão apesar de diferentes formas de uso do solo no inverno. <i>Ciencia Rural</i> , <b>2009</b> , 39, 2340-2346	1.3	5
44	Estratégias de manejo da oferta de forragem para recria de novilhas em pastagem natural. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 1532-1542	1.2	10
43	Relações planta-animal em ambiente pastoril heterogêneo: padrões de deslocamento e uso de estação alimentares. <i>Revista Brasileira De Zootecnia</i> , <b>2009</b> , 38, 2121-2126	1.2	7
42	Manejo da pastagem de azevinho, contaminação larval no pasto e infecção parasitária em ovinos. <i>Pesquisa Agropecuaria Brasileira</i> , <b>2008</b> , 43, 1397-1403	1.8	8
41	Produção primária e secundária de uma pastagem natural da Depressão Central do Rio Grande do Sul submetida a diversas ofertas de fitomassa a partir da total. <i>Revista Brasileira De Zootecnia</i> , <b>2008</b> , 37, 1737-1741	1.2	5

40	Recria de cordeiras em pastagem nativa melhorada submetida a fertiliza^ão nitrogenada: 2. Produ^ão animal. <i>Revista Brasileira De Zootecnia</i> , 2008, 37, 1815-1822	1.2	2
39	Padr^ões de uso do tempo por novilhos em pastagem consorciada de azev^ão anual e aveia-preta. <i>Revista Brasileira De Zootecnia</i> , 2008, 37, 1912-1918	1.2	15
38	Rendimento de soja em sistema de integra^ão laboura-pecu^ária: efeito de m^odos e intensidades de pastejo. <i>Ciencia Rural</i> , 2008, 38, 795-801	1.3	24
37	An^álise da viabilidade econ^ómica da produ^ão de leite a pasto e com suplementos na regi^ão dos Campos Gerais - Paraná. <i>Ciencia Rural</i> , 2008, 38, 445-450	1.3	9
36	Sistema de integra^ão laboura-pecu^ária: desempenho e qualidade da carca^a de novilhos superprecoces terminados em pastagem de aveia e azev^ão manejada sob diferentes alturas. <i>Ciencia Rural</i> , 2008, 38, 178-184	1.3	19
35	Carbono org^ânico e f^loro microbiano em sistema de integra^ão agricultura-pecu^ária submetido a diferentes intensidades de pastejo em plantio direto. <i>Revista Brasileira De Ciencia Do Solo</i> , 2008, 32, 1273-1282 <sup>29</sup>	1.5	29
34	Atributos qu^ímicos do solo em função da aplic^ação superficial de calc^ário em sistema de integra^ão laboura-pecu^ária submetido a press^ões de pastejo em plantio direto. <i>Revista Brasileira De Ciencia Do Solo</i> , 2008, 32, 2385-2396	1.5	14
33	Efici^ência bioecon^ómica da aduba^ão de pastagem natural no sul do Brasil. <i>Ciencia Rural</i> , 2008, 38, 437-444	1.5	9
32	Recria de cordeiras em pastagem nativa melhorada submetida a fertiliza^ão nitrogenada: 1. Dinâmica da pastagem. <i>Revista Brasileira De Zootecnia</i> , 2008, 37, 1338-1346	1.2	6
31	Componentes morfológicos e produtivos de forragem de pastagem de aveia e azev^ão manejada em diferentes alturas. <i>Revista Brasileira De Zootecnia</i> , 2008, 37, 1523-1530	1.2	18
30	Terminologia de cordeiros em pastagens de azev^ão anual manejadas em diferentes intensidades e m^odos de pastejo. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 1953-1960	1.2	4
29	Atributos físicos do solo e rendimento de soja em sistema plantio direto em integra^ão laboura-pecu^ária com diferentes pressões de pastejo. <i>Revista Brasileira De Ciencia Do Solo</i> , 2007, 31, 771-780 <sup>30</sup>	1.5	57
28	Avanços metodológicos na determinação do consumo de ruminantes em pastejo. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 151-170	1.2	31
27	Diferentes m^odos de controle de plantas indesejáveis em pastagem nativa. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 1247-1254	1.2	4
26	Composição morfológica da forragem consumida por bovinos de corte durante o rebaixamento do capim-marandu submetido a estratégias de pastejo rotativo. <i>Pesquisa Agropecuaria Brasileira</i> , 2007, 42, 883-890	1.8	69
25	Methodological developments in the use of visible reflectance spectroscopy for discriminating pasture-fed from concentrate-fed lamb carcasses. <i>Animal</i> , 2007, 1, 1198-208	3.1	25
24	Características estruturais e produtivas de leite em pastos de capim-mombaça ( <i>Panicum maximum</i> Jacq.) submetidos a diferentes alturas de pastejo. <i>Ciencia Rural</i> , 2007, 37, 218-222	1.3	11
23	Produção animal em pastagem nativa submetida ao controle de plantas indesejáveis e a intensidades de pastejo. <i>Ciencia Rural</i> , 2007, 37, 247-252	1.3	7

22	Fluxo de biomassa a^ hea em azev^ h anual manejado sob duas intensidades e dois m^ todos de pastejo. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 282-290	1.2	6
21	Comportamento ingestivo de novilhos em pastagem nativa no Rio Grande do Sul. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 319-327	1.2	12
20	Caracter^ hicas do processo de ingest^ h de forragem por novilhas holandesas em pastagens de capim-momba^ h. <i>Revista Brasileira De Zootecnia</i> , 2007, 36, 1014-1021	1.2	31
19	Vari^ hies morfog^ hicas e estruturais de azev^ h anual ( <i>Lolium multiflorum Lam.</i> ) manejado sob diferentes intensidades e m^ todos de pastejo. <i>Revista Brasileira De Zootecnia</i> , 2006, 35, 1298-1307	1.2	8
18	Compara^ h de m^ todos de medida indireta de massa de forragem em pasto de azev^ h anual ( <i>Lolium multiflorum Lam.</i> ). <i>Ciencia Rural</i> , 2006, 36, 1617-1623	1.3	6
17	Padr^ hs de deslocamento e procura por forragem de novilhas leiteiras em pastagem de capim-momba^ h. <i>Revista Brasileira De Zootecnia</i> , 2006, 35, 2253-2259	1.2	15
16	Ganho de peso de novilhas em pastagem nativa da Serra do Sudeste do RS submetida ao controle de plantas indesej^ hies e intensidades de pastejo. <i>Ciencia Rural</i> , 2006, 36, 1265-1271	1.3	4
15	Caracter^ hicas de carca^ h de cordeiros em pastagem de azev^ h manejada em diferentes alturas. <i>Pesquisa Agropecuaria Brasileira</i> , 2006, 41, 1193-1198	1.8	8
14	Produ^ h de novilhos superprecoces em pastagem de aveia e azev^ h submetida a diferentes alturas de manejo. <i>Revista Brasileira De Zootecnia</i> , 2006, 35, 1765-1773	1.2	22
13	Produ^ h de forragem e de gr^ hs de aveia branca sob pastejo. <i>Revista Brasileira De Zootecnia</i> , 2005, 34, 2192-2199	1.2	9
12	Estrutura da pastagem e padr^ hs de desfolha^ h em capim-momba^ h em diferentes alturas do dossel forrageiro. <i>Revista Brasileira De Zootecnia</i> , 2005, 34, 1860-1870	1.2	12
11	Produ^ h animal e de forragem em pastagem nativa submetida a distintas ofertas de forragem. <i>Ciencia Rural</i> , 2005, 35, 1148-1154	1.3	42
10	Grassland: a global resource 2005,		6
9	Fluxo de biomassa em pastagem de azev^ h anual ( <i>Lolium multiflorum Lam.</i> ) manejada em diferentes alturas. <i>Revista Brasileira De Zootecnia</i> , 2004, 33, 529-537	1.2	33
8	FITOMASSA A^ REA RESIDUAL DA PASTAGEM DE INVERNO NO SISTEMA INTEGRA^ h LAVOURA-PECU^ hRIA. <i>Scientia Agraria</i> , 2004, 5, 43		2
7	Cereais de inverno submetidos ao corte no sistema de duplo prop^ hito. <i>Revista Brasileira De Zootecnia</i> , 2004, 33, 45-50	1.2	17
6	Vari^ hies morfog^ hicas e estruturais de azev^ h anual ( <i>Lolium multiflorum Lam.</i> ) manejado em diferentes alturas. <i>Revista Brasileira De Zootecnia</i> , 2003, 32, 814-820	1.2	28
5	Avalia^ h do desempenho animal e do pasto na mistura aveia IAPAR 61 ( <i>Avena strigosa Schreb</i> ) e erva-forrageira ( <i>Pisum arvense L.</i> ) manejada em diferentes alturas. <i>Revista Brasileira De Zootecnia</i> , 2002, 31, 1085-1091	1.2	4

4 Ajuste da carga animal em experimentos de pastejo: uma nova proposta. *Ciencia Rural*, **2002**, 32, 675-679.3 33

3 Intervalo e intensidade de desfolha<sup>1,2</sup> nas taxas de crescimento, senesc<sup>1</sup> cia e desfolha<sup>1,2</sup> e no equil<sup>1</sup> brio de gram<sup>1</sup> eas em associa<sup>1,2</sup>. *Revista Brasileira De Zootecnia*, **2002**, 31, 1912-1913 1.2 1

2 How does the vertical and horizontal structure of a perennial ryegrass and white clover sward influence grazing?. *Grass and Forage Science*, **2001**, 56, 118-130 2.3 21

1 Produ<sup>1,2</sup> de cordeiros em pastagem de azev<sup>1</sup> n e trevo-branco sob diferentes n<sup>1</sup> veis de res<sup>1</sup> duos de forragem. *Pesquisa Agropecuaria Brasileira*, **1999**, 34, 309-316 1.8 10