

Stefania Funaro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5756966/stefania-funaro-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

614
citations

11
h-index

24
g-index

27
ext. papers

674
ext. citations

3.6
avg, IF

2.53
L-index

#	Paper	IF	Citations
19	Cardiac electrophysiological alterations and clinical response in cardiac resynchronization therapy with a defibrillator treated patients affected by metabolic syndrome. <i>Medicine (United States)</i> , 2017 , 96, e6558	1.8	26
18	Determinants of microvascular damage recovery after acute myocardial infarction: results from the acute myocardial infarction contrast imaging (AMICI) multi-centre study. <i>European Journal of Echocardiography</i> , 2011 , 12, 306-12		19
17	Incidence, determinants, and prognostic value of reverse left ventricular remodelling after primary percutaneous coronary intervention: results of the Acute Myocardial Infarction Contrast Imaging (AMICI) multicenter study. <i>European Heart Journal</i> , 2009 , 30, 566-75	9.5	89
16	The extent of microvascular damage during myocardial contrast echocardiography is superior to other known indexes of post-infarct reperfusion in predicting left ventricular remodeling: results of the multicenter AMICI study. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 552-9	15.1	167
15	Does coronary angioplasty after timely thrombolysis improve microvascular perfusion and left ventricular function after acute myocardial infarction?. <i>American Heart Journal</i> , 2007 , 154, 151-7	4.9	11
14	Tissue viability by contrast echocardiography. <i>European Journal of Echocardiography</i> , 2006 , 7, S22-S29		1
13	Quantification methods in contrast echocardiography. <i>European Journal of Echocardiography</i> , 2005 , 6 Suppl 2, S14-20		14
12	1083 Hypercholesterolemia: a risk factor for coronary artery disease or also a possible prognostic indicator of left ventricular remodelling?. <i>European Journal of Echocardiography</i> , 2005 , 6, S170-S171		
11	734 Impact of 4 different reperfusion strategies on microvascular damage after acute myocardial infarction: results from the acute myocardial infarction contrast imaging (A.M.I.C.I) multicenter study. <i>European Journal of Echocardiography</i> , 2005 , 6, S110-S111		
10	Clinical application of quantitative analysis in real-time MCE. <i>European Journal of Echocardiography</i> , 2004 , 5 Suppl 2, S17-23		12
9	Assessment of myocardial viability in patients with postischemic left ventricular dysfunction: role of myocardial contrast echocardiography. <i>Echocardiography</i> , 2003 , 20 Suppl 1, S19-29	1.5	2
8	Modifications of cardiac function in cirrhotic patients treated with transjugular intrahepatic portosystemic shunt (TIPS). <i>American Journal of Gastroenterology</i> , 2002 , 97, 142-8	0.7	80
7	Clinical utility of contrast echocardiography in the management of patients with acute myocardial infarction. <i>European Heart Journal Supplements</i> , 2002 , 4, C27-C34	1.5	4
6	Assessment of no-reflow phenomenon after acute myocardial infarction with harmonic angiography and intravenous pump infusion with Levovist: comparison with intracoronary contrast injection. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 773-81	5.8	22
5	Noninvasive assessment of myocardial perfusion: preliminary results in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000 , 86, 28G-29G	3	4
4	Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 358-67	5.8	15
3	Modification of cardiac function in cirrhotic patients with and without ascites. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3200-5	0.7	109

- | | | | |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 2 | Effects of angiotensin-converting enzyme inhibition on left ventricular geometric patterns in patients with essential hypertension. <i>Journal of Clinical Pharmacology</i> , 1996 , 36, 1141-8 | 2.9 | 6 |
| 1 | Noninvasive assessment of mitoxantrone cardiotoxicity in relapsing remitting multiple sclerosis. <i>Journal of Clinical Pharmacology</i> , 1995 , 35, 627-32 | 2.9 | 31 |