

Matthias Schultz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/575714/publications.pdf>

Version: 2024-02-01

38
papers

2,152
citations

1040056

9
h-index

330143

37
g-index

38
all docs

38
docs citations

38
times ranked

2965
citing authors

#	ARTICLE	IF	CITATIONS
1	Reconstructing the early evolution of Fungi using a six-gene phylogeny. <i>Nature</i> , 2006, 443, 818-822.	27.8	1,625
2	A five-gene phylogeny of Pezizomycotina. <i>Mycologia</i> , 2006, 98, 1018-1028.	1.9	283
3	New Records, Range Extensions and Nomenclatural Innovations for Lichens and Lichenicolous Fungi from Alaska, U.S.A.. <i>Herzogia</i> , 2012, 25, 177-210.	0.4	22
4	A preliminary lichen checklist for Iran. <i>Willdenowia</i> , 2004, 34, 543.	0.8	20
5	Lichinodium is a new lichenized lineage in the Leotiomycetes. <i>Fungal Diversity</i> , 2019, 94, 23-39.	12.3	20
6	Opening the Gap: Rare Lichens With Rare Cyanobionts – Unexpected Cyanobiont Diversity in Cyanobacterial Lichens of the Order Lichinales. <i>Frontiers in Microbiology</i> , 2021, 12, 728378.	3.5	17
7	On the systematic position of the lichen genus <i>Heppia</i> . <i>Lichenologist</i> , 2003, 35, 151-156.	0.8	13
8	<i>Peltula</i> Nyl. diversity hotspot in north-east Portugal, with one species new to science and three species new to mainland Europe. <i>Lichenologist</i> , 2013, 45, 483-496.	0.8	13
9	From Cinderella to Princess. <i>Preslia</i> , 2022, 94, 143-181.	2.8	11
10	An Overview of <i>Lichinella</i> in the Southwestern United States and Northwestern Mexico, and the New Species <i>Lichinella granulosa</i> . <i>Bryologist</i> , 2005, 108, 567-590.	0.6	10
11	Molecular data favours a monogeneric <i>Peltulaceae</i> (Lichinomycetes). <i>Lichenologist</i> , 2018, 50, 313-327.	0.8	9
12	Mimicry of lichens and cyanobacteria on tree-sized <i>Amorphophallus</i> petioles results in their masquerade as inedible tree trunks. <i>Botanical Journal of the Linnean Society</i> , 2019, 190, 192-214.	1.6	9
13	Interesting Records of Lichenized, Lichenicolous and Saprophytic Fungi from Northern Germany. <i>Herzogia</i> , 2014, 27, 237-256.	0.4	8
14	<i>Epiphloea</i> belongs to Collemataceae (Lecanoromycetes, lichenized Ascomycota). <i>Lichenologist</i> , 2015, 47, 369-378.	0.8	8
15	Morphological and molecular data support <i>Lichina intermedia</i> as a distinct austral-marine species in the <i>L. pygmaea</i> group. <i>Lichenologist</i> , 2017, 49, 321-332.	0.8	8
16	New Records of Lichinomycetes in Sweden and the Nordic Countries. <i>Herzogia</i> , 2015, 28, 142-152.	0.4	7
17	Additional Interesting Records of Lichenized and Lichenicolous Fungi from Northern Germany. <i>Herzogia</i> , 2018, 31, 114-132.	0.4	6
18	Bioreceptivity of archaeological ceramics in an arid region of northern Argentina. <i>International Biodeterioration and Biodegradation</i> , 2019, 141, 2-9.	3.9	6

#	ARTICLE	IF	CITATIONS
19	<i>Thelopsis paucispora</i> , a new lichen species from Socotra (Yemen). <i>Lichenologist</i> , 2007, 39, 35-40.	0.8	5
20	Validation of <i>Anema tumidulum</i> (Lichinaceae, Lichenized Ascomycota), A Widespread Cyanophilic Lichen. <i>Herzogia</i> , 2013, 26, 1-7.	0.4	5
21	New and Additional Records of Cyanolichens from Turkey. <i>Herzogia</i> , 2015, 28, 359-369.	0.4	5
22	Two new species of <i>Lichenothelia</i> (<i>Lichenotheliaceae</i>) from Iran. <i>Lichenologist</i> , 2016, 48, 191-199.	0.8	5
23	A tale of traded specimens, or what to know when selecting types from Ernst Ule's collections. <i>Taxon</i> , 2018, 67, 591-605.	0.7	5
24	On the identity of <i>Anema dodgei</i> , <i>Psorotichia segregata</i> and <i>Psorotichia squamulosa</i> , three misunderstood cyanolichens from the southwestern United States. <i>Bryologist</i> , 2007, 110, 286-294.	0.6	4
25	New and Noteworthy Findings of Lichenized and Lichenicolous Fungi from Northern Germany. <i>Herzogia</i> , 2012, 25, 31-38.	0.4	4
26	New Records of Lichenized and Lichenicolous Fungi from Northeastern Iran. <i>Herzogia</i> , 2014, 27, 367-376.	0.4	4
27	Deutsche Namen für Flechten. <i>Herzogia</i> , 2016, 29, 745-797.	0.4	4
28	Ernst Ule's collecting localities in the Serra do Sincorá, Bahia, Brazil and the lectotypification of <i>Anthurium petrophilum</i> (Araceae). <i>Phytotaxa</i> , 2016, 266, 80.	0.3	3
29	Lichenologische Ergebnisse der Jahresexkursion 2014 der BLAM in Ettal, Ergänzt um Weitere Flechtendaten aus der Umgebung von Garmisch-Partenkirchen. <i>Herzogia</i> , 2018, 31, 893.	0.4	3
30	Erstnachweis von <i>Sclerophora amabilis</i> in Deutschland. <i>Herzogia</i> , 2018, 31, 317-321.	0.4	2
31	The value of alien roadside trees for epiphytic lichen species along an urban pollution gradient. <i>Journal of Urban Ecology</i> , 2021, 7, .	1.5	2
32	<i>Pterygiopsis cava</i> and <i>P. mutabilis</i> (Lichinaceae), two new species from southwestern United States and northwestern Mexico. <i>Bryologist</i> , 2006, 109, 68-79.	0.6	1
33	<i>Metamelanea umbonata</i> new to the British Isles. <i>Lichenologist</i> , 2008, 40, 81-83.	0.8	1
34	Uwe de Bruyn. <i>Herzogia</i> , 2017, 30, 1-9.	0.4	1
35	Ergänzungen und Korrekturen zu "Deutsche Namen für Flechten". <i>Herzogia</i> , 2017, 30, 520-523.	0.4	1
36	Brandis the Forgotten Botanist. <i>Environment and History</i> , 2021, 27, 581-606.	0.3	1

#	ARTICLE	IF	CITATIONS
37	Lempholemma syreniarum (Lichinaceae), a new species from Ontario, Canada. Bryologist, 2019, 122, 423.	0.6	1
38	Flechten und lichenicole Pilze im UNESCO-Biosphärenpark Salzburger Lungau (BLAM-Exkursion 2019). Herzogia, 2022, 35, .	0.4	0