

Katherine K Thomas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5757517/katherine-k-thomas-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

5,946
citations

29
h-index

51
g-index

51
ext. papers

6,767
ext. citations

9.3
avg, IF

4.76
L-index

#	Paper	IF	Citations
50	High HIV incidence among young women in South Africa: Data from a large prospective study. <i>PLoS ONE</i> , 2022 , 17, e0269317	3.7	0
49	Hydroxychloroquine as Postexposure Prophylaxis to Prevent Severe Acute Respiratory Syndrome Coronavirus 2 Infection : A Randomized Trial. <i>Annals of Internal Medicine</i> , 2021 , 174, 344-352	8	36
48	Point-of-care HIV viral load testing combined with task shifting to improve treatment outcomes (STREAM): findings from an open-label, non-inferiority, randomised controlled trial. <i>Lancet HIV,the</i> , 2020 , 7, e229-e237	7.8	31
47	Optimizing viral load suppression in Kenyan children on antiretroviral therapy (Opt4Kids). <i>Contemporary Clinical Trials Communications</i> , 2020 , 20, 100673	1.8	2
46	Community-based antiretroviral therapy versus standard clinic-based services for HIV in South Africa and Uganda (DO ART): a randomised trial. <i>The Lancet Global Health</i> , 2020 , 8, e1305-e1315	13.6	25
45	Modeling HIV disease progression and transmission at population-level: The potential impact of modifying disease progression in HIV treatment programs. <i>Epidemics</i> , 2018 , 23, 34-41	5.1	3
44	Antiretroviral Therapy Initiation Is Not Associated With Risky Sexual Behavior Among Heterosexual Human Immunodeficiency Virus-Infected Persons in Serodiscordant Partnerships. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 57-61	2.4	7
43	Brief Report: Hormonal Contraception Is Not Associated With Reduced ART Effectiveness Among Women Initiating ART: Evidence From Longitudinal Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 91-96	3.1	5
42	Alignment of adherence and risk for HIV acquisition in a demonstration project of pre-exposure prophylaxis among HIV serodiscordant couples in Kenya and Uganda: a prospective analysis of prevention-effective adherence. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21842	5.4	48
41	Acyclovir Prophylaxis Reduces the Incidence of Herpes Zoster Among HIV-Infected Individuals: Results of a Randomized Clinical Trial. <i>Journal of Infectious Diseases</i> , 2016 , 213, 551-5	7	15
40	Uptake of antiretroviral therapy and male circumcision after community-based HIV testing and strategies for linkage to care versus standard clinic referral: a multisite, open-label, randomised controlled trial in South Africa and Uganda. <i>Lancet HIV,the</i> , 2016 , 3, e212-20	7.8	52
39	Transient Increase in Herpes Simplex Virus Type 2 (HSV-2)-Associated Genital Ulcers Following Initiation of Antiretroviral Therapy in HIV/HSV-2-Coinfected Individuals. <i>Journal of Infectious Diseases</i> , 2016 , 213, 1573-8	7	7
38	Host genetic and viral determinants of HIV-1 RNA set point among HIV-1 seroconverters from sub-saharan Africa. <i>Journal of Virology</i> , 2015 , 89, 2104-11	6.6	19
37	Mannose-binding lectin and ficolin-2 do not influence humoral immune response to hepatitis B vaccine. <i>Vaccine</i> , 2014 , 32, 4772-7	4.1	2
36	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. <i>Lancet Infectious Diseases, The</i> , 2014 , 14, 1055-1064	25.5	76
35	An intervention to support HIV preexposure prophylaxis adherence in HIV-serodiscordant couples in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 66, 522-9	3.1	38
34	Sexual behaviour of heterosexual men and women receiving antiretroviral pre-exposure prophylaxis for HIV prevention: a longitudinal analysis. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 1021-8	25.5	81

33	Standard treatment regimens for nongonococcal urethritis have similar but declining cure rates: a randomized controlled trial. <i>Clinical Infectious Diseases</i> , 2013 , 56, 934-42	11.6	141
32	Efficacy of preexposure prophylaxis for HIV-1 prevention among high-risk heterosexuals: subgroup analyses from a randomized trial. <i>Aids</i> , 2013 , 27, 2155-60	3.5	98
31	Adherence to antiretroviral prophylaxis for HIV prevention: a substudy cohort within a clinical trial of serodiscordant couples in East Africa. <i>PLoS Medicine</i> , 2013 , 10, e1001511	11.6	157
30	Partner characteristics predicting HIV-1 set point in sexually acquired HIV-1 among African seroconverters. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 164-71	1.6	18
29	Antiretroviral prophylaxis for HIV prevention in heterosexual men and women. <i>New England Journal of Medicine</i> , 2012 , 367, 399-410	59.2	2168
28	Chlamydia positivity in women screened in family planning clinics: racial/ethnic differences and trends in the northwest U.S., 1997-2006. <i>Public Health Reports</i> , 2012 , 127, 38-51	2.5	14
27	Extravaginal reservoirs of vaginal bacteria as risk factors for incident bacterial vaginosis. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1580-8	7	75
26	Effect of sexual activity on vaginal colonization with hydrogen peroxide-producing lactobacilli and <i>Gardnerella vaginalis</i> . <i>Sexually Transmitted Diseases</i> , 2011 , 38, 1137-44	2.4	29
25	A behavioural intervention to reduce persistence of bacterial vaginosis among women who report sex with women: results of a randomised trial. <i>Sexually Transmitted Infections</i> , 2011 , 87, 399-405	2.8	24
24	Genomewide association study for determinants of HIV-1 acquisition and viral set point in HIV-1 serodiscordant couples with quantified virus exposure. <i>PLoS ONE</i> , 2011 , 6, e28632	3.7	68
23	Topical penile microbicide use by men to prevent recurrent bacterial vaginosis in sex partners: a randomized clinical trial. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 483-9	2.4	11
22	Topical Penile Microbicide Use by Men to Prevent Recurrent Bacterial Vaginosis in Sex Partners: A Randomized Clinical Trial. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 483-489	2.4	12
21	Temporal variability of human vaginal bacteria and relationship with bacterial vaginosis. <i>PLoS ONE</i> , 2010 , 5, e10197	3.7	284
20	Risks for acquisition of bacterial vaginosis among women who report sex with women: a cohort study. <i>PLoS ONE</i> , 2010 , 5, e11139	3.7	66
19	Daily acyclovir for HIV-1 disease progression in people dually infected with HIV-1 and herpes simplex virus type 2: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2010 , 375, 824-33	4.0	128
18	Heterosexual HIV-1 transmission after initiation of antiretroviral therapy: a prospective cohort analysis. <i>Lancet, The</i> , 2010 , 375, 2092-8	4.0	751
17	Prevalence and risks for bacterial vaginosis in women who have sex with women. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 335-9	2.4	47
16	Prevalence and Risks for Bacterial Vaginosis in Women Who Have Sex With Women. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 335-339	2.4	48

15	Expedited partner therapy: a robust intervention. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 602-7	2.4	23
14	HIV testing in a high-incidence population: is antibody testing alone good enough?. <i>Clinical Infectious Diseases</i> , 2009 , 49, 444-53	11.6	105
13	Changes in vaginal bacterial concentrations with intravaginal metronidazole therapy for bacterial vaginosis as assessed by quantitative PCR. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 721-6	9.7	119
12	Determinants of recent HIV infection among Seattle-area men who have sex with men. <i>American Journal of Public Health</i> , 2009 , 99 Suppl 1, S157-64	5.1	53
11	Reduced adipogenic gene expression in thigh adipose tissue precedes human immunodeficiency virus-associated lipoatrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 959-66	5.6	16
10	Relationship of specific vaginal bacteria and bacterial vaginosis treatment failure in women who have sex with women. <i>Annals of Internal Medicine</i> , 2008 , 149, 20-8	8	104
9	Targeted PCR for detection of vaginal bacteria associated with bacterial vaginosis. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 3270-6	9.7	273
8	Using nurses to identify HAART eligible patients in the Republic of Mozambique: results of a time series analysis. <i>Human Resources for Health</i> , 2007 , 5, 7	4.6	22
7	Safety, acceptability, and tolerability of 3 topical microbicides among heterosexual Kenyan men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 44, 423-8	3.1	6
6	Effect of expedited treatment of sex partners on recurrent or persistent gonorrhea or chlamydial infection. <i>New England Journal of Medicine</i> , 2005 , 352, 676-85	59.2	354
5	Why do different criteria for cure yield different conclusions in comparing two treatments for bacterial vaginosis?. <i>Sexually Transmitted Diseases</i> , 2005 , 32, 526-30	2.4	7
4	Performance of a new, rapid assay for detection of <i>Trichomonas vaginalis</i> . <i>Journal of Clinical Microbiology</i> , 2004 , 42, 2940-3	9.7	35
3	Intravaginal metronidazole gel versus metronidazole plus nystatin ovules for bacterial vaginosis: a randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1898-906	6.4	67
2	Cervical shedding of human T cell lymphotropic virus type I is associated with cervicitis. <i>Journal of Infectious Diseases</i> , 2002 , 186, 1669-72	7	25
1	Concurrent and sequential acquisition of different genital human papillomavirus types. <i>Journal of Infectious Diseases</i> , 2000 , 182, 1097-102	7	151