Chung-Yi Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5758439/publications.pdf

Version: 2024-02-01

136 papers 3,768 citations

35 h-index 54 g-index

137 all docs

137 docs citations

times ranked

137

3484 citing authors

#	Article	IF	CITATIONS
1	The Cancer Prevention, Anti-Inflammatory and Anti-Oxidation of Bioactive Phytochemicals Targeting the TLR4 Signaling Pathway. International Journal of Molecular Sciences, 2018, 19, 2729.	1.8	216
2	Cheritamine, A New <i>N</i> â€Fatty Acyl Tryptamine and Other Constituents from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1999, 46, 77-86.	0.8	174
3	The Constituents from the Stems of <i>Annona cherimola</i> I>. Journal of the Chinese Chemical Society, 1997, 44, 313-319.	0.8	132
4	6-Shogaol (Alkanone from Ginger) Induces Apoptotic Cell Death of Human Hepatoma p53 Mutant Mahlavu Subline via an Oxidative Stress-Mediated Caspase-Dependent Mechanism. Journal of Agricultural and Food Chemistry, 2007, 55, 948-954.	2.4	111
5	Antioxidant and Anticancer Aporphine Alkaloids from the Leaves of Nelumbo nucifera Gaertn. cv. Rosa-plena. Molecules, 2014, 19, 17829-17838.	1.7	102
6	Identifying melanogenesis inhibitors from Cinnamomum subavenium with in vitro and in vivo screening systems by targeting the human tyrosinase. Experimental Dermatology, 2011, 20, 242-248.	1.4	96
7	Cytotoxic Constituents of the Fruits of Canangaodorata. Journal of Natural Products, 2001, 64, 616-619.	1.5	84
8	Anticancer Activity of Isoobtusilactone A from <i>Cinnamomum kotoense</i> : Involvement of Apoptosis, Cell-Cycle Dysregulation, Mitochondria Regulation, and Reactive Oxygen Species. Journal of Natural Products, 2008, 71, 933-940.	1.5	71
9	Antiallergic Potential on RBL-2H3 Cells of Some Phenolic Constituents of <i>Zingiber officinale</i> (Ginger). Journal of Natural Products, 2009, 72, 950-953.	1.5	64
10	Chemical Constituents from <i>Annona Glabra</i> III. Journal of the Chinese Chemical Society, 2000, 47, 913-920.	0.8	63
11	Cytotoxic Compounds from the Stems of Cinnamomum tenuifolium. Journal of Natural Products, 2009, 72, 1816-1824.	1.5	63
12	(â^')-Anonaine Induces DNA Damage and Inhibits Growth and Migration of Human Lung Carcinoma H1299 Cells. Journal of Agricultural and Food Chemistry, 2011, 59, 2284-2290.	2.4	63
13	Chemical and Cytotoxic Constituents from the Leaves of Cinnamomumkotoense. Journal of Natural Products, 2006, 69, 927-933.	1.5	62
14	Amides from stems of annona cherimola. Phytochemistry, 1998, 49, 1443-1447.	1.4	61
15	Lignans and Kauranes from the Stems of <i>Annona cherimola</i> . Journal of the Chinese Chemical Society, 1998, 45, 629-634.	0.8	56
16	Ginger Phytochemicals Inhibit Cell Growth and Modulate Drug Resistance Factors in Docetaxel Resistant Prostate Cancer Cell. Molecules, 2017, 22, 1477.	1.7	56
17	(â^`)-Anonaine induces apoptosis through Bax- and caspase-dependent pathways in human cervical cancer (HeLa) cells. Food and Chemical Toxicology, 2008, 46, 2694-2702.	1.8	55
18	Isokotomolide A, a new butanolide extracted from the leaves of Cinnamomum kotoense, arrests cell cycle progression and induces apoptosis through the induction of p53/p21 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. European Journal of Pharmacology, 2007, 574, 94-102.	1.7	54

#	Article	IF	CITATIONS
19	6â€Dehydrogingerdione, an active constituent of dietary ginger, induces cell cycle arrest and apoptosis through reactive oxygen species/câ€Jun Nâ€terminal kinase pathways in human breast cancer cells. Molecular Nutrition and Food Research, 2010, 54, 1307-1317.	1.5	53
20	Larvicidal activities of ginger (Zingiber officinale) against Angiostrongylus cantonensis. Acta Tropica, 2010, 115, 69-76.	0.9	53
21	Cytotoxic Constituents of the Stems of Cinnamomum subavenium. Journal of Natural Products, 2007, 70, 103-106.	1.5	51
22	<i>Zingiber officinale</i> (ginger) compounds have tetracyclineâ€resistance modifying effects against clinical extensively drugâ€resistant <i>Acinetobacter baumannii</i> . Phytotherapy Research, 2010, 24, 1825-1830.	2.8	51
23	4-Shogaol, an Active Constituent of Dietary Ginger, Inhibits Metastasis of MDA-MB-231 Human Breast Adenocarcinoma Cells by Decreasing the Repression of NF-κB/Snail on RKIP. Journal of Agricultural and Food Chemistry, 2012, 60, 852-861.	2.4	51
24	Isoobtusilactone A-induced apoptosis in human hepatoma Hep G2 cells is mediated via increased NADPH oxidase-derived reactive oxygen species (ROS) production and the mitochondria-associated apoptotic mechanisms. Food and Chemical Toxicology, 2007, 45, 1268-1276.	1.8	49
25	Subamolide E from Cinnamomum subavenium Induces Sub-G1 Cell-Cycle Arrest and Caspase-Dependent Apoptosis and Reduces the Migration Ability of Human Melanoma Cells. Journal of Agricultural and Food Chemistry, 2011, 59, 8187-8192.	2.4	49
26	Tenuifolide B from Cinnamomum tenuifolium Stem Selectively Inhibits Proliferation of Oral Cancer Cells via Apoptosis, ROS Generation, Mitochondrial Depolarization, and DNA Damage. Toxins, 2016, 8, 319.	1.5	48
27	Kotomolide A arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. Food and Chemical Toxicology, 2008, 46, 2476-2484.	1.8	46
28	Sinularin Selectively Kills Breast Cancer Cells Showing G2/M Arrest, Apoptosis, and Oxidative DNA Damage. Molecules, 2018, 23, 849.	1.7	46
29	A novel cytotoxic monoterpenoid from the leaves of <i>Cinnamomum subavenium </i> . Natural Product Research, 2008, 22, 1055-1059.	1.0	45
30	10-Shogaol, an Antioxidant from Zingiber officinale for Skin Cell Proliferation and Migration Enhancer. International Journal of Molecular Sciences, 2012, 13, 1762-1777.	1.8	44
31	Chemical Constituents from the Stems of <i>Mahonia Japonica</i> . Journal of the Chinese Chemical Society, 2004, 51, 443-446.	0.8	41
32	Larvicidal Constituents of <i>Zingiber officinale</i> (Ginger) against <i>Anisakis simplex</i> Planta Medica, 2010, 76, 1852-1858.	0.7	40
33	Effect of [10]-Gingerol on [Ca2+]i and Cell Death in Human Colorectal Cancer Cells. Molecules, 2009, 14, 959-969.	1.7	38
34	Antioxidant and Anticancer Constituents from the Leaves of Liriodendron tulipifera. Molecules, 2014, 19, 4234-4245.	1.7	37
35	Anthelmintic constituents from ginger (Zingiber officinale) against Hymenolepis nana. Acta Tropica, 2014, 140, 50-60.	0.9	37
36	6-Dehydrogingerdione Restrains Lipopolysaccharide-Induced Inflammatory Responses in RAW 264.7 Macrophages. Journal of Agricultural and Food Chemistry, 2014, 62, 9171-9179.	2.4	37

#	Article	IF	Citations
37	The Alkaloids of Artabotry suncinatus. Journal of Natural Products, 2001, 64, 1157-1161.	1.5	36
38	Pheophytin a Inhibits Inflammation via Suppression of LPS-Induced Nitric Oxide Synthase-2, Prostaglandin E2, and Interleukin- $1\hat{l}^2$ of Macrophages. International Journal of Molecular Sciences, 2014, 15, 22819-22834.	1.8	34
39	The Pharmacological Activities of (â^')-Anonaine. Molecules, 2013, 18, 8257-8263.	1.7	33
40	Protective Effects of Costunolide against Hydrogen Peroxide-Induced Injury in PC12 Cells. Molecules, 2016, 21, 898.	1.7	33
41	Lipopolysaccharide-Induced Nitric Oxide, Prostaglandin E2, and Cytokine Production of Mouse and Human Macrophages Are Suppressed by Pheophytin-b. International Journal of Molecular Sciences, 2017, 18, 2637.	1.8	32
42	[6]-Gingerol Induces Ca2+ Mobilization in Madin-Darby Canine Kidney Cells. Journal of Natural Products, 2008, 71, 137-140.	1.5	31
43	Bio-Functional Constituents from the Stems of Liriodendron tulipifera. Molecules, 2012, 17, 4357-4372.	1.7	31
44	7â€Hydroxydehydronuciferine induces human melanoma death via triggering autophagy and apoptosis. Experimental Dermatology, 2015, 24, 930-935.	1.4	31
45	Isolation of a new monoterpenic ester from the leaves of <i>Michelia compressa < /i>(Maxim.) Sargent var. <i>formosana < /i> Kanehira (Magnoliaceae). Natural Product Research, 2010, 24, 682-686.</i></i>	1.0	29
46	Biofunctional Constituents from Liriodendron tulipifera with Antioxidants and Anti-Melanogenic Properties. International Journal of Molecular Sciences, 2013, 14, 1698-1712.	1.8	29
47	Two New Alkaloids fromArtabotrys uncinatus. Journal of Natural Products, 1999, 62, 1192-1193.	1.5	28
48	Chemical Constituents from <i>Annona Glabra</i> . Journal of the Chinese Chemical Society, 2004, 51, 869-876.	0.8	28
49	Chemical constituents from the stems of Michelia alba. Chemistry of Natural Compounds, 2010, 46, 664-665.	0.2	28
50	Anthelmintic Activities of Aporphine from Nelumbo nucifera Gaertn. cv. Rosa-plena against Hymenolepis nana. International Journal of Molecular Sciences, 2014, 15, 3624-3639.	1.8	28
51	Hydrachine A, a Novel Alkaloid from the Roots of Hydrangeachinensis. Journal of Natural Products, 2001, 64, 948-949.	1.5	27
52	Isolation of new aristolactam and dioxoaporphine from the leaves of Michelia compressa var. lanyuensis (Magnoliaceae). Natural Product Research, 2010, 24, 326-330.	1.0	27
53	6-Dehydrogingerdione Sensitizes Human Hepatoblastoma Hep G2 Cells to TRAIL-Induced Apoptosis via Reactive Oxygen Species-Mediated Increase of DR5. Journal of Agricultural and Food Chemistry, 2010, 58, 5604-5611.	2.4	27
54	Enhancements of Skin Cell Proliferations and Migrations via 6-Dehydrogingerdione. Journal of Agricultural and Food Chemistry, 2013, 61, 1349-1356.	2.4	27

#	Article	IF	Citations
55	Sandensolide Induces Oxidative Stress-Mediated Apoptosis in Oral Cancer Cells and in Zebrafish Xenograft Model. Marine Drugs, 2018, 16, 387.	2.2	27
56	ent-Kaurane Diterpenoids fromAnnona glabra. Journal of Natural Products, 2000, 63, 1000-1003.	1.5	25
57	Subamolide A, a component isolated from Cinnamomum subavenium, induces apoptosis mediated by mitochondria-dependent, p53 and ERK1/2 pathways in human urothelial carcinoma cell line NTUB1. Journal of Ethnopharmacology, 2011, 137, 503-511.	2.0	25
58	A novel sesquiterpenoid from the roots of Cinnamomum subavenium. Natural Product Research, 2010, 24, 423-427.	1.0	24
59	Effect of [6]-Shogaol on Cytosolic Ca ²⁺ Levels and Proliferation in Human Oral Cancer Cells (OC2). Journal of Natural Products, 2010, 73, 1370-1374.	1.5	24
60	Reactive oxygen species mediate the chemopreventive effects of syringin in breast cancer cells. Phytomedicine, 2019, 61, 152844.	2.3	24
61	Isoobtusilactone A Sensitizes Human Hepatoma Hep G2 Cells to TRAIL-Induced Apoptosis via ROS and CHOP-Mediated Up-regulation of DR5. Journal of Agricultural and Food Chemistry, 2012, 60, 3533-3539.	2.4	23
62	Bifunctional mechanisms of autophagy and apoptosis regulations in melanoma from Bacillus subtilis natto fermentation extract. Food and Chemical Toxicology, 2021, 150, 112020.	1.8	23
63	Inhibition of corneal neovascularization with plasmid pigment epithelium-derived factor (p-PEDF) delivered by synthetic amphiphile INTeraction-18 (SAINT-18) vector in an experimental model of rat corneal angiogenesis. Experimental Eye Research, 2009, 89, 678-685.	1.2	22
64	Chemical constituents from the leaves of Cinnamomum reticulatum. Chemistry of Natural Compounds, 2011, 47, 220-222.	0.2	21
65	Hispidulin Inhibits Neuroinflammation in Lipopolysaccharide-Activated BV2 Microglia and Attenuates the Activation of Akt, NF-κB, and STAT3 Pathway. Neurotoxicity Research, 2020, 38, 163-174.	1.3	21
66	A tetrahydrofuranol from the leaves of Michelia compressavar.lanyuensis (Magnoliaceae). Natural Product Research, 2010, 24, 1830-1833.	1.0	18
67	36H: A Novel Potent Inhibitor for Antimelanogenesis. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-12.	1.9	17
68	Cytotoxic activity and cell cycle analysis of hexahydrocurcumin on SW 480 human colorectal cancer cells. Natural Product Communications, 2011, 6, 1671-2.	0.2	17
69	Cell-derived artificial nanovesicle as a drug delivery system for malignant melanoma treatment. Biomedicine and Pharmacotherapy, 2022, 147, 112586.	2.5	16
70	Amides from the stem of Capsicum annuum. Natural Product Communications, 2011, 6, 227-9.	0.2	16
71	Bioactive constituents from Michelia champaca. Natural Product Communications, 2011, 6, 1251-2.	0.2	16
72	A novel homosesquiterpenoid from the stems of <i>Cinnamomum burmanii </i> . Natural Product Research, 2012, 26, 1218-1223.	1.0	15

#	Article	IF	Citations
73	Diallyl disulfide induces Ca2+ mobilization in human colon cancer cell line SW480. Archives of Toxicology, 2012, 86, 231-238.	1.9	14
74	Urotensin II Inhibits Doxorubicin-Induced Human Umbilical Vein Endothelial Cell Death by Modulating ATF Expression and via the ERK and Akt Pathway. PLoS ONE, 2014, 9, e106812.	1.1	14
75	Chemical Constituents of the Stems of Michelia champaca. Chemistry of Natural Compounds, 2014, 50, 1047.	0.2	14
76	Rhopaloic acid A induces apoptosis, autophagy and MAPK activation through ROS-mediated signaling in bladder cancer. Phytomedicine, 2021, 92, 153720.	2.3	14
77	Chemical Constituents from the Whole Plant of <i>Gaultheria itoana</i> <scp>Hayata</scp> . Chemistry and Biodiversity, 2009, 6, 1737-1743.	1.0	13
78	Isolinderanolide B, a Butanolide Extracted From the Stems of Cinnamomum subavenium, Inhibits Proliferation of T24 Human Bladder Cancer Cells by Blocking Cell Cycle Progression and Inducing Apoptosis. Integrative Cancer Therapies, 2011, 10, 350-358.	0.8	13
79	Phenylalkanoids from Zingiber officinale. Chemistry of Natural Compounds, 2013, 49, 440-442.	0.2	13
80	Antioxidants from the leaves of Cinnamomum kotoense. Natural Product Communications, 2010, 5, 911-2.	0.2	13
81	Isolation of a nitrobenzoate from the leaves of <i>Cinnamomum tenuifolium </i> . Natural Product Research, 2011, 25, 118-122.	1.0	12
82	A new amide from the stems of <i>Cinnamomum reticulatum </i> Hay. Natural Product Research, 2011, 25, 26-30.	1.0	12
83	Gingerenone A Induces Antiproliferation and Senescence of Breast Cancer Cells. Antioxidants, 2022, 11, 587.	2.2	12
84	Chemical constituents from the bark of Aquilaria sinensis. Chemistry of Natural Compounds, 2013, 48, 1074-1075.	0.2	11
85	Burmannic Acid Inhibits Proliferation and Induces Oxidative Stress Response of Oral Cancer Cells. Antioxidants, 2021, 10, 1588.	2.2	11
86	(S*)-2,7,8-Trihydroxychroman-4-one. MolBank, 2009, 2009, M626.	0.2	10
87	Chemical constituents from the fruits of Cinnamomum kotoense. Chemistry of Natural Compounds, 2011, 47, 450-451.	0.2	10
88	Norcadinane sesquiterpene from the roots of Cinnamomum subavenium. Chemistry of Natural Compounds, 2011, 47, 461-462.	0.2	10
89	A new lignan from the roots of Cinnamomum philippinense. Chemistry of Natural Compounds, 2011, 47, 519-520.	0.2	10
90	The Effect of Butanolides from Cinnamomum tenuifolium on Platelet Aggregation. Molecules, 2013, 18, 11836-11841.	1.7	10

#	Article	IF	Citations
91	Alkaloids from Cinnamomum philippinense. Natural Product Communications, 2012, 7, 1581-2.	0.2	10
92	Two new phenylalkanoids from the rhizomes of <i>Zingiber officinale </i> . Natural Product Research, 2011, 25, 62-67.	1.0	9
93	Enhancement of Bone Marrow-Derived Mesenchymal Stem Cell Osteogenesis and New Bone Formation in Rats by Obtusilactone A. International Journal of Molecular Sciences, 2017, 18, 2422.	1.8	9
94	Chemopreventive Potential of 2,3,5,4 \hat{a} \in 2-Tetrahydroxystilbene-2-O- $\hat{1}^2$ -D-glucoside on the Formation of Aberrant Crypt Foci in Azoxymethane-Induced Colorectal Cancer in Rats. BioMed Research International, 2017, 2017, 1-8.	0.9	9
95	Anti-angiogenic effect of hexahydrocurcumin in rat corneal neovascularization. International Ophthalmology, 2018, 38, 747-756.	0.6	9
96	A New Phenanthrene Alkaloid, Romucosine I, form Rollinia mucosa Baill. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2004, 59, 334-336.	0.3	8
97	Separation of Phenols from the Leaves of <i>Toona Sinensis</i> (Meliaceae) by Capillary Electrophoresis. Journal of the Chinese Chemical Society, 2006, 53, 1203-1208.	0.8	8
98	Chemical constituents from the leaves of <i>Machilus zuihoensis</i> Hayata var. <i>mushaensis</i> (Lu) Y.C. Liu. Natural Product Research, 2009, 23, 871-875.	1.0	8
99	A new benzodioxocinone from the leaves of <i>Cinnamomum tenuifolium </i> . Natural Product Research, 2012, 26, 1881-1886.	1.0	8
100	Inhibitory Effect of Hexahydrocurcumin on Human Platelet Aggregation. Natural Product Communications, 2012, 7, 1934578X1200700.	0.2	8
101	Inhibition of Corneal Neovascularization with the Combination of Bevacizumab and Plasmid Pigment Epithelium-Derived Factor-Synthetic Amphiphile INTeraction-18 (p-PEDF-SAINT-18) Vector in a Rat Corneal Experimental Angiogenesis Model. International Journal of Molecular Sciences, 2013, 14, 8291-8305.	1.8	8
102	Chemical constituents from the roots of Cinnamomum reticulatum. Chemistry of Natural Compounds, 2011, 47, 306-308.	0.2	7
103	Secondary metabolites from the stems of Synsepalum dulcificum. Chemistry of Natural Compounds, 2012, 48, 108-109.	0.2	7
104	Subamolide B Isolated from Medicinal PlantCinnamomum subaveniumInduces Cytotoxicity in Human Cutaneous Squamous Cell Carcinoma Cells through Mitochondrial and CHOP-Dependent Cell Death Pathways. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-13.	0.5	7
105	6-methoxyflavone suppresses neuroinflammation in lipopolysaccharide- stimulated microglia through the inhibition of TLR4/MyD88/p38 MAPK/NF-κB dependent pathways and the activation of HO-1/NQO-1 signaling. Phytomedicine, 2022, 99, 154025.	2.3	7
106	Bioactive Constituents from <i>Michelia champaca </i> Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	6
107	Chemical constituents from the twigs of Cinnamomum macrostemon. Chemistry of Natural Compounds, 2012, 47, 1030-1031.	0.2	6
108	Erratum to "Subamolide A Induces Mitotic Catastrophe Accompanied by Apoptosis in Human Lung Cancer Cells― Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-3.	0.5	6

#	Article	IF	CITATIONS
109	Biofunctional Constituents from Michelia compressa var. lanyuensis with Anti-Melanogenic Properties. Molecules, 2015, 20, 12166-12174.	1.7	6
110	Antioxidants from the Leaves of <i>Cinnamomum kotoense</i> . Natural Product Communications, 2010, 5, 1934578X1000500.	0.2	5
111	Secondary Metabolites from the Stems of Capsicum annuum var. conoides. Chemistry of Natural Compounds, 2015, 51, 185-186.	0.2	5
112	Secondary Metabolites of the Leaves of Cinnamomum kanehirai. Chemistry of Natural Compounds, 2016, 52, 1143-1144.	0.2	5
113	Secondary Metabolites from the Unripe Fruits of Capsicum annuum var. conoides. Chemistry of Natural Compounds, 2016, 52, 1145-1146.	0.2	5
114	Isokotomolide A from Cinnamomum kotoense Induce Melanoma Autophagy and Apoptosis <i>In Vivo</i> and <i>In Vitro</i> . Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-16.	1.9	5
115	A New Pyrone from Cinnamomum macrostemon. Chemistry of Natural Compounds, 2020, 56, 621-622.	0.2	5
116	Compounds from Monascus sanguineus. Chemistry of Natural Compounds, 2021, 57, 545-547.	0.2	5
117	Chemical constituents from the stems of Liriodendron tulipifera. Chemistry of Natural Compounds, 2012, 47, 1035-1037.	0.2	4
118	Chemical Constituents of Liriodendron tulipifera. Chemistry of Natural Compounds, 2013, 49, 398-400.	0.2	4
119	Secondary Metabolites from the Stems of Capsicum annuum var. longum. Chemistry of Natural Compounds, 2013, 49, 765-766.	0.2	4
120	Secondary Metabolites from the Leaves of Aquilaria sinensis. Chemistry of Natural Compounds, 2014, 50, 1110.	0.2	4
121	Cinnapine, a New Pyridine Alkaloid from Cinnamomum Philippinense. Chemistry of Natural Compounds, 2015, 51, 736-738.	0.2	4
122	Non-basic amino acids in the ROMK1 channels via an appropriate distance modulate PIP 2 regulated pH i -gating. Biochemical and Biophysical Research Communications, 2016, 473, 303-310.	1.0	4
123	Flavonoids from the Flowers of Aquilaria sinensis. Chemistry of Natural Compounds, 2016, 52, 497-498.	0.2	4
124	New phenylalkanoids from Zingiber officinale. Natural Product Communications, 2011, 6, 855-6.	0.2	4
125	Chemical constituents from the stems of Machilus philippinensis. Chemistry of Natural Compounds, 2013, 49, 79-80.	0.2	3
126	Chemical Constituents of the Leaves of Liriodendron chinense. Chemistry of Natural Compounds, 2013, 49, 775-776.	0.2	3

#	Article	IF	CITATIONS
127	Heteronemin Suppresses Lymphangiogenesis through ARF-1 and MMP-9/VE-Cadherin/Vimentin. Biomedicines, 2021, 9, 1109.	1.4	3
128	Sulfur-Containing Amides from Clinacanthus siamensis. Chemistry of Natural Compounds, 2017, 53, 141-142.	0.2	2
129	Antioxidant Properties of Fractions for Unripe Fruits of Capsicum annuum L. var. Conoides. Anti-Cancer Agents in Medicinal Chemistry, 2018, 17, 1971-1977.	0.9	2
130	Amides from the Stems of <i>Cinnamomum burmannii</i> . Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	1
131	A New Chromone from Citrus reticulata. Chemistry of Natural Compounds, 2016, 52, 789-790.	0.2	1
132	Compounds from Monascus pallens. Chemistry of Natural Compounds, 2021, 57, 761-763.	0.2	1
133	New Metabolite from the Fungus Monascus lunisporas BCRC 33640. Chemistry of Natural Compounds, 2022, 58, 283.	0.2	1
134	Metabolites from the Actinobacterium Saccharomonospora piscinae Isolated from a Fishpond Sediment. Chemistry of Natural Compounds, 2021, 57, 1116-1118.	0.2	0
135	Metabolite from the Fungus of Phialophora lagerbergii. Chemistry of Natural Compounds, 2021, 57, 1032-1034.	0.2	O
136	Therapeutic Effect and Immune Changes after Treatment of Hymenolepis nana-Infected BALB/c Mice with Compounds Isolated from Leucaena leucocephala. Veterinary Sciences, 2022, 9, 368.	0.6	o