

# Chung-Yi Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5758439/publications.pdf>

Version: 2024-02-01

136  
papers

3,768  
citations

109137

35  
h-index

161609

54  
g-index

137  
all docs

137  
docs citations

137  
times ranked

3484  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell-derived artificial nanovesicle as a drug delivery system for malignant melanoma treatment. <i>Biomedicine and Pharmacotherapy</i> , 2022, 147, 112586.	2.5	16
2	Gingerenone A Induces Antiproliferation and Senescence of Breast Cancer Cells. <i>Antioxidants</i> , 2022, 11, 587.	2.2	12
3	6-methoxyflavone suppresses neuroinflammation in lipopolysaccharide- stimulated microglia through the inhibition of TLR4/MyD88/p38 MAPK/NF- $\kappa$ B dependent pathways and the activation of HO-1/NQO-1 signaling. <i>Phytomedicine</i> , 2022, 99, 154025.	2.3	7
4	New Metabolite from the Fungus <i>Monascus lunisporas</i> BCRC 33640. <i>Chemistry of Natural Compounds</i> , 2022, 58, 283.	0.2	1
5	Therapeutic Effect and Immune Changes after Treatment of <i>Hymenolepis nana</i> -Infected BALB/c Mice with Compounds Isolated from <i>Leucaena leucocephala</i> . <i>Veterinary Sciences</i> , 2022, 9, 368.	0.6	0
6	Bifunctional mechanisms of autophagy and apoptosis regulations in melanoma from <i>Bacillus subtilis</i> natto fermentation extract. <i>Food and Chemical Toxicology</i> , 2021, 150, 112020.	1.8	23
7	Compounds from <i>Monascus sanguineus</i> . <i>Chemistry of Natural Compounds</i> , 2021, 57, 545-547.	0.2	5
8	Compounds from <i>Monascus pallens</i> . <i>Chemistry of Natural Compounds</i> , 2021, 57, 761-763.	0.2	1
9	Heteronemin Suppresses Lymphangiogenesis through ARF-1 and MMP-9/VE-Cadherin/Vimentin. <i>Biomedicines</i> , 2021, 9, 1109.	1.4	3
10	Rhopaloic acid A induces apoptosis, autophagy and MAPK activation through ROS-mediated signaling in bladder cancer. <i>Phytomedicine</i> , 2021, 92, 153720.	2.3	14
11	Burmanniic Acid Inhibits Proliferation and Induces Oxidative Stress Response of Oral Cancer Cells. <i>Antioxidants</i> , 2021, 10, 1588.	2.2	11
12	Metabolites from the Actinobacterium <i>Saccharomonospora piscinae</i> Isolated from a Fishpond Sediment. <i>Chemistry of Natural Compounds</i> , 2021, 57, 1116-1118.	0.2	0
13	Metabolite from the Fungus of <i>Phialophora lagerbergii</i> . <i>Chemistry of Natural Compounds</i> , 2021, 57, 1032-1034.	0.2	0
14	Isokotomolide A from <i>Cinnamomum kotoense</i> Induce Melanoma Autophagy and Apoptosis <i>In Vivo</i> and <i>In Vitro</i> . <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-16.	1.9	5
15	A New Pyrone from <i>Cinnamomum macrostemon</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 621-622.	0.2	5
16	Hispidulin Inhibits Neuroinflammation in Lipopolysaccharide-Activated BV2 Microglia and Attenuates the Activation of Akt, NF- $\kappa$ B, and STAT3 Pathway. <i>Neurotoxicity Research</i> , 2020, 38, 163-174.	1.3	21
17	Reactive oxygen species mediate the chemopreventive effects of syringin in breast cancer cells. <i>Phytomedicine</i> , 2019, 61, 152844.	2.3	24
18	Anti-angiogenic effect of hexahydrocurcumin in rat corneal neovascularization. <i>International Ophthalmology</i> , 2018, 38, 747-756.	0.6	9

#	ARTICLE	IF	CITATIONS
19	Sandensolide Induces Oxidative Stress-Mediated Apoptosis in Oral Cancer Cells and in Zebrafish Xenograft Model. <i>Marine Drugs</i> , 2018, 16, 387.	2.2	27
20	The Cancer Prevention, Anti-Inflammatory and Anti-Oxidation of Bioactive Phytochemicals Targeting the TLR4 Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2729.	1.8	216
21	36H: A Novel Potent Inhibitor for Antimelanogenesis. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-12.	1.9	17
22	Sinularin Selectively Kills Breast Cancer Cells Showing G2/M Arrest, Apoptosis, and Oxidative DNA Damage. <i>Molecules</i> , 2018, 23, 849.	1.7	46
23	Antioxidant Properties of Fractions for Unripe Fruits of <i>Capsicum annum</i> L. var. <i>Conoides</i> . <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 17, 1971-1977.	0.9	2
24	Sulfur-Containing Amides from <i>Clinacanthus siamensis</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 141-142.	0.2	2
25	Enhancement of Bone Marrow-Derived Mesenchymal Stem Cell Osteogenesis and New Bone Formation in Rats by Obtusilactone A. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2422.	1.8	9
26	Ginger Phytochemicals Inhibit Cell Growth and Modulate Drug Resistance Factors in Docetaxel Resistant Prostate Cancer Cell. <i>Molecules</i> , 2017, 22, 1477.	1.7	56
27	Chemopreventive Potential of 2,3,5,4- $\beta$ -Tetrahydroxystilbene-2-O- $\beta$ -D-glucoside on the Formation of Aberrant Crypt Foci in Azoxymethane-Induced Colorectal Cancer in Rats. <i>BioMed Research International</i> , 2017, 2017, 1-8.	0.9	9
28	Lipopolysaccharide-Induced Nitric Oxide, Prostaglandin E2, and Cytokine Production of Mouse and Human Macrophages Are Suppressed by Pheophytin-b. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2637.	1.8	32
29	Protective Effects of Costunolide against Hydrogen Peroxide-Induced Injury in PC12 Cells. <i>Molecules</i> , 2016, 21, 898.	1.7	33
30	Tenuifolide B from <i>Cinnamomum tenuifolium</i> Stem Selectively Inhibits Proliferation of Oral Cancer Cells via Apoptosis, ROS Generation, Mitochondrial Depolarization, and DNA Damage. <i>Toxins</i> , 2016, 8, 319.	1.5	48
31	Non-basic amino acids in the ROMK1 channels via an appropriate distance modulate PIP 2 regulated pH i-gating. <i>Biochemical and Biophysical Research Communications</i> , 2016, 473, 303-310.	1.0	4
32	Flavonoids from the Flowers of <i>Aquilaria sinensis</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 497-498.	0.2	4
33	A New Chromone from <i>Citrus reticulata</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 789-790.	0.2	1
34	Secondary Metabolites of the Leaves of <i>Cinnamomum kanehirai</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 1143-1144.	0.2	5
35	Secondary Metabolites from the Unripe Fruits of <i>Capsicum annum</i> var. <i>conoides</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 1145-1146.	0.2	5
36	7- $\beta$ -Hydroxydehydronuciferine induces human melanoma death via triggering autophagy and apoptosis. <i>Experimental Dermatology</i> , 2015, 24, 930-935.	1.4	31

#	ARTICLE	IF	CITATIONS
37	Biofunctional Constituents from <i>Michelia compressa</i> var. <i>lanyuensis</i> with Anti-Melanogenic Properties. <i>Molecules</i> , 2015, 20, 12166-12174.	1.7	6
38	Secondary Metabolites from the Stems of <i>Capsicum annum</i> var. <i>conoides</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 185-186.	0.2	5
39	Cinnapine, a New Pyridine Alkaloid from <i>Cinnamomum Philippinense</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 736-738.	0.2	4
40	Urotensin II Inhibits Doxorubicin-Induced Human Umbilical Vein Endothelial Cell Death by Modulating ATF Expression and via the ERK and Akt Pathway. <i>PLoS ONE</i> , 2014, 9, e106812.	1.1	14
41	Antioxidant and Anticancer Constituents from the Leaves of <i>Liriodendron tulipifera</i> . <i>Molecules</i> , 2014, 19, 4234-4245.	1.7	37
42	Pheophytin a Inhibits Inflammation via Suppression of LPS-Induced Nitric Oxide Synthase-2, Prostaglandin E2, and Interleukin-1 $\beta$ of Macrophages. <i>International Journal of Molecular Sciences</i> , 2014, 15, 22819-22834.	1.8	34
43	Anthelmintic Activities of Aporphine from <i>Nelumbo nucifera</i> Gaertn. cv. <i>Rosa-plena</i> against <i>Hymenolepis nana</i> . <i>International Journal of Molecular Sciences</i> , 2014, 15, 3624-3639.	1.8	28
44	Secondary Metabolites from the Leaves of <i>Aquilaria sinensis</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 1110.	0.2	4
45	Chemical Constituents of the Stems of <i>Michelia champaca</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 1047.	0.2	14
46	Anthelmintic constituents from ginger ( <i>Zingiber officinale</i> ) against <i>Hymenolepis nana</i> . <i>Acta Tropica</i> , 2014, 140, 50-60.	0.9	37
47	6-Dehydrogingerdione Restrains Lipopolysaccharide-Induced Inflammatory Responses in RAW 264.7 Macrophages. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 9171-9179.	2.4	37
48	Antioxidant and Anticancer Aporphine Alkaloids from the Leaves of <i>Nelumbo nucifera</i> Gaertn. cv. <i>Rosa-plena</i> . <i>Molecules</i> , 2014, 19, 17829-17838.	1.7	102
49	Chemical Constituents of <i>Liriodendron tulipifera</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 398-400.	0.2	4
50	Phenylalkanoids from <i>Zingiber officinale</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 440-442.	0.2	13
51	Chemical constituents from the stems of <i>Machilus philippinensis</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 79-80.	0.2	3
52	Enhancements of Skin Cell Proliferations and Migrations via 6-Dehydrogingerdione. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 1349-1356.	2.4	27
53	Chemical constituents from the bark of <i>Aquilaria sinensis</i> . <i>Chemistry of Natural Compounds</i> , 2013, 48, 1074-1075.	0.2	11
54	Secondary Metabolites from the Stems of <i>Capsicum annum</i> var. <i>longum</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 765-766.	0.2	4

#	ARTICLE	IF	CITATIONS
55	Chemical Constituents of the Leaves of <i>Liriodendron chinense</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 775-776.	0.2	3
56	Biofunctional Constituents from <i>Liriodendron tulipifera</i> with Antioxidants and Anti-Melanogenic Properties. <i>International Journal of Molecular Sciences</i> , 2013, 14, 1698-1712.	1.8	29
57	Erratum to "Subamolide A Induces Mitotic Catastrophe Accompanied by Apoptosis in Human Lung Cancer Cells", <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-3.	0.5	6
58	Inhibition of Corneal Neovascularization with the Combination of Bevacizumab and Plasmid Pigment Epithelium-Derived Factor-Synthetic Amphiphile INTERaction-18 (p-PEDF-SAINT-18) Vector in a Rat Corneal Experimental Angiogenesis Model. <i>International Journal of Molecular Sciences</i> , 2013, 14, 8291-8305.	1.8	8
59	Subamolide B Isolated from Medicinal Plant <i>Cinnamomum subavenium</i> Induces Cytotoxicity in Human Cutaneous Squamous Cell Carcinoma Cells through Mitochondrial and CHOP-Dependent Cell Death Pathways. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-13.	0.5	7
60	The Pharmacological Activities of (±)-Anonaine. <i>Molecules</i> , 2013, 18, 8257-8263.	1.7	33
61	The Effect of Butanolides from <i>Cinnamomum tenuifolium</i> on Platelet Aggregation. <i>Molecules</i> , 2013, 18, 11836-11841.	1.7	10
62	10-Shogaol, an Antioxidant from <i>Zingiber officinale</i> for Skin Cell Proliferation and Migration Enhancer. <i>International Journal of Molecular Sciences</i> , 2012, 13, 1762-1777.	1.8	44
63	Bio-Functional Constituents from the Stems of <i>Liriodendron tulipifera</i> . <i>Molecules</i> , 2012, 17, 4357-4372.	1.7	31
64	Isoobtusilactone A Sensitizes Human Hepatoma Hep G2 Cells to TRAIL-Induced Apoptosis via ROS and CHOP-Mediated Up-regulation of DR5. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3533-3539.	2.4	23
65	4-Shogaol, an Active Constituent of Dietary Ginger, Inhibits Metastasis of MDA-MB-231 Human Breast Adenocarcinoma Cells by Decreasing the Repression of NF- $\kappa$ B/Snail on RKIP. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 852-861.	2.4	51
66	A novel homosesquiterpenoid from the stems of <i>Cinnamomum burmanii</i> . <i>Natural Product Research</i> , 2012, 26, 1218-1223.	1.0	15
67	A new benzodioxocinone from the leaves of <i>Cinnamomum tenuifolium</i> . <i>Natural Product Research</i> , 2012, 26, 1881-1886.	1.0	8
68	Inhibitory Effect of Hexahydrocurcumin on Human Platelet Aggregation. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	8
69	Chemical constituents from the twigs of <i>Cinnamomum macrostemon</i> . <i>Chemistry of Natural Compounds</i> , 2012, 47, 1030-1031.	0.2	6
70	Chemical constituents from the stems of <i>Liriodendron tulipifera</i> . <i>Chemistry of Natural Compounds</i> , 2012, 47, 1035-1037.	0.2	4
71	Secondary metabolites from the stems of <i>Synsepalum dulcificum</i> . <i>Chemistry of Natural Compounds</i> , 2012, 48, 108-109.	0.2	7
72	Diallyl disulfide induces Ca <sup>2+</sup> mobilization in human colon cancer cell line SW480. <i>Archives of Toxicology</i> , 2012, 86, 231-238.	1.9	14

#	ARTICLE	IF	CITATIONS
73	Alkaloids from <i>Cinnamomum philippinense</i> . <i>Natural Product Communications</i> , 2012, 7, 1581-2.	0.2	10
74	Isolation of a nitrobenzoate from the leaves of <i>Cinnamomum tenuifolium</i> . <i>Natural Product Research</i> , 2011, 25, 118-122.	1.0	12
75	( $\hat{\alpha}$ )-Anonaine Induces DNA Damage and Inhibits Growth and Migration of Human Lung Carcinoma H1299 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2284-2290.	2.4	63
76	A new amide from the stems of <i>Cinnamomum reticulatum</i> Hay. <i>Natural Product Research</i> , 2011, 25, 26-30.	1.0	12
77	Subamolide E from <i>Cinnamomum subavenium</i> Induces Sub-G1 Cell-Cycle Arrest and Caspase-Dependent Apoptosis and Reduces the Migration Ability of Human Melanoma Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 8187-8192.	2.4	49
78	Subamolide A, a component isolated from <i>Cinnamomum subavenium</i> , induces apoptosis mediated by mitochondria-dependent, p53 and ERK1/2 pathways in human urothelial carcinoma cell line NTUB1. <i>Journal of Ethnopharmacology</i> , 2011, 137, 503-511.	2.0	25
79	Isolinderanolide B, a Butanolide Extracted From the Stems of <i>Cinnamomum subavenium</i> , Inhibits Proliferation of T24 Human Bladder Cancer Cells by Blocking Cell Cycle Progression and Inducing Apoptosis. <i>Integrative Cancer Therapies</i> , 2011, 10, 350-358.	0.8	13
80	Bioactive Constituents from <i>Michelia champaca</i> . <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	6
81	Amides from the Stems of <i>Cinnamomum burmannii</i> . <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	1
82	Identifying melanogenesis inhibitors from <i>Cinnamomum subavenium</i> with in vitro and in vivo screening systems by targeting the human tyrosinase. <i>Experimental Dermatology</i> , 2011, 20, 242-248.	1.4	96
83	Chemical constituents from the leaves of <i>Cinnamomum reticulatum</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 220-222.	0.2	21
84	Chemical constituents from the roots of <i>Cinnamomum reticulatum</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 306-308.	0.2	7
85	Chemical constituents from the fruits of <i>Cinnamomum kotoense</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 450-451.	0.2	10
86	Norcadinane sesquiterpene from the roots of <i>Cinnamomum subavenium</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 461-462.	0.2	10
87	A new lignan from the roots of <i>Cinnamomum philippinense</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 519-520.	0.2	10
88	Two new phenylalkanooids from the rhizomes of <i>Zingiber officinale</i> . <i>Natural Product Research</i> , 2011, 25, 62-67.	1.0	9
89	Amides from the stem of <i>Capsicum annuum</i> . <i>Natural Product Communications</i> , 2011, 6, 227-9.	0.2	16
90	New phenylalkanooids from <i>Zingiber officinale</i> . <i>Natural Product Communications</i> , 2011, 6, 855-6.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Bioactive constituents from <i>Michelia champaca</i> . <i>Natural Product Communications</i> , 2011, 6, 1251-2.	0.2	16
92	Cytotoxic activity and cell cycle analysis of hexahydrocurcumin on SW 480 human colorectal cancer cells. <i>Natural Product Communications</i> , 2011, 6, 1671-2.	0.2	17
93	Chemical constituents from the stems of <i>Michelia alba</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 664-665.	0.2	28
94	6-Dehydrogingerdione, an active constituent of dietary ginger, induces cell cycle arrest and apoptosis through reactive oxygen species/c-Jun N-terminal kinase pathways in human breast cancer cells. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1307-1317.	1.5	53
95	<i>Zingiber officinale</i> (ginger) compounds have tetracycline-resistance modifying effects against clinically extensively drug-resistant <i>Acinetobacter baumannii</i> . <i>Phytotherapy Research</i> , 2010, 24, 1825-1830.	2.8	51
96	Antioxidants from the Leaves of <i>Cinnamomum kotoense</i> . <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	5
97	Isolation of new aristolactam and dioxoaporphine from the leaves of <i>Michelia compressa</i> var. <i>lanyuensis</i> (Magnoliaceae). <i>Natural Product Research</i> , 2010, 24, 326-330.	1.0	27
98	A tetrahydrofuranol from the leaves of <i>Michelia compressa</i> var. <i>lanyuensis</i> (Magnoliaceae). <i>Natural Product Research</i> , 2010, 24, 1830-1833.	1.0	18
99	A novel sesquiterpenoid from the roots of <i>Cinnamomum subavenium</i> . <i>Natural Product Research</i> , 2010, 24, 423-427.	1.0	24
100	Larvicidal Constituents of <i>Zingiber officinale</i> (Ginger) against <i>Anisakis simplex</i> . <i>Planta Medica</i> , 2010, 76, 1852-1858.	0.7	40
101	Isolation of a new monoterpenic ester from the leaves of <i>Michelia compressa</i> (Maxim.) Sargent var. <i>formosana</i> Kanehira (Magnoliaceae). <i>Natural Product Research</i> , 2010, 24, 682-686.	1.0	29
102	Effect of [6]-Shogaol on Cytosolic Ca <sup>2+</sup> Levels and Proliferation in Human Oral Cancer Cells (OC2). <i>Journal of Natural Products</i> , 2010, 73, 1370-1374.	1.5	24
103	6-Dehydrogingerdione Sensitizes Human Hepatoblastoma Hep G2 Cells to TRAIL-Induced Apoptosis via Reactive Oxygen Species-Mediated Increase of DR5. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 5604-5611.	2.4	27
104	Larvicidal activities of ginger ( <i>Zingiber officinale</i> ) against <i>Angiostrongylus cantonensis</i> . <i>Acta Tropica</i> , 2010, 115, 69-76.	0.9	53
105	Antioxidants from the leaves of <i>Cinnamomum kotoense</i> . <i>Natural Product Communications</i> , 2010, 5, 911-2.	0.2	13
106	(S*)-2,7,8-Trihydroxychroman-4-one. <i>MolBank</i> , 2009, 2009, M626.	0.2	10
107	Chemical constituents from the leaves of <i>Machilus zuihoensis</i> Hayata var. <i>mushaensis</i> (Lu) Y.C. Liu. <i>Natural Product Research</i> , 2009, 23, 871-875.	1.0	8
108	Chemical Constituents from the Whole Plant of <i>Gaultheria itoana</i> Hayata. <i>Chemistry and Biodiversity</i> , 2009, 6, 1737-1743.	1.0	13

#	ARTICLE	IF	CITATIONS
109	Cytotoxic Compounds from the Stems of <i>Cinnamomum tenuifolium</i> . <i>Journal of Natural Products</i> , 2009, 72, 1816-1824.	1.5	63
110	Inhibition of corneal neovascularization with plasmid pigment epithelium-derived factor (p-PEDF) delivered by synthetic amphiphile INTERaction-18 (SAINT-18) vector in an experimental model of rat corneal angiogenesis. <i>Experimental Eye Research</i> , 2009, 89, 678-685.	1.2	22
111	Antiallergic Potential on RBL-2H3 Cells of Some Phenolic Constituents of <i>Zingiber officinale</i> (Ginger). <i>Journal of Natural Products</i> , 2009, 72, 950-953.	1.5	64
112	Effect of [10]-Gingerol on [Ca <sup>2+</sup> ] <sub>i</sub> and Cell Death in Human Colorectal Cancer Cells. <i>Molecules</i> , 2009, 14, 959-969.	1.7	38
113	Kotomolide A arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. <i>Food and Chemical Toxicology</i> , 2008, 46, 2476-2484.	1.8	46
114	( $\alpha^*$ )-Anonaine induces apoptosis through Bax- and caspase-dependent pathways in human cervical cancer (HeLa) cells. <i>Food and Chemical Toxicology</i> , 2008, 46, 2694-2702.	1.8	55
115	A novel cytotoxic monoterpenoid from the leaves of <i>Cinnamomum subavenium</i> . <i>Natural Product Research</i> , 2008, 22, 1055-1059.	1.0	45
116	[6]-Gingerol Induces Ca <sup>2+</sup> Mobilization in Madin-Darby Canine Kidney Cells. <i>Journal of Natural Products</i> , 2008, 71, 137-140.	1.5	31
117	Anticancer Activity of Isoobtusilactone A from <i>Cinnamomum kotoense</i> : Involvement of Apoptosis, Cell-Cycle Dysregulation, Mitochondria Regulation, and Reactive Oxygen Species. <i>Journal of Natural Products</i> , 2008, 71, 933-940.	1.5	71
118	Isoobtusilactone A-induced apoptosis in human hepatoma Hep G2 cells is mediated via increased NADPH oxidase-derived reactive oxygen species (ROS) production and the mitochondria-associated apoptotic mechanisms. <i>Food and Chemical Toxicology</i> , 2007, 45, 1268-1276.	1.8	49
119	Cytotoxic Constituents of the Stems of <i>Cinnamomum subavenium</i> . <i>Journal of Natural Products</i> , 2007, 70, 103-106.	1.5	51
120	6-Shogaol (Alkanone from Ginger) Induces Apoptotic Cell Death of Human Hepatoma p53 Mutant Mahlavu Subline via an Oxidative Stress-Mediated Caspase-Dependent Mechanism. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 948-954.	2.4	111
121	Isokotomolide A, a new butanolide extracted from the leaves of <i>Cinnamomum kotoense</i> , arrests cell cycle progression and induces apoptosis through the induction of p53/p21 and the initiation of mitochondrial system in human non-small cell lung cancer A549 cells. <i>European Journal of Pharmacology</i> , 2007, 574, 94-102.	1.7	54
122	Chemical and Cytotoxic Constituents from the Leaves of <i>Cinnamomum kotoense</i> . <i>Journal of Natural Products</i> , 2006, 69, 927-933.	1.5	62
123	Separation of Phenols from the Leaves of <i>Toona Sinensis</i> (Meliaceae) by Capillary Electrophoresis. <i>Journal of the Chinese Chemical Society</i> , 2006, 53, 1203-1208.	0.8	8
124	A New Phenanthrene Alkaloid, Romucosine I, from <i>Rollinia mucosa</i> Baill. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2004, 59, 334-336.	0.3	8
125	Chemical Constituents from <i>Annona Glabra</i> . <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 869-876.	0.8	28
126	Chemical Constituents from the Stems of <i>Mahonia Japonica</i> . <i>Journal of the Chinese Chemical Society</i> , 2004, 51, 443-446.	0.8	41



#	ARTICLE	IF	CITATIONS
127	Cytotoxic Constituents of the Fruits of <i>Cananga odorata</i> . <i>Journal of Natural Products</i> , 2001, 64, 616-619.	1.5	84
128	Hydrachine A, a Novel Alkaloid from the Roots of <i>Hydrangea chinensis</i> . <i>Journal of Natural Products</i> , 2001, 64, 948-949.	1.5	27
129	The Alkaloids of <i>Artabotrys uncinatus</i> . <i>Journal of Natural Products</i> , 2001, 64, 1157-1161.	1.5	36
130	Chemical Constituents from <i>Annona glabra</i> III. <i>Journal of the Chinese Chemical Society</i> , 2000, 47, 913-920.	0.8	63
131	ent-Kaurane Diterpenoids from <i>Annona glabra</i> . <i>Journal of Natural Products</i> , 2000, 63, 1000-1003.	1.5	25
132	Cheritamine, A New Fatty Acyl Tryptamine and Other Constituents from the Stems of <i>Annona cherimola</i> . <i>Journal of the Chinese Chemical Society</i> , 1999, 46, 77-86.	0.8	174
133	Two New Alkaloids from <i>Artabotrys uncinatus</i> . <i>Journal of Natural Products</i> , 1999, 62, 1192-1193.	1.5	28
134	Amides from stems of <i>annona cherimola</i> . <i>Phytochemistry</i> , 1998, 49, 1443-1447.	1.4	61
135	Lignans and Kauranes from the Stems of <i>Annona cherimola</i> . <i>Journal of the Chinese Chemical Society</i> , 1998, 45, 629-634.	0.8	56
136	The Constituents from the Stems of <i>Annona cherimola</i> . <i>Journal of the Chinese Chemical Society</i> , 1997, 44, 313-319.	0.8	132