

Prasad K D V Yarlagadda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5758481/prasad-k-d-v-yarlagadda-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

208
papers

3,027
citations

30
h-index

47
g-index

226
ext. papers

3,632
ext. citations

3.4
avg, IF

5.64
L-index

#	Paper	IF	Citations
208	Anodization of medical grade stainless steel for improved corrosion resistance and nanostructure formation targeting biomedical applications. <i>Electrochimica Acta</i> , 2022 , 416, 140274	6.7	1
207	Fabrication and Applications of Antibacterial Surfaces and Nano Biosensing Platforms. <i>Lecture Notes in Networks and Systems</i> , 2022 , 577-588	0.5	
206	Simulation of Bacterial Motion Under Flow Inside Micro Channel Using CFD and DPM. <i>Lecture Notes in Networks and Systems</i> , 2022 , 95-108	0.5	
205	The Significance of Coordinated Research Against SARS-CoV-2. <i>Lecture Notes in Networks and Systems</i> , 2022 , 698-713	0.5	
204	Women in Engineering: Myths, Measures and Policies. <i>Lecture Notes in Networks and Systems</i> , 2022 , 757-765	0.5	0
203	An Overview of Hospital Capacity Planning and Optimisation. <i>Healthcare (Switzerland)</i> , 2022 , 10, 826	3.4	0
202	Trends in Bactericidal Nanostructured Surfaces: An Analytical Perspective.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 7626-7642	4.1	3
201	A systematic approach towards biomimicry of nanopatterned cicada wings on titanium using electron beam lithography. <i>Nanotechnology</i> , 2021 , 32, 065301	3.4	5
200	Mechanics of Bacterial Interaction and Death on Nanopatterned Surfaces. <i>Biophysical Journal</i> , 2021 , 120, 217-231	2.9	19
199	Plaque Longitudinal Heterogeneity in Morphology, Property, and Mechanobiology. <i>Cerebrovascular Diseases</i> , 2021 , 50, 510-519	3.2	1
198	Bactericidal efficiency of micro- and nanostructured surfaces: a critical perspective.. <i>RSC Advances</i> , 2021 , 11, 1883-1900	3.7	8
197	Effects of Nanopillar Size and Spacing on Mechanical Perturbation and Bactericidal Killing Efficiency. <i>Nanomaterials</i> , 2021 , 11,	5.4	3
196	An Analytical Optimisation Framework for Airport Terminal Capacity Expansion. <i>Complexity</i> , 2020 , 2020, 1-10	1.6	1
195	Antiviral and Antibacterial Nanostructured Surfaces with Excellent Mechanical Properties for Hospital Applications. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 3608-3618	5.5	54
194	Stress-Relaxation and Cyclic Behavior of Human Carotid Plaque Tissue. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 60	5.8	1
193	A multi-criteria multi-commodity flow model for analysing transportation networks. <i>Operations Research Perspectives</i> , 2020 , 7, 100159	2.1	3
192	A Framework for Sharing Staff between Outbound and Inbound Airport Processes. <i>Mathematics</i> , 2020 , 8, 895	2.3	1

191	A tool to minimize the need of Monte Carlo ray tracing code for 3D finite volume modelling of a standard parabolic trough collector receiver under a realistic solar flux profile. <i>Energy Science and Engineering</i> , 2020 , 8, 3087-3102	3.4	2
190	Performance of Graphite-Dispersed LiCO-KCO Molten Salt Nanofluid for a Direct Absorption Solar Collector System. <i>Molecules</i> , 2020 , 25,	4.8	7
189	Combining Opinions for Use in Bayesian Networks: A Measurement Error Approach. <i>International Statistical Review</i> , 2020 , 88, 335-353	1.4	1
188	Modelling the growth of hydrothermally synthesised bactericidal nanostructures, as a function of processing conditions. <i>Materials Science and Engineering C</i> , 2020 , 108, 110434	8.3	11
187	Investigation of failure mechanisms of nacre at macro and nano scales. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 112, 104018	4.1	5
186	Antiviral Nanostructured Surfaces Reduce the Viability of SARS-CoV-2. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 4858-4861	5.5	33
185	A multi commodity flow model incorporating flow reduction functions. <i>Flexible Services and Manufacturing Journal</i> , 2020 , 32, 693-723	1.8	6
184	CFD study of heat transfer enhancement and fluid flow characteristics of turbulent flow through tube with twisted tape inserts. <i>Energy Procedia</i> , 2019 , 160, 715-722	2.3	12
183	Evaluation of Particle Beam Lithography for Fabrication of Metallic Nano-structures. <i>Procedia Manufacturing</i> , 2019 , 30, 261-267	1.5	7
182	Impact of Passenger-Arrival Patterns in Outbound Processes of Airports. <i>Procedia Manufacturing</i> , 2019 , 30, 323-330	1.5	7
181	Investigation of mechanical properties and morphology of hydrothermally manufactured titanium dioxide nanostructured surfaces. <i>Procedia Manufacturing</i> , 2019 , 30, 373-379	1.5	2
180	Manufacturing of a parabolic trough concentrating collector test rig and a LASER-Screen technique for measuring actual focal length and light interceptance of the collector. <i>Procedia Manufacturing</i> , 2019 , 30, 404-410	1.5	1
179	Model-based fault diagnosis and prognosis of dynamic systems: a review. <i>Procedia Manufacturing</i> , 2019 , 30, 435-442	1.5	10
178	Vertical Segregation: Issues and Challenges of Women Engineers in Australia. <i>Procedia Manufacturing</i> , 2019 , 30, 671-676	1.5	3
177	Recent Developments in the Field of Nanotechnology for Development of Medical Implants. <i>Procedia Manufacturing</i> , 2019 , 30, 544-551	1.5	4
176	Parametric Study on Nanopattern Bactericidal Activity. <i>Procedia Manufacturing</i> , 2019 , 30, 514-521	1.5	9
175	Performance Investigation of High Temperature Application of Molten Solar Salt Nanofluid in a Direct Absorption Solar Collector. <i>Molecules</i> , 2019 , 24,	4.8	14
174	Control of bacterial attachment by fracture topography. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019 , 91, 416-424	4.1	3

173	Multi-biofunctional properties of three species of cicada wings and biomimetic fabrication of nanopatterned titanium pillars. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 1300-1310	7.3	39
172	Mimicking Insect Wings: The Roadmap to Bioinspiration. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 3139-3160	5.5	23
171	. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2019 , 29, 2637-2651	6.4	1
170	Bacteria Death and Osteoblast Metabolic Activity Correlated to Hydrothermally Synthesised TiO ₂ Surface Properties. <i>Molecules</i> , 2019 , 24,	4.8	13
169	Mg-Phenolic Network Strategy for Enhancing Corrosion Resistance and Osteocompatibility of Degradable Magnesium Alloys. <i>ACS Omega</i> , 2019 , 4, 21931-21944	3.9	13
168	Effect of the Orientation Schemes of the Energy Collection Element on the Optical Performance of a Parabolic Trough Concentrating Collector. <i>Energies</i> , 2019 , 12, 128	3.1	8
167	A flexible job shop scheduling approach with operators for coal export terminals. <i>Computers and Operations Research</i> , 2019 , 104, 15-36	4.6	17
166	Mechanical, bactericidal and osteogenic behaviours of hydrothermally synthesised TiO nanowire arrays. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018 , 80, 311-319	4.1	44
165	A new constitutive analysis of hexagonal close-packed metal in equal channel angular pressing by crystal plasticity finite element method. <i>Continuum Mechanics and Thermodynamics</i> , 2018 , 30, 69-82	3.5	2
164	A Method of Three-Dimensional Thermo-Fluid Simulation of the Receiver of a Standard Parabolic Trough Collector. <i>Green Energy and Technology</i> , 2018 , 203-230	0.6	1
163	Inorganic p-type semiconductors and carbon materials based hole transport materials for perovskite solar cells. <i>Chinese Chemical Letters</i> , 2018 , 29, 1242-1250	8.1	24
162	Determining of Poisson's Ratio and Young's Modulus of Pumpkin Tissue- Using Laser Measurement Sensors. <i>Materials Today: Proceedings</i> , 2018 , 5, 11507-11515	1.4	1
161	Fabrication of Nano Pyramid Texture on Ti-6Al-4V Using Nanosphere Lithography. <i>Materials Today: Proceedings</i> , 2018 , 5, 11593-11600	1.4	3
160	Numerical investigation of atherosclerotic plaque rupture using optical coherence tomography imaging and XFEM. <i>Engineering Fracture Mechanics</i> , 2018 , 204, 531-541	4.2	9
159	Perspectives of STEM education and policies for the development of a skilled workforce in Australia and India. <i>International Journal of Science Education</i> , 2018 , 40, 1999-2022	2.2	15
158	Remaining useful life prediction of rotating equipment using covariate-based hazard models for Industry applications. <i>Australian Journal of Mechanical Engineering</i> , 2017 , 15, 36-45	1	6
157	Finite Element modeling of Mechanical Loading-Pumpkin Peel and flesh. <i>International Journal of Food Engineering</i> , 2017 , 13,	1.9	2
156	A capacity assessment approach for multi-modal transportation systems. <i>European Journal of Operational Research</i> , 2017 , 263, 864-878	5.6	18

155	Recent Advances in Manufacturing and Surface Modification of Titanium Orthopaedic Applications. <i>Procedia Engineering</i> , 2017 , 174, 1067-1076		44
154	Framework for Airport Outbound Passenger Flow Modelling. <i>Procedia Engineering</i> , 2017 , 174, 1100-1109		25
153	Digital Manufacturing- Applications Past, Current, and Future Trends. <i>Procedia Engineering</i> , 2017 , 174, 982-991		57
152	Bio-mimicking nano and micro-structured surface fabrication for antibacterial properties in medical implants. <i>Journal of Nanobiotechnology</i> , 2017 , 15, 64	9.4	187
151	Estimating life cycle cost for a product family design: The challenges. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 273, 012026	0.4	
150	Investigation of the Effect of Physical and Optical Factors on the Optical Performance of a Parabolic Trough Collector. <i>Energies</i> , 2017 , 10, 1907	3.1	14
149	Quantification of cephalomedullary nail fit in the femur using 3D computer modelling: a comparison between 1.0 and 1.5m bow designs. <i>Journal of Orthopaedic Surgery and Research</i> , 2016 , 11, 53	2.8	12
148	Can we safely deform a plate to fit every bone? Population-based fit assessment and finite element deformation of a distal tibial plate. <i>Medical Engineering and Physics</i> , 2016 , 38, 280-5	2.4	14
147	A method for optimal fit of patient-specific fracture fixation plates. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2016 , 230, 282-290	1.3	1
146	Support services for higher degree research students: a survey of three Australian universities. <i>European Journal of Engineering Education</i> , 2016 , 41, 469-481	1.5	2
145	Is there a bone-nail specific entry point? Automated fit quantification of tibial nail designs during the insertion for six different nail entry points. <i>Medical Engineering and Physics</i> , 2015 , 37, 367-74	2.4	3
144	Comprehensive Contribution of Filament Thickness and Crosslinker Failure to the Rheological Property of F-actin Cytoskeleton. <i>Cellular and Molecular Bioengineering</i> , 2015 , 8, 278-284	3.9	1
143	A CASE STUDY OF THE IRANIAN NATIONAL RAILWAY AND ITS ABSOLUTE CAPACITY EXPANSION USING ANALYTICAL MODELS. <i>Transport</i> , 2015 , 32, 398-414	1.4	8
142	Investigation on Temperature-Dependent Electrical Conductivity of Carbon Nanotube/Epoxy Composites for Sustainable Energy Applications. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 6957-64	1.3	5
141	A constitutive model for mechanical response characterization of pumpkin peel and flesh tissues under tensile and compressive loadings. <i>Journal of Food Science and Technology</i> , 2015 , 52, 4874-84	3.3	6
140	Pedestrian Dynamics in Real and Simulated World. <i>Journal of the Urban Planning and Development Division, ASCE</i> , 2015 , 141, 04014030	2.2	6
139	Bacterial adherence and biofilm formation on medical implants: a review. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2014 , 228, 1083-99	1.7	257
138	Molecular investigation of the mechanical properties of single actin filaments based on vibration analyses. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014 , 17, 616-22	2.1	13

137	Impact of Passenger Group Dynamics on an Airport Evacuation Process Using an Agent-Based Model 2014 ,		4
136	Multiview gait biometrics for human identity recognition 2014 ,		1
135	Complete and Competent Engineers:A Coaching Model to Developing Holistic Graduates. <i>Procedia, Social and Behavioral Sciences</i> , 2014 , 116, 1367-1372		4
134	Bending properties of Ag nanowires with pre-existing surface defects. <i>Computational Materials Science</i> , 2014 , 81, 45-51	3.2	10
133	Analysis of Passenger Group Behaviour and Its Impact on Passenger Flow using an Agent-based Model 2014 ,		2
132	Agent-based Modelling of Aircraft Boarding Methods 2014 ,		2
131	An Intuitive Dashboard for Bayesian Network Inference. <i>Journal of Physics: Conference Series</i> , 2014 , 490, 012023	0.3	
130	Nanoscale Texture on Glass and Titanium Substrates by Physical Vapor Deposition Process. <i>Procedia Engineering</i> , 2014 , 97, 1506-1511		
129	Importance of Knowledge Management Processes in a Project-based organization: A Case Study of Research Enterprise. <i>Procedia Engineering</i> , 2014 , 97, 1825-1830		29
128	INVESTIGATING EFFECTIVE WAYFINDING IN AIRPORTS: A BAYESIAN NETWORK APPROACH. <i>Transport</i> , 2014 , 29, 90-99	1.4	9
127	Mechanics of Polypropylene-Seed-Coat-Fibres Composites And Polypropylene Wood Fibres Composites-A Comparative Study. <i>Procedia Engineering</i> , 2014 , 97, 1915-1928		2
126	Agent-Based Modelling Simulation Case Study: Assessment of Airport Check-In and Evacuation Process by Considering Group Travel Behaviour of Air Passengers. <i>Applied Mechanics and Materials</i> , 2014 , 568-570, 1859-1864	0.3	2
125	Study on Factors Effecting Wayfinding and its Impact on Hospitals. <i>Advanced Materials Research</i> , 2014 , 1061-1062, 1245-1249	0.5	
124	Prediction of GMA Welding Characteristic Parameter by Artificial Neural Network System. <i>Advanced Materials Research</i> , 2014 , 1061-1062, 481-491	0.5	2
123	Automated fit quantification of tibial nail designs during the insertion using computer three-dimensional modelling. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2014 , 228, 1227-34	1.7	6
122	A Sensitivity Analysis of Train Speed and its Effect on Railway Capacity. <i>Advanced Materials Research</i> , 2014 , 1061-1062, 1208-1212	0.5	
121	Measurement Studies on Superhydrophobic Materials. <i>Advanced Materials Research</i> , 2014 , 988, 134-142	0.5	1
120	Physical mechanism of the compressive response of F-actin networks: significance of crosslinker unbinding events. <i>Theoretical and Applied Mechanics Letters</i> , 2014 , 4, 051006	1.8	3

119	Reducing Bubble Defect on the Outsole Production Process in the Footwear Manufacturing Industry. <i>Advanced Materials Research</i> , 2014 , 988, 759-763	0.5	
118	Agent-Based Application on Different Boarding Strategies. <i>Applied Mechanics and Materials</i> , 2014 , 568-570, 1893-1897	0.3	
117	Tensile Properties of Si Nanowires with Faulted Stacking Layers. <i>Science of Advanced Materials</i> , 2014 , 6, 1489-1492	2.3	2
116	An Intuitive Multi-Touch Surface and Gesture Based Interaction for Video Surveillance Systems. <i>International Journal of Future Computer and Communication</i> , 2014 , 3, 197-201	4.6	2
115	Development of Empirical Equations for Irradiance Profile of a Standard Parabolic Trough Collector Using Monte Carlo Ray Tracing Technique. <i>Advanced Materials Research</i> , 2013 , 860-863, 180-190	0.5	9
114	Hierarchical multiscale model for biomechanics analysis of microfilament networks. <i>Journal of Applied Physics</i> , 2013 , 113, 194701	2.5	20
113	How to Increase the Accuracy of Analysis and Reduce the Computational Time in ANSYS in the Case of Deformation Study of Orthopedic Bone Plates. <i>Advanced Materials Research</i> , 2013 , 834-836, 1592-1600	0.5	0
112	Study of Structural Changes of Pumpkin Tissue before and after Mechanical Loading. <i>Applied Mechanics and Materials</i> , 2013 , 333-335, 1998-2003	0.3	1
111	An Activity and Resource Advisory System for Manufacturing Process Chains Selection at the early Stage of Product Development. <i>Advanced Materials Research</i> , 2013 , 834-836, 1927-1931	0.5	
110	A Novel Iterative Method for Simulating Patient-Specific Optimal Deformation and Fit of Fracture Fixation Plates. <i>Advanced Materials Research</i> , 2013 , 845, 382-386	0.5	3
109	Ethanol Sensitivity of Thermally Evaporated Nanostructured WO ₃ Thin Films Doped and Implanted with Fe. <i>Applied Mechanics and Materials</i> , 2013 , 333-335, 1938-1945	0.3	3
108	Towards Success in Higher Education in Engineering and Technology: A coaching approach to develop holistic graduates. <i>GSTF Journal of Engineering Technology</i> , 2013 , 2,		3
107	A suspicious behaviour detection using a context space model for smart surveillance systems. <i>Computer Vision and Image Understanding</i> , 2012 , 116, 194-209	4.3	39
106	A Context Space Model for Detecting Anomalous Behaviour in Video Surveillance 2012 ,		3
105	Sandwiched carbon nanotube film as strain sensor. <i>Composites Part B: Engineering</i> , 2012 , 43, 2711-2717	10	46
104	Assembly Line Balancing the Comparison of COMSOAL and MSNSH Technique in Motorcycle Manufacturing Company. <i>Advanced Materials Research</i> , 2012 , 605-607, 166-174	0.5	
103	A Framework for Life Cycle Cost Estimation of a Product Family at the Early Stage of Product Development. <i>Advanced Materials Research</i> , 2012 , 605-607, 222-227	0.5	
102	Studies on Bending Limitations for the Optimal Fit of Orthopaedic Bone Plates. <i>Advanced Materials Research</i> , 2012 , 602-604, 1181-1185	0.5	5

101	Functional and advanced functional and causal relationship diagrams for remote condition monitoring. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2012 , 226, 527-534	2.4	
100	Influence of pre-existing surface defects on the vibrational properties of Ag nanowires 2012 ,		1
99	Wayfinding: A simple concept, a complex process. <i>Transport Reviews</i> , 2012 , 32, 715-743	9.9	57
98	Simulation-Based Comparison of Pull-Push Systems in Motorcycle Assembly Line. <i>Applied Mechanics and Materials</i> , 2012 , 241-244, 1507-1513	0.3	
97	Orthopedic bone plates: Evolution in Structure, Implementation technique and biomaterial. <i>GSTF Journal of Engineering Technology</i> , 2012 , 1,		7
96	Reliability Prediction Using the Non-Parametric Explicit Hazard Model: A Case Study 2012 , 243-250		
95	Numerical exploration of plastic deformation mechanisms of copper nanowires with surface defects. <i>Computational Materials Science</i> , 2011 , 50, 3425-3430	3.2	30
94	Design and development of automatic visual inspection system for PCB manufacturing. <i>Robotics and Computer-Integrated Manufacturing</i> , 2011 , 27, 949-962	9.2	61
93	Time-dependent fractional advection-diffusion equations by an implicit MLS meshless method. <i>International Journal for Numerical Methods in Engineering</i> , 2011 , 88, 1346-1362	2.4	73
92	2011 ,		1
91	Check-in processing: Simulation of passengers with advanced traits 2011 ,		5
90	Including airport duty-free shopping in arriving passenger simulation and the opportunities this presents 2011 ,		1
89	Mechanical Behaviours of Pumpkin Peel under Compression Test. <i>Advanced Materials Research</i> , 2011 , 337, 3-9	0.5	3
88	Microwave Curing of Non-Traditional Polymer Materials Used in Manufacture of Injection Moulds. <i>Advanced Materials Research</i> , 2011 , 338, 214-222	0.5	1
87	Implementation of Lean Manufacturing in Saudi Manufacturing Organisations: An Empirical Study. <i>Advanced Materials Research</i> , 2011 , 339, 250-253	0.5	13
86	Quantitative Fit Assessment of a Precontoured Fracture Fixation Plate: Its Automation and an Investigation on the Borderline Cases. <i>Advanced Materials Research</i> , 2011 , 339, 685-689	0.5	5
85	Numerical Exploration of the Defect Effect on Mechanical Properties of Nanowires under Torsion. <i>Advanced Materials Research</i> , 2011 , 335-336, 498-501	0.5	8
84	Managing Product Quality and Reliability under New Challenges. <i>Advanced Materials Research</i> , 2011 , 335-336, 1520-1524	0.5	

83	Advanced Numerical Characterization of Mono-Crystalline Copper with Defects. <i>Advanced Science Letters</i> , 2011 , 4, 1293-1301	0.1	13
82	Study of Tissue Damage during Mechanical Peeling of Tough Skinned Vegetables 2011 ,		3
81	Automatic Solder Joint Defect Classification using the Log-Gabor Filter. <i>Advanced Materials Research</i> , 2010 , 97-101, 2940-2943	0.5	1
80	An Update-Describe Approach for Human Action Recognition in Surveillance Video 2010 ,		3
79	The Explicit Hazard Model- part 1: Theoretical development 2010 ,		5
78	A review on reliability models with covariates 2010 , 385-397		25
77	A review on degradation models in reliability analysis 2010 , 369-384		74
76	The Explicit Hazard Model- part 2: Applications 2010 ,		2
75	Studies of bone cell adhesion and proliferation on ion-implanted titanium discs. <i>Australian Journal of Mechanical Engineering</i> , 2009 , 7, 77-82	1	
74	Adaptive unsupervised learning of human actions 2009 ,		3
73	A bridging transition technique for the combination of meshfree method with finite element method in 2D solids and structures. <i>Computational Mechanics</i> , 2009 , 44, 119-131	4	4
72	Characteristics of alternate supply of shielding gases in aluminum GMA welding. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 4716-4721	5.3	25
71	The effect of alternate supply of shielding gases in austenite stainless steel GTA welding. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 4722-4727	5.3	32
70	Mechanical Properties of Melon Measured by Compression, Shear, and Cutting Modes. <i>International Journal of Food Properties</i> , 2009 , 12, 780-790	3	8
69	A Context-Based Approach for Detecting Suspicious Behaviours 2009 ,		2
68	An advanced meshless technique for large deformation analysis of metal forming. <i>Australian Journal of Mechanical Engineering</i> , 2009 , 7, 25-32	1	1
67	Fracture behaviour of microstructured silica optical fibres. <i>Australian Journal of Mechanical Engineering</i> , 2009 , 7, 93-98	1	
66	Fuzzy modelling based estimation of short circuit severity in pulse gas metal arc welding. <i>Australian Journal of Mechanical Engineering</i> , 2009 , 7, 9-17	1	1

65	Detecting Uncommon Trajectories 2008 ,		19
64	Detecting commonly occupied regions in video sequences 2008 ,		2
63	An Extensible Product Structure Model for Product Lifecycle Management in the Make-to-Order Environment. <i>Concurrent Engineering Research and Applications</i> , 2008 , 16, 243-251	1.7	5
62	A Multiscale Deformation Analysis for Mono-Crystalline Copper under Dynamic Uniaxial Tension. <i>Advanced Materials Research</i> , 2008 , 32, 241-244	0.5	2
61	Fusion of Hand Based Biometrics Using Particle Swarm Optimization 2008 ,		12
60	An effective multiscale approach for deformation analyses of carbon nanotube-based nanoswitches 2008 ,		1
59	Mechanical peeling of pumpkins. Part 1: Using an abrasive-cutter brush. <i>Journal of Food Engineering</i> , 2008 , 89, 448-452	6	8
58	Effects of punch load for elliptical deep drawing product of automotive parts. <i>International Journal of Advanced Manufacturing Technology</i> , 2008 , 35, 814-820	3.2	13
57	Drop transfer mode prediction in pulse GMAW of aluminum using statistical model. <i>Journal of Materials Processing Technology</i> , 2008 , 201, 502-506	5.3	10
56	Mechanical peeling of pumpkins. Part 2: Modeling of peeling process. <i>Journal of Food Engineering</i> , 2008 , 89, 453-459	6	1
55	An in Depth Comparison of Four Texture Segmentation Methods 2007 ,		3
54	A configuration-based flexible reporting method for enterprise information systems. <i>Computers in Industry</i> , 2007 , 58, 416-427	11.6	5
53	Abrasive peeling of pumpkin. <i>Journal of Food Engineering</i> , 2007 , 79, 647-656	6	11
52	Business information modeling for process integration in the mold making industry. <i>Robotics and Computer-Integrated Manufacturing</i> , 2007 , 23, 195-207	9.2	15
51	A collaborative engine for enterprise application integration. <i>Computers in Industry</i> , 2006 , 57, 640-652	11.6	9
50	A PDM-based Framework for Design to Manufacturing in Mold Making Industry - A Case Study of Business Process Integration. <i>Computer-Aided Design and Applications</i> , 2006 , 3, 211-220	1.4	1
49	Modeling of an Integrated Process Planning System. <i>Computer-Aided Design and Applications</i> , 2006 , 3, 567-576	1.4	
48	Design, development and evaluation of 3D mold inserts using a rapid prototyping technique and powder-sintering process. <i>International Journal of Production Research</i> , 2006 , 44, 919-938	7.8	10

47	Advancements in pulse gas metal arc welding. <i>Journal of Materials Processing Technology</i> , 2005 , 164-165, 1113-1119	5.3	79
46	Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process. <i>Journal of Materials Processing Technology</i> , 2005 , 164-165, 1578-1583	5.3	5
45	Meeting challenges in welding of aluminum alloys through pulse gas metal arc welding. <i>Journal of Materials Processing Technology</i> , 2005 , 164-165, 1106-1112	5.3	65
44	A complete solution for neutral knowledge representation within collaborative product development environment. <i>International Journal of Advanced Manufacturing Technology</i> , 2005 , 25, 761-777	5.3	1
43	Development of a new PM titanium alloy for improved processability. <i>Materials Science and Technology</i> , 2005 , 21, 185-190	1.5	2
42	Recent advances and current developments in tissue scaffolding. <i>Bio-Medical Materials and Engineering</i> , 2005 , 15, 159-77	1	45
41	Computer Aided Process Planning for Non-Axisymmetric Deep Drawing Products. <i>AIP Conference Proceedings</i> , 2004 ,	0	4
40	Optimal design of neural networks for control in robotic arc welding. <i>Robotics and Computer-Integrated Manufacturing</i> , 2004 , 20, 57-63	9.2	46
39	A study on an intelligent system to predict the tensile stress in welding using solar energy concentration. <i>Journal of Materials Processing Technology</i> , 2004 , 153-154, 649-653	5.3	6
38	Experimental studies on comparison of microwave curing and thermal curing of epoxy resins used for alternative mould materials. <i>Journal of Materials Processing Technology</i> , 2004 , 155-156, 1532-1538	5.3	32
37	A Study on the Prediction of Process Parameters in the Gas Metal Arc Welding of Mild Steel Using the Taguchi Method. <i>Materials Science Forum</i> , 2003 , 437-438, 285-288	0.4	2
36	Comparison of multiple regression and back propagation neural network approaches in modelling top bead height of multipass gas metal arc welds. <i>Science and Technology of Welding and Joining</i> , 2003 , 8, 347-352	3.7	13
35	Prediction of welding parameters for pipeline welding using an intelligent system. <i>International Journal of Advanced Manufacturing Technology</i> , 2003 , 22, 713-719	3.2	61
34	A solution for knowledge resources provider over the internet. <i>International Journal of Advanced Manufacturing Technology</i> , 2003 , -1, 1-1	3.2	3
33	Internet-based distributive knowledge integrated system for product design. <i>Computers in Industry</i> , 2003 , 50, 195-205	11.6	24
32	Joining of engineering thermoplastics by concentrated beam insulation feasibility study. <i>Journal of Materials Processing Technology</i> , 2003 , 138, 67-74	5.3	4
31	Statistical analysis on accuracy of wax patterns used in investment casting process. <i>Journal of Materials Processing Technology</i> , 2003 , 138, 75-81	5.3	39
30	Internet-based intensive product design platform for product design. <i>Knowledge-Based Systems</i> , 2003 , 16, 7-15	7.3	11

29	A study on the quality improvement of robotic GMA welding process. <i>Robotics and Computer-Integrated Manufacturing</i> , 2003 , 19, 567-572	9.2	30
28	Experimental studies on the accuracy of wax patterns used in investment casting. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2003 , 217, 285-289	2.4	14
27	Development of an integrated neural network system for prediction of process parameters in metal injection moulding. <i>Journal of Materials Processing Technology</i> , 2002 , 130-131, 315-320	5.3	25
26	Finite element analysis of high strain rate superplastic forming (SPF) of Al ₇₀ Mg ₃₀ alloys. <i>Journal of Materials Processing Technology</i> , 2002 , 130-131, 469-476	5.3	7
25	A study on prediction of bead height in robotic arc welding using a neural network. <i>Journal of Materials Processing Technology</i> , 2002 , 130-131, 229-234	5.3	56
24	An intelligent approach of knowledge searching within Internet-based distributive knowledge integrated environment. <i>Engineering Applications of Artificial Intelligence</i> , 2002 , 15, 607-618	7.2	3
23	Numerical Modelling and Optimisation of a Microwave Enhanced Rapid Prototyping. <i>International Journal of Advanced Manufacturing Technology</i> , 2001 , 17, 916-927	3.2	3
22	Microwave processing of adhesive joints using a temperature controlled feedback system. <i>International Journal of Machine Tools and Manufacture</i> , 2001 , 41, 209-225	9.4	12
21	An investigation into the performance of solar cured adhesive bonded joints. <i>Journal of Materials Processing Technology</i> , 2001 , 113, 160-166	5.3	2
20	Development of rapid tooling for sheet metal drawing using nickel electroforming and stereolithography processes. <i>Journal of Materials Processing Technology</i> , 2001 , 111, 286-294	5.3	15
19	Development of a hybrid neural network system for prediction of process parameters in injection moulding. <i>Journal of Materials Processing Technology</i> , 2001 , 118, 109-115	5.3	27
18	Prediction of processing parameters for injection moulding by using a hybrid neural network. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2001 , 215, 1465-1470	2.4	16
17	A feasibility study into joining of engineering thermoplastics utilising concentrated beam solar radiation. <i>Renewable Energy</i> , 2000 , 21, 333-361	8.1	7
16	Prediction of die casting process parameters by using an artificial neural network model for zinc alloys. <i>International Journal of Production Research</i> , 2000 , 38, 119-139	7.8	28
15	Study on the microwave curing of adhesive joints using a temperature-controlled feedback system. <i>Journal of Materials Processing Technology</i> , 1999 , 91, 128-149	5.3	12
14	A neural network system for the prediction of process parameters in pressure die casting. <i>Journal of Materials Processing Technology</i> , 1999 , 89-90, 583-590	5.3	39
13	Feasibility studies on the production of electro-discharge machining electrodes with rapid prototyping and the electroforming process. <i>Journal of Materials Processing Technology</i> , 1999 , 89-90, 231-237	5.3	31
12	An investigation into welding of engineering thermoplastics using focused microwave energy. <i>Journal of Materials Processing Technology</i> , 1998 , 74, 199-212	5.3	38

11	Study of fractional softening in multi-stage hot deformation. <i>Journal of Materials Processing Technology</i> , 1998 , 77, 166-174	5.3	53
10	Characterisation of materials behaviour in microwave joining of ceramics. <i>Journal of Materials Processing Technology</i> , 1998 , 84, 162-174	5.3	9
9	Hot deformation studies on a low-carbon steel: Part 1 - flow curves and the constitutive relationship. <i>Journal of Materials Processing Technology</i> , 1996 , 56, 897-907	5.3	42
8	Hot deformation studies on a low-carbon steel: part 2 - an algorithm for the flow stress determination under varying process conditions. <i>Journal of Materials Processing Technology</i> , 1996 , 56, 908-917	5.3	20
7	Neural network approach to flow stress evaluation in hot deformation. <i>Journal of Materials Processing Technology</i> , 1995 , 53, 552-566	5.3	63
6	A sliding algorithm for optimal nesting of arbitrarily shaped sheet metal blanks. <i>International Journal of Production Research</i> , 1995 , 33, 1505-1520	7.8	18
5	A set of heuristic algorithms for optimal nesting of two-dimensional irregularly shaped sheet-metal blanks. <i>Computers in Industry</i> , 1994 , 24, 55-70	11.6	22
4	A mathematical model for bend-allowance calculation in automated sheet-metal bending. <i>Journal of Materials Processing Technology</i> , 1993 , 39, 337-356	5.3	13
3	CADDs: an automated die design system for sheet-metal blanking. <i>Computing & Control Engineering Journal</i> , 1992 , 3, 185		31
2			
1	Mechanical Properties of Pumpkin		2