

Lone Musaeus Poulsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5760329/publications.pdf>

Version: 2024-02-01

40
papers

2,674
citations

566801

15
h-index

344852

36
g-index

42
all docs

42
docs citations

42
times ranked

2765
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. <i>New England Journal of Medicine</i> , 2012, 367, 124-134.	13.9	1,594
2	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. <i>New England Journal of Medicine</i> , 2021, 384, 1301-1311.	13.9	190
3	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1807.	3.8	174
4	Restriction of Intravenous Fluid in ICU Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2022, 386, 2459-2470.	13.9	154
5	Dexamethasone 12Âmg versus 6Âmg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , 2022, 48, 45-55.	3.9	70
6	Characteristics, interventions, and longer term outcomes of COVID-19 ICU patients in Denmarkâ€”A nationwide, observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 68-75.	0.7	64
7	Induced hypothermia in patients with septic shock and respiratory failure (CASS): a randomised, controlled, open-label trial. <i>Lancet Respiratory Medicine</i> , 2018, 6, 183-192.	5.2	51
8	Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 150.	0.7	42
9	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1421-1430.	0.7	31
10	Cognitive Function 3 and 12 Months After ICU Dischargeâ€”A Prospective Cohort Study. <i>Critical Care Medicine</i> , 2018, 46, e1121-e1127.	0.4	28
11	Red blood cell transfusion in septic shock - clinical characteristics and outcome of unselected patients in a prospective, multicentre cohort. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 14.	1.1	27
12	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trialâ€”Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1365-1375.	0.7	26
13	Delirium and effect of circadian light in the intensive care unit: a retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 367-375.	0.7	25
14	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID) Tj ETQg 0,0 0 rgBT /Overlock	0.7	21
15	Delirium in Intensive Care. <i>Current Anesthesiology Reports</i> , 2021, 11, 516-523.	0.9	17
16	Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. <i>Intensive Care Medicine</i> , 2022, 48, 580-589.	3.9	17
17	Follow-up after intensive care treatment: a questionnaire survey of intensive care aftercare in Denmark. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 925-934.	0.7	16
18	Mild induced hypothermia: Effects on sepsis-related coagulopathy -results from a randomized controlled trial. <i>Thrombosis Research</i> , 2015, 135, 175-182.	0.8	13

#	ARTICLE	IF	CITATIONS
19	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID) Tj ETQq1 1 0.784314 rgB 702-710.	0.7	13
20	Intensive care doctors'™ preferences for arterial oxygen tension levels in mechanically ventilated patients. Acta Anaesthesiologica Scandinavica, 2018, 62, 1443-1451.	0.7	12
21	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. Trials, 2013, 14, 37.	0.7	10
22	Agents intervening against delirium in the intensive care unit (AID-ICU) - Protocol for a randomised placebo-controlled trial of haloperidol in patients with delirium in the ICU. Acta Anaesthesiologica Scandinavica, 2019, 63, 1426-1433.	0.7	10
23	Long-term cognitive and functional status in Danish ICU patients with COVID-19. Acta Anaesthesiologica Scandinavica, 2022, 66, 978-986.	0.7	10
24	Physical function and actigraphy in intensive care survivors? A prospective 3-month follow-up cohort study. Acta Anaesthesiologica Scandinavica, 2019, 63, 647-652.	0.7	9
25	Translation of the updated clinical frailty scale 2.0 into Danish and implications for cross-sectoral reliability. BMC Geriatrics, 2021, 21, 269.	1.1	8
26	Oxygenation targets in ICU patients with COVID-19: A post hoc subgroup analysis of the HOT-ICU trial. Acta Anaesthesiologica Scandinavica, 2022, 66, 76-84.	0.7	8
27	The Agents Intervening against Delirium in the Intensive Care Unit Trial (AID-ICU trial): A detailed statistical analysis plan. Acta Anaesthesiologica Scandinavica, 2020, 64, 1357-1364.	0.7	7
28	Handling oxygenation targets in ICU patients with COVID-19? Protocol and statistical analysis plan in the HOT-COVID trial. Acta Anaesthesiologica Scandinavica, 2021, 65, 1497-1504.	0.7	5
29	Healthcare providers'™ knowledge and handling of impairments after intensive unit treatment: A questionnaire survey. Acta Anaesthesiologica Scandinavica, 2020, 64, 532-537.	0.7	3
30	Mortality and HRQoL in ICU patients with delirium: Protocol for 1-year follow-up of AID-ICU trial. Acta Anaesthesiologica Scandinavica, 2020, 64, 1519-1525.	0.7	3
31	Long-term cognitive and pulmonary functions following a lower versus a higher oxygenation target in the HOT-ICU trial: protocol and statistical analysis plan. Acta Anaesthesiologica Scandinavica, 2022, 66, 282-287.	0.7	3
32	Health care use before and after intensive care unit admission? A nationwide register-based study. Acta Anaesthesiologica Scandinavica, 2021, 65, 381-389.	0.7	2
33	Sleep-wake rhythms determined by actigraphy during in-hospital stay following discharge from an intensive care unit. Acta Anaesthesiologica Scandinavica, 2021, 65, 801-808.	0.7	2
34	Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2021, 65, 1351-1354.	0.7	2
35	Health-related quality of life, anxiety and depression and physical recovery after critical illness - A prospective cohort study. Acta Anaesthesiologica Scandinavica, 2022, 66, 85-93.	0.7	2
36	Agents intervening against delirium in the intensive care unit (AID-ICU) trial - protocol for a secondary Bayesian analysis. Acta Anaesthesiologica Scandinavica, 2022, , .	0.7	2

#	ARTICLE	IF	CITATIONS
37	Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 66, 156.	0.7	1
38	The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e532.	0.4	0
39	Recovery after acute illness after hospital discharge – a prospective cohort study. <i>Acute Medicine</i> , 2020, 19, 118-124.	0.1	0
40	Recovery after acute illness after hospital discharge - a prospective cohort study. <i>Acute Medicine</i> , 2020, 19, 118-124.	0.1	0