

Lone Musaeus Poulsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5760329/publications.pdf>

Version: 2024-02-01

40
papers

2,674
citations

567281
15
h-index

345221
36
g-index

42
all docs

42
docs citations

42
times ranked

2765
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. New England Journal of Medicine, 2012, 367, 124-134.	27.0	1,594
2	Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. New England Journal of Medicine, 2021, 384, 1301-1311.	27.0	190
3	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia. JAMA - Journal of the American Medical Association, 2021, 326, 1807.	7.4	174
4	Restriction of Intravenous Fluid in ICU Patients with Septic Shock. New England Journal of Medicine, 2022, 386, 2459-2470.	27.0	154
5	Dexamethasone 12Âmg versus 6Âmg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. Intensive Care Medicine, 2022, 48, 45-55.	8.2	70
6	Characteristics, interventions, and longer term outcomes of COVID-19 ICU patients in Denmarkâ€”A nationwide, observational study. Acta Anaesthesiologica Scandinavica, 2021, 65, 68-75.	1.6	64
7	Induced hypothermia in patients with septic shock and respiratory failure (CASS): a randomised, controlled, open-label trial. Lancet Respiratory Medicine, 2018, 6, 183-192.	10.7	51
8	Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. Trials, 2013, 14, 150.	1.6	42
9	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. Acta Anaesthesiologica Scandinavica, 2021, 65, 1421-1430.	1.6	31
10	Cognitive Function 3 and 12 Months After ICU Dischargeâ€”A Prospective Cohort Study. Critical Care Medicine, 2018, 46, e1121-e1127.	0.9	28
11	Red blood cell transfusion in septic shock - clinical characteristics and outcome of unselected patients in a prospective, multicentre cohort. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 14.	2.6	27
12	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trialâ€”Protocol and statistical analysis plan. Acta Anaesthesiologica Scandinavica, 2020, 64, 1365-1375.	1.6	26
13	Delirium and effect of circadian light in the intensive care unit: a retrospective cohort study. Acta Anaesthesiologica Scandinavica, 2018, 62, 367-375.	1.6	25
14	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID) Trial. Intensive Care Medicine, 2021, 46, 1000-1007.	1.6	21
15	Delirium in Intensive Care. Current Anesthesiology Reports, 2021, 11, 516-523.	2.0	17
16	Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. Intensive Care Medicine, 2022, 48, 580-589.	8.2	17
17	Follow-up after intensive care treatment: a questionnaire survey of intensive care aftercare in Denmark. Acta Anaesthesiologica Scandinavica, 2017, 61, 925-934.	1.6	16
18	Mild induced hypothermia: Effects on sepsis-related coagulopathy -results from a randomized controlled trial. Thrombosis Research, 2015, 135, 175-182.	1.7	13

#	ARTICLE	IF	CITATIONS
19	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID) Trial. <i>ETQ</i> 2021;14(1):702-710.	1.6	13
20	Intensive care doctors' preferences for arterial oxygen tension levels in mechanically ventilated patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1443-1451.	1.6	12
21	Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013, 14, 37.	1.6	10
22	Agents intervening against delirium in the intensive care unit (AID-ICU) – Protocol for a randomised placebo-controlled trial of haloperidol in patients with delirium in the ICU. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1426-1433.	1.6	10
23	Long-term cognitive and functional status in Danish ICU patients with COVID-19. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 978-986.	1.6	10
24	Physical function and actigraphy in intensive care survivors – A prospective 3-month follow-up cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 647-652.	1.6	9
25	Translation of the updated clinical frailty scale 2.0 into Danish and implications for cross-sectoral reliability. <i>BMC Geriatrics</i> , 2021, 21, 269.	2.7	8
26	Oxygenation targets in ICU patients with COVID-19: A post hoc subgroup analysis of the HOT-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 76-84.	1.6	8
27	The Agents Intervening against Delirium in the Intensive Care Unit Trial (AID-ICU trial): A detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1357-1364.	1.6	7
28	Handling oxygenation targets in ICU patients with COVID-19 – Protocol and statistical analysis plan in the HOT-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1497-1504.	1.6	5
29	Healthcare providers' knowledge and handling of impairments after intensive unit treatment: A questionnaire survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 532-537.	1.6	3
30	Mortality and HRQoL in ICU patients with delirium: Protocol for 1-year follow-up of AID-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1519-1525.	1.6	3
31	Long-term cognitive and pulmonary functions following a lower versus a higher oxygenation target in the HOT-ICU trial: protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 282-287.	1.6	3
32	Health care use before and after intensive care unit admission – A nationwide register-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 381-389.	1.6	2
33	Sleep-wake rhythms determined by actigraphy during in-hospital stay following discharge from an intensive care unit. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 801-808.	1.6	2
34	Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1351-1354.	1.6	2
35	Health-related quality of life, anxiety and depression and physical recovery after critical illness – A prospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 85-93.	1.6	2
36	Agents intervening against delirium in the intensive care unit (AID-ICU) trial – protocol for a secondary Bayesian analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, , .	1.6	2

#	ARTICLE	IF	CITATIONS
37	Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. Acta Anaesthesiologica Scandinavica, 2021, 66, 156.	1.6	1
38	The authors reply. Critical Care Medicine, 2019, 47, e532.	0.9	0
39	Recovery after acute illness after hospital discharge – a prospective cohort study. Acute Medicine, 2020, 19, 118-124.	0.3	0
40	Recovery after acute illness after hospital discharge - a prospective cohort study. Acute Medicine, 2020, 19, 118-124.	0.3	0