

# Lone Musaeus Poulsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5760329/publications.pdf>

Version: 2024-02-01

40  
papers

2,674  
citations

566801

15  
h-index

344852

36  
g-index

42  
all docs

42  
docs citations

42  
times ranked

2765  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Oxygenation targets in ICU patients with COVID-19: A post hoc subgroup analysis of the HOT-ICU trial. Acta Anaesthesiologica Scandinavica, 2022, 66, 76-84.  | 0.7  | 8         |
| 2  | Health-related quality of life, anxiety and depression and physical recovery after critical illness – A prospective cohort study. Acta Anaesthesiologica Scandinavica, 2022, 66, 85-93.                                | 0.7  | 2         |
| 3  | Long-term cognitive and pulmonary functions following a lower versus a higher oxygenation target in the HOT-ICU trial: protocol and statistical analysis plan. Acta Anaesthesiologica Scandinavica, 2022, 66, 282-287. | 0.7  | 3         |
| 4  | Dexamethasone 12Âmg versus 6Âmg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. Intensive Care Medicine, 2022, 48, 45-55.                   | 3.9  | 70        |
| 5  | Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. Intensive Care Medicine, 2022, 48, 580-589.   | 3.9  | 17        |
| 6  | Agents intervening against delirium in the intensive care unit (AID-ICU) trial – protocol for a secondary Bayesian analysis. Acta Anaesthesiologica Scandinavica, 2022, , .  | 0.7  | 2         |
| 7  | Long-term cognitive and functional status in Danish <sc>ICU</sc> patients with <sc>COVID</sc>-19. Acta Anaesthesiologica Scandinavica, 2022, 66, 978-986.  | 0.7  | 10        |
| 8  | Restriction of Intravenous Fluid in ICU Patients with Septic Shock. New England Journal of Medicine, 2022, 386, 2459-2470.   | 13.9 | 154       |
| 9  | Health care use before and after intensive care unit admission – A nationwide register-based study. Acta Anaesthesiologica Scandinavica, 2021, 65, 381-389.  | 0.7  | 2         |
| 10 | Characteristics, interventions, and longer term outcomes of COVID-19 ICU patients in Denmark – A nationwide, observational study. Acta Anaesthesiologica Scandinavica, 2021, 65, 68-75.                                | 0.7  | 64        |
| 11 | Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID) Tj ETQq1 1 0.784314 rgBT/Overlock<br>702-710.  | 0.7  | 13        |
| 12 | Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID) Tj ETQq0,0 0 rgBT/Overlock<br>0.7  | 0.7  | 21        |
| 13 | Sleep-wake rhythms determined by actigraphy during in-hospital stay following discharge from an intensive care unit. Acta Anaesthesiologica Scandinavica, 2021, 65, 801-808.   | 0.7  | 2         |
| 14 | Translation of the updated clinical frailty scale 2.0 into Danish and implications for cross-sectoral reliability. BMC Geriatrics, 2021, 21, 269.  | 1.1  | 8         |
| 15 | Lower or Higher Oxygenation Targets for Acute Hypoxemic Respiratory Failure. New England Journal of Medicine, 2021, 384, 1301-1311.  | 13.9 | 190       |
| 16 | Patient and public involvement in contemporary large intensive care trials: Protocol for a meta-epidemiological study. Acta Anaesthesiologica Scandinavica, 2021, 65, 1351-1354.                                       | 0.7  | 2         |
| 17 | Handling oxygenation targets in ICU patients with COVID-19 – Protocol and statistical analysis plan in the HOT-ICU trial. Acta Anaesthesiologica Scandinavica, 2021, 65, 1497-1504.                                    | 0.7  | 5         |
| 18 | Delirium in Intensive Care. Current Anesthesiology Reports, 2021, 11, 516-523.   | 0.9  | 17        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1421-1430.   | 0.7 | 31        |
| 20 | Interactions in clinical trials: Protocol and statistical analysis plan for an explorative study of four randomized ICU trials on use of pantoprazole, oxygenation targets, haloperidol and intravenous fluids. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 66, 156. | 0.7 | 1         |
| 21 | Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1807.  | 3.8 | 174       |
| 22 | Healthcare providers'™ knowledge and handling of impairments after intensive unit treatment: A questionnaire survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 532-537.  | 0.7 | 3         |
| 23 | Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial's™ Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1365-1375.   | 0.7 | 26        |
| 24 | Mortality and HRQoL in ICU patients with delirium: Protocol for 1-year follow-up of AID-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1519-1525.  | 0.7 | 3         |
| 25 | The Agents Intervening against Delirium in the Intensive Care Unit Trial (AID-ICU trial): A detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1357-1364.   | 0.7 | 7         |
| 26 | Recovery after acute illness after hospital discharge – a prospective cohort study. <i>Acute Medicine</i> , 2020, 19, 118-124.  | 0.1 | 0         |
| 27 | Recovery after acute illness after hospital discharge - a prospective cohort study. <i>Acute Medicine</i> , 2020, 19, 118-124.  | 0.1 | 0         |
| 28 | Agents intervening against delirium in the intensive care unit (AID-ICU) – Protocol for a randomised placebo-controlled trial of haloperidol in patients with delirium in the ICU. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1426-1433.                        | 0.7 | 10        |
| 29 | The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e532.  | 0.4 | 0         |
| 30 | Physical function and actigraphy in intensive care survivors™ A prospective 3-month follow-up cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 647-652.   | 0.7 | 9         |
| 31 | Induced hypothermia in patients with septic shock and respiratory failure (CASS): a randomised, controlled, open-label trial. <i>Lancet Respiratory Medicine</i> , 2018, 6, 183-192.  | 5.2 | 51        |
| 32 | Delirium and effect of circadian light in the intensive care unit: a retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 367-375.  | 0.7 | 25        |
| 33 | Cognitive Function 3 and 12 Months After ICU Discharge™ A Prospective Cohort Study. <i>Critical Care Medicine</i> , 2018, 46, e1121-e1127.  | 0.4 | 28        |
| 34 | Intensive care doctors™ preferences for arterial oxygen tension levels in mechanically ventilated patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1443-1451.   | 0.7 | 12        |
| 35 | Follow-up after intensive care treatment: a questionnaire survey of intensive care aftercare in Denmark. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 925-934.  | 0.7 | 16        |
| 36 | Mild induced hypothermia: Effects on sepsis-related coagulopathy -results from a randomized controlled trial. <i>Thrombosis Research</i> , 2015, 135, 175-182.  | 0.8 | 13        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Red blood cell transfusion in septic shock - clinical characteristics and outcome of unselected patients in a prospective, multicentre cohort. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 14.                         | 1.1  | 27        |
| 38 | Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 150. | 0.7  | 42        |
| 39 | Effect of intermediate care on mortality following emergency abdominal surgery. The InCare trial: study protocol, rationale and feasibility of a randomised multicentre trial. <i>Trials</i> , 2013, 14, 37.   | 0.7  | 10        |
| 40 | Hydroxyethyl Starch 130/0.42 versus Ringer's Acetate in Severe Sepsis. <i>New England Journal of Medicine</i> , 2012, 367, 124-134.  | 13.9 | 1,594     |