

Timothy J Ziemlewicz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5761668/timothy-j-ziemlewicz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,781
citations

25
h-index

40
g-index

102
ext. papers

2,294
ext. citations

3.9
avg, IF

4.78
L-index

#	Paper	IF	Citations
80	Abdominal fellowship-trained versus generalist radiologist accuracy when interpreting MR and CT for the diagnosis of appendicitis. <i>European Radiology</i> , 2022 , 32, 533-541	8	
79	Split-bolus CT urography after microwave ablation of renal cell carcinoma improves image quality and reduces radiation exposure.. <i>Abdominal Radiology</i> , 2022 , 1	3	
78	Advanced CT techniques for hepatic microwave ablation zone monitoring and follow-up. <i>Abdominal Radiology</i> , 2021 , 1	3	
77	Efficacy of percutaneous image-guided biopsy for diagnosis of intrahepatic cholangiocarcinoma. <i>Abdominal Radiology</i> , 2021 , 1	3	
76	Long-Term Outcomes and Prognostic Factors in Kidney Transplant Recipients with Polycystic Kidney Disease.. <i>Kidney360</i> , 2021 , 2, 312-324	1.8	0
75	Magnetic resonance imaging versus computed tomography and ultrasound for the diagnosis of female pelvic pathology. <i>Emergency Radiology</i> , 2021 , 28, 789-796	3	1
74	Diagnostic and procedural intraoperative ultrasound: technique, tips and tricks for optimizing results. <i>British Journal of Radiology</i> , 2021 , 94, 20201406	3.4	1
73	Noninvasive thyroid histotripsy treatment: proof of concept study in a porcine model. <i>International Journal of Hyperthermia</i> , 2021 , 38, 798-804	3.7	1
72	Transcostal Histotripsy Ablation in an In Vivo Acute Hepatic Porcine Model. <i>CardioVascular and Interventional Radiology</i> , 2021 , 44, 1643-1650	2.7	0
71	Differential Imaging of Liver Tumors before and after Microwave Ablation with Electrode Displacement Elastography. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 2138-2156	3.5	1
70	Microwave ablation for colorectal cancer metastasis to the liver: a single-center retrospective analysis. <i>Journal of Gastrointestinal Oncology</i> , 2021 , 12, 1454-1469	2.8	4
69	Percutaneous Lung Biopsy with Pleural and Parenchymal Blood Patching: Results and Complications from 1,112 Core Biopsies. <i>Journal of Vascular and Interventional Radiology</i> , 2021 , 32, 1319-1327	2.4	0
68	Microwave Ablation of Renal Cell Carcinoma. <i>Journal of Endourology</i> , 2021 , 35, S33-S37	2.7	0
67	Liver Histotripsy Mediated Abscopal Effect-Case Report. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , 68, 3001-3005	3.2	4
66	Contrast-Enhanced Ultrasound: A Useful Tool to Study and Monitor Hepatic Tumors Treated With Histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , 68, 2853-2860	3.2	0
65	Combining Stereotactic Body Radiotherapy and Microwave Ablation Appears Safe and Feasible for Renal Cell Carcinoma in an Early Series. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, e313-e318	3.3	0
64	Microwave Ablation of Adrenal Tumors in Patients With Continuous Intra-Arterial Blood Pressure Monitoring Without Prior Alpha-Adrenergic Blockade: Safety and Efficacy. <i>CardioVascular and Interventional Radiology</i> , 2020 , 43, 1384-1391	2.7	3

63	Polycystic Liver Disease in a Patient With Metastatic Renal Cell Carcinoma: A Case Report. <i>Anticancer Research</i> , 2020 , 40, 1527-1534	2.3	1
62	Histotripsy Ablations in a Porcine Liver Model: Feasibility of Respiratory Motion Compensation by Alteration of the Ablation Zone Prescription Shape. <i>CardioVascular and Interventional Radiology</i> , 2020 , 43, 1695-1701	2.7	2
61	Radiofrequency and microwave ablation in a porcine liver model: non-contrast CT and ultrasound radiologic-pathologic correlation. <i>International Journal of Hyperthermia</i> , 2020 , 37, 799-807	3.7	6
60	Comparing Outcomes for Patients with Clinical T1b Renal Cell Carcinoma Treated With Either Percutaneous Microwave Ablation or Surgery. <i>Urology</i> , 2020 , 135, 88-94	1.6	8
59	Modeling tissue-selective cavitation damage. <i>Physics in Medicine and Biology</i> , 2019 , 64, 225001	3.8	19
58	Development of a Risk-stratified Approach for Follow-up Imaging After Percutaneous Thermal Ablation of Sporadic Stage One Renal Cell Carcinoma. <i>Urology</i> , 2019 , 134, 148-153	1.6	5
57	Robotically-Assisted Sonic Therapy for Renal Ablation in a Live Porcine Model: Initial Preclinical Results. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 1293-1302	2.4	7
56	Robotically Assisted Sonic Therapy (RAST) for Noninvasive Hepatic Ablation in a Porcine Model: Mitigation of Body Wall Damage with a Modified Pulse Sequence. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 1016-1023	2.7	10
55	Tumor location does not impact oncologic outcomes for percutaneous microwave ablation of clinical T1a renal cell carcinoma. <i>European Radiology</i> , 2019 , 29, 6319-6329	8	12
54	Two-dimensional ultrasound-computed tomography image registration for monitoring percutaneous hepatic intervention. <i>Medical Physics</i> , 2019 , 46, 2600-2609	4.4	5
53	Prospective evaluation of MRI compared with CT for the etiology of abdominal pain in emergency department patients with concern for appendicitis. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 50, 1651-1658	5.6	3
52	Percutaneous Microwave Tumor Ablation Is Safe in Patients with Cardiovascular Implantable Electronic Devices: A Single-Institutional Retrospective Review. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 396-400	2.4	2
51	Opportunistic Osteoporosis Screening at Routine Abdominal and Thoracic CT: Normative L1 Trabecular Attenuation Values in More than 20 000 Adults. <i>Radiology</i> , 2019 , 291, 360-367	20.5	71
50	Risk Factors for Complications and Nondiagnostic Results following 1,155 Consecutive Percutaneous Core Renal Mass Biopsies. <i>Journal of Urology</i> , 2019 , 201, 1080-1087	2.5	13
49	Comparison of Displacement Tracking Algorithms for in Vivo Electrode Displacement Elastography. <i>Ultrasound in Medicine and Biology</i> , 2019 , 45, 218-232	3.5	7
48	Percutaneous microwave ablation for local control of metastatic renal cell carcinoma. <i>Abdominal Radiology</i> , 2018 , 43, 2446-2454	3	5
47	Prospective Comparison of the Diagnostic Accuracy of MR Imaging versus CT for Acute Appendicitis. <i>Radiology</i> , 2018 , 288, 467-475	20.5	21
46	Combination transarterial chemoembolization and microwave ablation improves local tumor control for 3- to 5-cm hepatocellular carcinoma when compared with transarterial chemoembolization alone. <i>Abdominal Radiology</i> , 2018 , 43, 2497-2504	3	19

45	Robotically Assisted Sonic Therapy as a Noninvasive Nonthermal Ablation Modality: Proof of Concept in a Porcine Liver Model. <i>Radiology</i> , 2018 , 287, 485-493	20.5	28
44	Future Osteoporotic Fracture Risk Related to Lumbar Vertebral Trabecular Attenuation Measured at Routine Body CT. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 860-867	6.3	48
43	Comparative Analysis of Surgery, Thermal Ablation, and Active Surveillance for Renal Oncocytic Neoplasms. <i>Urology</i> , 2018 , 112, 92-97	1.6	9
42	Primer on Percutaneous Ablation of Benign Liver Tumors. <i>Clinical Liver Disease</i> , 2018 , 12, 69-73	2.2	
41	Combined gadoxetic acid and gadofosveset enhanced liver MRI for detection and characterization of liver metastases. <i>European Radiology</i> , 2017 , 27, 32-40	8	8
40	Effect of Tumor Complexity and Technique on Efficacy and Complications after Percutaneous Microwave Ablation of Stage T1a Renal Cell Carcinoma: A Single-Center, Retrospective Study. <i>Radiology</i> , 2017 , 284, 272-280	20.5	53
39	Hepatosplenic volumetric assessment at MDCT for staging liver fibrosis. <i>European Radiology</i> , 2017 , 27, 3060-3068	8	31
38	Safety and Efficacy of Percutaneous Microwave Hepatic Ablation Near the Heart. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 490-497	2.4	18
37	Renal mass biopsy and thermal ablation: should biopsy be performed before or during the ablation procedure?. <i>Abdominal Radiology</i> , 2017 , 42, 1773-1780	3	23
36	Delineation of Post-Procedure Ablation Regions with Electrode Displacement Elastography with a Comparison to Acoustic Radiation Force Impulse Imaging. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 1953-1962	3.5	7
35	Computer-Aided Detection of Colorectal Polyps at CT Colonography: Prospective Clinical Performance and Third-Party Reimbursement. <i>American Journal of Roentgenology</i> , 2017 , 208, 1244-1248 ^{5.4}	5.4	5
34	Diagnostic Accuracy of MRI Versus CT for the Evaluation of Acute Appendicitis in Children and Young Adults. <i>American Journal of Roentgenology</i> , 2017 , 209, 911-919	5.4	34
33	Prevalence of Vertebral Compression Fractures on Routine CT Scans According to L1 Trabecular Attenuation: Determining Relevant Thresholds for Opportunistic Osteoporosis Screening. <i>American Journal of Roentgenology</i> , 2017 , 209, 491-496	5.4	38
32	Metastatic Tumor Burden Does Not Predict Overall Survival Following Cytoreductive Nephrectomy for Renal Cell Carcinoma: a Novel 3-Dimensional Volumetric Analysis. <i>Urology</i> , 2017 , 100, 139-144	1.6	5
31	Percutaneous Microwave Ablation of Renal Angiomyolipomas. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 433-40	2.7	12
30	Microwave Ablation: Comparison of Simultaneous and Sequential Activation of Multiple Antennas in Liver Model Systems. <i>Radiology</i> , 2016 , 278, 95-103	20.5	43
29	Opportunistic Quantitative CT Bone Mineral Density Measurement at the Proximal Femur Using Routine Contrast-Enhanced Scans: Direct Comparison With DXA in 355 Adults. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1835-1840	6.3	34
28	Hepatic Tumor Ablation. <i>Surgical Clinics of North America</i> , 2016 , 96, 315-39	4	14

27	Direct Comparison of Unenhanced and Contrast-Enhanced CT for Opportunistic Proximal Femur Bone Mineral Density Measurement: Implications for Osteoporosis Screening. <i>American Journal of Roentgenology</i> , 2016 , 206, 694-8	5.4	23
26	Opportunistic screening for osteoporosis using the sagittal reconstruction from routine abdominal CT for combined assessment of vertebral fractures and density. <i>Osteoporosis International</i> , 2016 , 27, 1131-1136	5.3	83
25	Microwave Ablation for the Treatment of Hepatic Adenomas. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 244-9	2.4	22
24	The Liver Segmental Volume Ratio for Noninvasive Detection of Cirrhosis: Comparison With Established Linear and Volumetric Measures. <i>Journal of Computer Assisted Tomography</i> , 2016 , 40, 478-84 ^{2,2}	2.2	25
23	Microwave versus Radiofrequency Ablation Treatment for Hepatocellular Carcinoma: A Comparison of Efficacy at a Single Center. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 631-8	2.4	59
22	Post-Procedure Evaluation of Microwave Ablations of Hepatocellular Carcinomas Using Electrode Displacement Elastography. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 2893-2902	3.5	13
21	Letter To The EditOr. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 933-4	2.4	
20	Preoperative Pulmonary Nodule Localization: A Comparison of Methylene Blue and Hookwire Techniques. <i>American Journal of Roentgenology</i> , 2016 , 207, 1334-1339	5.4	47
19	Multi-Quadrant Biopsy Technique Improves Diagnostic Ability in Large Heterogeneous Renal Masses. <i>Journal of Urology</i> , 2015 , 194, 886-91	2.5	33
18	Evaluation of a thermoprotective gel for hydrodissection during percutaneous microwave ablation: in vivo results. <i>CardioVascular and Interventional Radiology</i> , 2015 , 38, 722-30	2.7	10
17	Liver Ablation: Best Practice. <i>Radiologic Clinics of North America</i> , 2015 , 53, 933-71	2.3	54
16	Patient and tumor characteristics can predict nondiagnostic renal mass biopsy findings. <i>Journal of Urology</i> , 2015 , 193, 1899-904	2.5	65
15	Percutaneous microwave ablation of hepatocellular carcinoma with a gas-cooled system: initial clinical results with 107 tumors. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 62-8	2.4	46
14	MP44-16 PREDICTORS OF NON-DIAGNOSTIC RENAL MASS BIOPSY. <i>Journal of Urology</i> , 2015 , 193,	2.5	1
13	Microwave ablation of hepatic tumors abutting the diaphragm is safe and effective. <i>American Journal of Roentgenology</i> , 2015 , 204, 197-203	5.4	27
12	Opportunistic Osteoporosis Screening: Addition of Quantitative CT Bone Mineral Density Evaluation to CT Colonography. <i>Journal of the American College of Radiology</i> , 2015 , 12, 1036-41	3.5	32
11	Creation of short microwave ablation zones: in vivo characterization of single and paired modified triaxial antennas. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1633-40	2.4	17
10	Percutaneous tumor ablation tools: microwave, radiofrequency, or cryoablation--what should you use and why?. <i>Radiographics</i> , 2014 , 34, 1344-62	5.4	202

9	Microwave ablation of giant hepatic cavernous hemangiomas. <i>CardioVascular and Interventional Radiology</i> , 2014 , 37, 1299-305	2.7	32
8	High-powered microwave ablation of t1a renal cell carcinoma: safety and initial clinical evaluation. <i>Journal of Endourology</i> , 2014 , 28, 1046-52	2.7	53
7	Microwave ablation of malignant hepatic tumours: intraperitoneal fluid instillation prevents collateral damage and allows more aggressive case selection. <i>International Journal of Hyperthermia</i> , 2014 , 30, 299-305	3.7	29
6	Monitoring microwave ablation for liver tumors with electrode displacement strain imaging 2014 ,		10
5	Residents' perception of a novel end-of-rotation evaluation method. <i>Academic Radiology</i> , 2013 , 20, 312-9.3	2.3	2
4	Microwave ablation of hepatic malignancy. <i>Seminars in Interventional Radiology</i> , 2013 , 30, 56-66	1.6	60
3	Liver MRI in the hepatocyte phase with gadolinium-EOB-DTPA: does increasing the flip angle improve conspicuity and detection rate of hypointense lesions?. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 611-6	5.6	43
2	Effectiveness of a three-dimensional dual gradient echo two-point Dixon technique for the characterization of adrenal lesions at 3 Tesla. <i>European Radiology</i> , 2012 , 22, 259-68	8	15
1	Neural correlates of telling lies: a functional magnetic resonance imaging study at 4 Tesla. <i>Academic Radiology</i> , 2005 , 12, 164-72	4.3	133