Alberto ZamÃ²

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/576169/publications.pdf

Version: 2024-02-01

109 papers 4,721 citations

30 h-index 102304 66 g-index

110 all docs

110 docs citations

110 times ranked

7166 citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | 9p24.1 alterations and programmed cell death 1 ligand 1 expression in early stage unfavourable classical Hodgkin lymphoma: an analysis from the German Hodgkin Study Group NIVAHL trial. British Journal of Haematology, 2022, 196, 116-126. | 1.2 | 9 |
| 2 | Elastin MIcrofibriL INterfacer1 (EMILINâ€1) is an alternative prosurvival VLAâ€4 ligand in chronic lymphocytic leukemia. Hematological Oncology, 2022, 40, 181-190. | 0.8 | 3 |
| 3 | <scp>Epsteinâ€Barrâ€Virus</scp> infection patterns in nodular lymphocyte predominant Hodgkinâ€lymphoma. Histopathology, 2022, , . | 1.6 | 6 |
| 4 | B-cell receptor signaling and genetic lesions in TP53 and CDKN2A/CDKN2B cooperate in Richter transformation. Blood, 2021, 138, 1053-1066. | 0.6 | 33 |
| 5 | The histological and molecular spectrum of lipoblastoma: A case series with identification of three novel gene fusions by targeted RNA-sequencing. Pathology Research and Practice, 2021, 226, 153591. | 1.0 | 4 |
| 6 | Reactive Eosinophil Proliferations in Tissue and the Lymphocytic Variant of Hypereosinophilic Syndrome. American Journal of Clinical Pathology, 2021, 155, 211-238. | 0.4 | 12 |
| 7 | Follicular lymphoma subgroups with and without $t(14;18)$ differ in their N-glycosylation pattern and IGHV usage. Blood Advances, 2021, 5, 4890-4900. | 2.5 | 7 |
| 8 | Frequent mutations of FBXO11 highlight BCL6 as a therapeutic target in Burkitt lymphoma. Blood Advances, 2021, 5, 5239-5257. | 2.5 | 7 |
| 9 | <i>KMT2D</i> mutations and <i>TP53</i> disruptions are poor prognostic biomarkers in mantle cell lymphoma receiving high-dose therapy: a FIL study. Haematologica, 2020, 105, 1604-1612. | 1.7 | 96 |
| 10 | Primary pancreatic lymphoma: Clinical presentation, diagnosis, treatment, and outcome. European Journal of Haematology, 2020, 105, 468-475. | 1.1 | 21 |
| 11 | Droplet Digital PCR Assay for <i>MYD88</i> ^{<i>L265P</i>} : Clinical Applications in WaldenstrA¶m Macroglobulinemia. HemaSphere, 2020, 4, e324. | 1.2 | 3 |
| 12 | Challenges and limitations in the primary diagnosis of Tâ€cell and natural killer cell/Tâ€cell lymphoma in bone marrow biopsy. Histopathology, 2020, 77, 2-17. | 1.6 | 1 |
| 13 | Diagnosis of classic Hodgkin lymphoma on bone marrow biopsy. Histopathology, 2020, 76, 934-941. | 1.6 | 7 |
| 14 | Aggressive Bâ€cell lymphomas with a primary bone marrow presentation. Histopathology, 2020, 77, 369-379. | 1.6 | 4 |
| 15 | Combined Genetic Lesions in TP53 and CDKN2A/CDKN2B Drive B Cell Receptor-Dependent/Costimulatory Signal-Independent Proliferation in Richter Syndrome. Blood, 2020, 136, 5-6. | 0.6 | 1 |
| 16 | In reply to SchÃfer <i>etÂal</i> : new evidence on the role of endothelinâ€1 axis as a potential therapeutic target in multiple myeloma. British Journal of Haematology, 2019, 184, 1052-1055. | 1.2 | 9 |
| 17 | A practical algorithmic approach to mature aggressive B cell lymphoma diagnosis in the double/triple hit era: selecting cases, matching clinical benefit. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 475, 513-518. | 1.4 | 13 |
| 18 | Classical Hodgkin lymphoma cells may promote an IL-17-enriched microenvironment. Leukemia and Lymphoma, 2019, 60, 3395-3405. | 0.6 | 18 |

| # | Article | lF | Citations |
|----|--|--------------|-----------|
| 19 | CAL2 monoclonal antibody is a rapid and sensitive assay for the detection of calreticulin mutations in essential thrombocythemia patients. Annals of Hematology, 2019, 98, 2339-2346. | 0.8 | 4 |
| 20 | Systemic mastocytosis associated with myelodysplastic/myeloproliferative neoplasms with ring sideroblasts and thrombocytosis: Report of three cases. Hematological Oncology, 2019, 37, 628-633. | 0.8 | 3 |
| 21 | Benign acute viral myositis in African migrants: A clinical, serological, and pathological study. Muscle and Nerve, 2019, 60, 586-590. | 1.0 | 6 |
| 22 | A B-cell receptor-related gene signature predicts response to ibrutinib treatment in mantle cell lymphoma cell lines. Haematologica, 2019, 104, e410-e414. | 1.7 | 5 |
| 23 | Applying Data Warehousing to a Phase III Clinical Trial From the Fondazione Italiana Linfomi Ensures Superior Data Quality and Improved Assessment of Clinical Outcomes. JCO Clinical Cancer Informatics, 2019, 3, 1-15. | 1.0 | 7 |
| 24 | Lymphomatosis cerebri and anti-NMDAR antibodies: A unique constellation. Journal of the Neurological Sciences, 2019, 398, 19-21. | 0.3 | 6 |
| 25 | Wiskott–Aldrich syndrome protein (WASP) is a tumor suppressor in T cell lymphoma. Nature Medicine, 2019, 25, 130-140. | 15.2 | 57 |
| 26 | A B-cell receptor-related gene signature predicts survival in mantle cell lymphoma: results from the Fondazione Italiana Linfomi MCL-0208 trial. Haematologica, 2018, 103, 849-856. | 1.7 | 21 |
| 27 | ESMO Consensus Conference on malignant lymphoma: general perspectives and recommendations for the clinical management of the elderly patient with malignant lymphoma. Annals of Oncology, 2018, 29, 544-562. | 0.6 | 64 |
| 28 | The exomic landscape of t(14;18)â€negative diffuse follicular lymphoma with 1p36 deletion. British Journal of Haematology, 2018, 180, 391-394. | 1.2 | 24 |
| 29 | Differences between BCL2-break positive and negative follicular lymphoma unraveled by whole-exome sequencing. Leukemia, 2018, 32, 685-693. | 3 . 3 | 29 |
| 30 | Peroxiredoxin-2: A Novel Regulator of Iron Homeostasis in Ineffective Erythropoiesis. Antioxidants and Redox Signaling, 2018, 28, 1-14. | 2.5 | 33 |
| 31 | Unusual case of iron overload with cancer-mimicking abdominal splenosis. BMJ Case Reports, 2018, 2018, bcr-2017-223410. | 0.2 | 1 |
| 32 | Improvement of maternal and fetal outcomes in women with sickle cell disease treated with early prophylactic erythrocytapheresis. Transfusion, 2018, 58, 2192-2201. | 0.8 | 22 |
| 33 | slan+ Monocytes and Macrophages Mediate CD20-Dependent B-cell Lymphoma Elimination via ADCC and ADCP. Cancer Research, 2018, 78, 3544-3559. | 0.4 | 31 |
| 34 | Novel Richter Syndrome Xenograft Models to Study Genetic Architecture, Biology, and Therapy Responses. Cancer Research, 2018, 78, 3413-3420. | 0.4 | 31 |
| 35 | Lenalidomide Maintenance after Autologous Transplantation Prolongs PFS in Young MCL Patients: Results of the Randomized Phase III MCL 0208 Trial from Fondazione Italiana Linfomi (FIL). Blood, 2018, 132, 401-401. | 0.6 | 7 |
| 36 | MicroRNA signatures and Foxp3+ cell count correlate with relapse occurrence in follicular lymphoma. Oncotarget, 2018, 9, 19961-19979. | 0.8 | 11 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | MYC-related microRNAs signatures in non-Hodgkin B-cell lymphomas and their relationships with core cellular pathways. Oncotarget, 2018, 9, 29753-29771. | 0.8 | 13 |
| 38 | Endothelinâ€1 receptor blockade as new possible therapeutic approach in multiple myeloma. British Journal of Haematology, 2017, 178, 781-793. | 1.2 | 21 |
| 39 | Multiple large osteolytic lesions in a patient with systemic mastocytosis: a challenging diagnosis. Clinical Case Reports (discontinued), 2017, 5, 1988-1991. | 0.2 | 5 |
| 40 | Haploidentical hematopoietic stem cell transplantation in a myelofibrosis patient with primary graft failure. Hematology Reports, 2017, 9, 7091. | 0.3 | 0 |
| 41 | Abstract PR10: FBXO11 is recurrently mutated in Burkitt lymphoma and its inactivation accelerates lymphomagenesis in Eν-myc mice. , 2017, , . | | 1 |
| 42 | Pesticide toxicogenomics across scales: in vitro transcriptome predicts mechanisms and outcomes of exposure in vivo. Scientific Reports, 2016, 6, 38131. | 1.6 | 20 |
| 43 | Prevalence, pathogenesis, and treatment options for mastocytosis-related osteoporosis. Osteoporosis International, 2016, 27, 2411-2421. | 1.3 | 61 |
| 44 | Group 3 innate lymphoid cells regulate neutrophil migration and function in human decidua. Mucosal Immunology, 2016, 9, 1372-1383. | 2.7 | 99 |
| 45 | DNA methylation profiling identifies two splenic marginal zone lymphoma subgroups with different clinical and genetic features. Blood, 2015, 125, 1922-1931. | 0.6 | 53 |
| 46 | Tissue proteomics of splenic marginal zone lymphoma. Electrophoresis, 2015, 36, 1612-1621. | 1.3 | 4 |
| 47 | Chromium-induced diffuse dermatitis with lymph node involvement resulting from Langerhans cell histiocytosis after metal-on-metal hip resurfacing. British Journal of Dermatology, 2015, 172, 1633-1636. | 1.4 | 8 |
| 48 | Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. Cancer Cell, 2015, 27, 744. | 7.7 | 2 |
| 49 | Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. Cancer Cell, 2015, 27, 516-532. | 7.7 | 378 |
| 50 | The impact of sensitive KIT D816V detection on recognition of Indolent Systemic Mastocytosis. Leukemia Research, 2015, 39, 273-278. | 0.4 | 27 |
| 51 | Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. Clinical Cancer Research, 2015, 21, 5164-5172. | 3.2 | 33 |
| 52 | VDJSeq-Solver: In Silico V(D)J Recombination Detection Tool. PLoS ONE, 2015, 10, e0118192. | 1.1 | 12 |
| 53 | Expression and function of the TL1A/DR3 axis in chronic lymphocytic leukemia. Oncotarget, 2015, 6, 32061-32074. | 0.8 | 11 |
| 54 | FBXO11, a Regulator of BCL6 Stability, Is Recurrently Mutated in Burkitt Lymphoma. Blood, 2015, 126, 3673-3673. | 0.6 | 0 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Identification of a Novel Gene Expression Signature in Mantle Cell Lymphoma from the Fondazione Italiana Linfomi (FIL)-MCL-0208 Trial: A Focus on the B Cell Receptor Pathway. Blood, 2015, 126, 701-701. | 0.6 | O |
| 56 | Lack of expression of TUBB3 characterizes both BCL2-positive and BCL2-negative follicular lymphoma. Modern Pathology, 2014, 27, 808-813. | 2.9 | 2 |
| 57 | Rapid reconstitution of functionally active 6-sulfoLacNAc+dendritic cells (slanDCs) of donor origin following allogeneic haematopoietic stem cell transplant. Clinical and Experimental Immunology, 2014, 178, 129-141. | 1.1 | 4 |
| 58 | Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. Leukemia and Lymphoma, 2014, 55, 2620-2626. | 0.6 | 43 |
| 59 | Nonaggressive systemic mastocytosis (SM) without skin lesions associated with insect-induced anaphylaxis showsÂunique features versus other indolent SM. Journal of Allergy and Clinical Immunology, 2014, 133, 520-528.e5. | 1.5 | 118 |
| 60 | A rare disorder in an orphan disease: Kikuchi–Fujimoto disease in a youngâ€adult patient with sickle cell anemia. American Journal of Hematology, 2014, 89, 1151-1152. | 2.0 | 1 |
| 61 | The TNF-Family Cytokine TL1A/Death Receptor 3 System Reduces Metabolic Activity in Chronic Lymphocytic Leukemia B Cells. Blood, 2014, 124, 3313-3313. | 0.6 | O |
| 62 | NOTCH1 Mutated IGHV Unmutated Chronic Lymphocytic Leukemia Cells Are Characterized By a Constitutive Overexpression of Nucleophosmin-1 and Ribosome-Associated Components. Blood, 2014, 124, 3308-3308. | 0.6 | 6 |
| 63 | <scp>CD</scp> 30 expression by bone marrow mast cells from different diagnostic variants of systemic mastocytosis. Histopathology, 2013, 63, 780-787. | 1.6 | 77 |
| 64 | Hairy cell leukemia in kidney transplantation: lesson from a rare disorder. Experimental Hematology and Oncology, 2013, 2, 22. | 2.0 | 1 |
| 65 | Mantle cell lymphoma cell lines show no evident immunoglobulin heavy chain stereotypy but frequent light chain stereotypy. Leukemia and Lymphoma, 2013, 54, 1747-1755. | 0.6 | 7 |
| 66 | Two main genetic pathways lead to the transformation of chronic lymphocytic leukemia to Richter syndrome. Blood, 2013, 122, 2673-2682. | 0.6 | 208 |
| 67 | An unusual case of sarcoidosis in an adult patient with sickle cell disease: Management with methotrexate and low dose of steroid. American Journal of Hematology, 2013, 88, 243-243. | 2.0 | 3 |
| 68 | The TNF-Family Cytokine TL1A Inhibits Proliferation of Human Activated B Cells. PLoS ONE, 2013, 8, e60136. | 1.1 | 34 |
| 69 | Genome-Wide Promoter Methylation Profiling Of Splenic Marginal Zone Lymphoma (SMZL) Identifies Two Subgroups Of Patients With Distinct Genetic and Biologic Features and Different Outcomes. Blood, 2013, 122, 77-77. | 0.6 | 0 |
| 70 | Identification of a 3-gene model as a powerful diagnostic tool for the recognition of ALK-negative anaplastic large-cell lymphoma. Blood, 2012, 120, 1274-1281. | 0.6 | 101 |
| 71 | Absence of TCL1A expression is a useful diagnostic feature in splenic marginal zone lymphoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 461, 677-685. | 1.4 | 9 |
| 72 | Application of Microfluidic Technology to the BIOMED-2 Protocol for Detection of B-Cell Clonality. Journal of Molecular Diagnostics, 2012, 14, 30-37. | 1.2 | 21 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | VR09 Cell Line: An EBV-Positive Lymphoblastoid Cell Line with In Vivo Characteristics of Diffuse Large B Cell Lymphoma of Activated B-Cell Type. PLoS ONE, 2012, 7, e52811. | 1.1 | 7 |
| 74 | Recurrence of severe low back pain due to myeloproliferative disorder in a patient affected by seronegative spondyloarthropathy. Rheumatology International, 2012, 32, 1845-1846. | 1.5 | 1 |
| 75 | Intensive shortâ€term chemotherapy regimen induces high remission rate (over 90%) and eventâ€free survival both in children and adult patients with advanced sporadic Burkitt lymphoma/leukemia. American Journal of Hematology, 2012, 87, 22-25. | 2.0 | 27 |
| 76 | Nucleophosmin-1 and Ribosome-Associated Components Are Constitutively Overexpressed in NOTCH1 Mutated IGHV Unmutated CLL. Blood, 2012, 120, 3880-3880. | 0.6 | 0 |
| 77 | Detection of allele-specific gene expression on Next Generation Sequencing data. EMBnet Journal, 2012, 18, 130. | 0.2 | 0 |
| 78 | The Elastin Microfibril Interfacer-1 (EMILIN-1) Is a Ligand for CD49d in Chronic Lymphocytic Leukemia Cells. Blood, 2012, 120, 1772-1772. | 0.6 | 0 |
| 79 | MicroRNA profiles of t(14;18)–negative follicular lymphoma support a late germinal center B-cell phenotype. Blood, 2011, 118, 5550-5558. | 0.6 | 77 |
| 80 | Phospho-proteomic analysis of mantle cell lymphoma cells suggests a pro-survival role of B-cell receptor signaling. Cellular Oncology (Dordrecht), 2011, 34, 141-153. | 2.1 | 65 |
| 81 | Primary role of multiparametric flow cytometry in the diagnostic workâ€up of indolent clonal mast cell disorders. Cytometry Part B - Clinical Cytometry, 2011, 80B, 362-368. | 0.7 | 18 |
| 82 | Proteomics of human cancer tissues and cells. TrAC - Trends in Analytical Chemistry, 2011, 30, 346-359. | 5.8 | 9 |
| 83 | In Vitro and In Vivo Model of EBV-Positive Non-Hodgkin Plasmablastic Lymphoma with Focal Plasmacytic Differentiation. Blood, 2011, 118, 2668-2668. | 0.6 | 0 |
| 84 | SNP-Arrays Provide New Insights Into the Pathogenesis of Richter Syndrome (RS). Blood, 2011, 118, 263-263. | 0.6 | 1 |
| 85 | Improved Detection of the KIT D816V Mutation Using a Real-Time PCR Assay Allows a Finer Recognition of Patients with Indolent Systemic Mastocytosis. Blood, 2011, 118, 5163-5163. | 0.6 | 8 |
| 86 | ZAPâ€70 expression is associated with increased risk of autoimmune cytopenias in CLL patients. American Journal of Hematology, 2010, 85, 494-498. | 2.0 | 31 |
| 87 | Proteomic analysis of lymphoid and haematopoietic neoplasms: There's more than biomarker discovery. Journal of Proteomics, 2010, 73, 508-520. | 1.2 | 22 |
| 88 | ATM Deficiency Sensitizes Mantle Cell Lymphoma Cells to Poly(ADP-Ribose) Polymerase-1 Inhibitors. Molecular Cancer Therapeutics, 2010, 9, 347-357. | 1.9 | 172 |
| 89 | Gene Expression Profiling Uncovers Molecular Classifiers for the Recognition of Anaplastic Large-Cell Lymphoma Within Peripheral T-Cell Neoplasms. Journal of Clinical Oncology, 2010, 28, 1583-1590. | 0.8 | 152 |
| 90 | Macrophages may promote cancer growth via a GM-CSF/HB-EGF paracrine loop that is enhanced by CXCL12. Molecular Cancer, 2010, 9, 273. | 7.9 | 99 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | GeneChip analyses point to novel pathogenetic mechanisms in mantle cell lymphoma. British Journal of Haematology, 2009, 144, 317-331. | 1.2 | 28 |
| 92 | Analysis of colorectal cancers for human cytomegalovirus presence. Infectious Agents and Cancer, 2009, 4, 6. | 1.2 | 27 |
| 93 | Signal transduction pathways of mantle cell lymphoma: A phosphoproteomeâ€based study. Proteomics, 2008, 8, 4495-4506. | 1.3 | 28 |
| 94 | Induction of Apoptosis in Jeko-1 Mantle Cell Lymphoma Cell Line by Resveratrol: A Proteomic Analysis. Journal of Proteome Research, 2008, 7, 2670-2680. | 1.8 | 21 |
| 95 | Microfluidic Deletion/Insertion Analysis for Rapid Screening of KIT and PDGFRA Mutations in CD117-Positive Gastrointestinal Stromal Tumors. Journal of Molecular Diagnostics, 2007, 9, 151-157. | 1.2 | 13 |
| 96 | Diagnostic utility of S100A1 expression in renal cell neoplasms: an immunohistochemical and quantitative RT-PCR study. Modern Pathology, 2007, 20, 722-728. | 2.9 | 72 |
| 97 | Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. Respiratory Research, 2006, 7, 95. | 1.4 | 89 |
| 98 | Molecular characterization of composite mantle cell and follicular lymphoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 448, 639-643. | 1.4 | 23 |
| 99 | Multivariate statistical tools applied to the characterization of the proteomic profiles of two human lymphoma cell lines by two-dimensional gel electrophoresis. Electrophoresis, 2006, 27, 484-494. | 1.3 | 35 |
| 100 | Establishment of the MAVER-1 cell line, a model for leukemic and aggressive mantle cell lymphoma. Haematologica, 2006, 91, 40-7. | 1.7 | 25 |
| 101 | Stat3 is required for ALK-mediated lymphomagenesis and provides a possible therapeutic target. Nature Medicine, 2005, 11, 623-629. | 15.2 | 406 |
| 102 | Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. Modern Pathology, 2005, 18, 1448-1453. | 2.9 | 25 |
| 103 | HHV-8 and EBV are not commonly found in idiopathic pulmonary fibrosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2005, 22, 123-8. | 0.2 | 33 |
| 104 | CD10 is expressed in a subset of chromophobe renal cell carcinomas. Modern Pathology, 2004, 17, 1455-1463. | 2.9 | 67 |
| 105 | Constitutive expression of ?N-p63? isoform in human thymus and thymic epithelial tumours. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2003, 443, 175-183. | 1.4 | 47 |
| 106 | Aberrant Wnt \hat{l}^2 -Catenin Pathway Activation in Idiopathic Pulmonary Fibrosis. American Journal of Pathology, 2003, 162, 1495-1502. | 1.9 | 625 |
| 107 | Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death. Oncogene, 2002, 21, 1038-1047. | 2.6 | 354 |
| 108 | Role of disease-causing genes in sporadic pancreatic endocrine tumors:MEN1andVHL. Genes Chromosomes and Cancer, 2001, 32, 177-181. | 1.5 | 95 |

ARTICLE IF CITATIONS

Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death., 0,

3