

GÃ©rald S Remaud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5762011/publications.pdf>

Version: 2024-02-01

76
papers

2,027
citations

185998

28
h-index

264894

42
g-index

78
all docs

78
docs citations

78
times ranked

1102
citing authors

#	ARTICLE	IF	CITATIONS
1	A precise and rapid isotopomic analysis of small quantities of cholesterol at natural abundance by optimized ¹ H- ¹³ C 2D NMR. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 1521-1532.	1.9	13
2	Intramolecular non-covalent isotope effects at natural abundance associated with the migration of paracetamol in solid matrices during liquid chromatography. <i>Journal of Chromatography A</i> , 2021, 1639, 461932.	1.8	6
3	Authentication of Agave Products through Isotopic Intramolecular ¹³ C Content of Ethanol: Optimization and Validation of ¹³ C Quantitative NMR Methodology. <i>ACS Food Science & Technology</i> , 2021, 1, 1316-1322.	1.3	4
4	Exploring the enantiomeric ¹³ C position-specific isotope fractionation: challenges and anisotropic NMR-based analytical strategy. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6379-6392.	1.9	8
5	Vanillin isotopic intramolecular ¹³ C profile through polarization transfer NMR pulse sequence and statistical modelling. <i>Food Control</i> , 2021, 130, 108345.	2.8	6
6	Isotopomics by isotope ratio monitoring by ¹³ C nuclear magnetic resonance spectrometry on cutting agents in heroin: A new approach for illicit drugs trafficking route elucidation. <i>Drug Testing and Analysis</i> , 2020, 12, 449-457.	1.6	4
7	NMR-based isotopic and isotopomic analysis. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2020, 120-121, 1-24.	3.9	33
8	Limited genotypic and geographic variability of 16-O-methylated diterpene content in <i>Coffea arabica</i> green beans. <i>Food Chemistry</i> , 2020, 329, 127129.	4.2	8
9	Forensic application of position-specific isotopic analysis of trinitrotoluene (TNT) by NMR to determine ¹³ C and ¹⁵ N intramolecular isotopic profiles. <i>Talanta</i> , 2020, 213, 120819.	2.9	6
10	Intramolecular isotope effects during permanganate oxidation and acid hydrolysis of methyl tert-butyl ether. <i>Chemosphere</i> , 2020, 248, 125975.	4.2	4
11	Combination of ¹³ C and ² H ² D NMR isotopic fingerprints of vanillin to control its precursors. <i>Flavour and Fragrance Journal</i> , 2019, 34, 133-144.	1.2	26
12	Position-specific ¹⁵ N isotope analysis in organic molecules: A high-precision ¹⁵ N NMR method to determine the intramolecular ¹⁵ N isotope composition and fractionation at natural abundance. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 1136-1142.	1.1	7
13	Analytical contribution of deuterium ² D NMR in oriented media to ² H/ ¹ H isotopic characterization: the case of vanillin. <i>Flavour and Fragrance Journal</i> , 2018, 33, 217-229.	1.2	8
14	Difficulties in Differentiating Natural from Synthetic Alkaloids by Isotope Ratio Monitoring using ¹³ C Nuclear Magnetic Resonance Spectrometry. <i>Planta Medica</i> , 2018, 84, 935-940.	0.7	3
15	Olive oil characterization and classification by ¹³ C NMR with a polarization transfer technique: A comparison with gas chromatography and ¹ H NMR. <i>Food Chemistry</i> , 2018, 245, 717-723.	4.2	29
16	Expanded uncertainty associated with determination of isotope enrichment factors: Comparison of two point calculation and Rayleigh-plot. <i>Talanta</i> , 2018, 176, 367-373.	2.9	6
17	Full Spectrum Isotopic ¹³ C NMR Using Polarization Transfer for Position-Specific Isotope Analysis. <i>Analytical Chemistry</i> , 2018, 90, 8692-8699.	3.2	14
18	Isotope Ratio Monitoring by NMR: Part 3 – New Applications for Traceability of Active Pharmaceutical Ingredients. , 2018, , 2233-2251.		0

#	ARTICLE	IF	CITATIONS
19	Isotope Ratio Monitoring by NMR: Part 1 â€œ Recent Advances. , 2018, , 1353-1378.		1
20	Isotope Ratio Monitoring by NMR: Part 2 â€œ New Applications in the Field of Defining Biosynthesis. , 2018, , 1379-1404.		0
21	Non-statistical isotope fractionation as a novel â€œretro-biosyntheticâ€ approach to understanding alkaloid metabolic pathways. <i>Phytochemistry Letters</i> , 2017, 20, 499-506.	0.6	8
22	Position-Specific ¹³ C Fractionation during Liquidâ€ Vapor Transition Correlated to the Strength of Intermolecular Interaction in the Liquid Phase. <i>Journal of Physical Chemistry B</i> , 2017, 121, 5810-5817.	1.2	16
23	A review of flavors authentication by positionâ€specific isotope analysis by nuclear magnetic resonance spectrometry: the example of vanillin. <i>Flavour and Fragrance Journal</i> , 2017, 32, 77-84.	1.2	25
24	Isotope Ratio Monitoring ¹³ C Nuclear Magnetic Resonance Spectrometry for the Analysis of Position-Specific Isotope Ratios. <i>Methods in Enzymology</i> , 2017, 596, 369-401.	0.4	4
25	Insights into the role of methionine synthase in the universal ¹³ C depletion in O - and N -methyl groups of natural products. <i>Archives of Biochemistry and Biophysics</i> , 2017, 635, 60-65.	1.4	10
26	Simulating Stable Isotope Ratios in Plumes of Groundwater Pollutants with ¹³ C. <i>Ground Water</i> , 2017, 55, 261-267.	0.7	4
27	The new face of isotopic NMR at natural abundance. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 77-90.	1.1	50
28	Chemical and isotopic composition of secondary organic aerosol generated by α -pinene ozonolysis. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 6373-6391.	1.9	14
29	Carbon-13 composition of bulk dry wines by irm-EA/MS and irm- ¹³ C NMR: An indicator of vine water status. <i>BIO Web of Conferences</i> , 2017, 9, 02021.	0.1	0
30	Non-statistical ¹³ C Fractionation Distinguishes Co-incident and Divergent Steps in the Biosynthesis of the Alkaloids Nicotine and Tropine. <i>Journal of Biological Chemistry</i> , 2016, 291, 16620-16629.	1.6	15
31	Enhanced forensic discrimination of pollutants by position-specific isotope analysis using isotope ratio monitoring by ¹³ C nuclear magnetic resonance spectrometry. <i>Talanta</i> , 2016, 147, 383-389.	2.9	21
32	Isotope Ratio Monitoring by NMR. Part 1: Recent Advances. , 2016, , 1-26.		2
33	Isotope Ratio Monitoring by NMR Part 2: New Applications in the Field of Defining Biosynthesis. , 2016, , 1-26.		2
34	Position-specific Carbon Isotope Fractionation gives Insights into Mechanistic Models for Evaporation of Organic Liquids in the Environment. <i>Procedia Earth and Planetary Science</i> , 2015, 13, 96-99.	0.6	1
35	Position-Specific Isotope Analysis by Isotopic NMR Spectrometry: New Insights on Environmental Pollution Studies. <i>Procedia Earth and Planetary Science</i> , 2015, 13, 92-95.	0.6	4
36	Nonstatistical ¹³ C Distribution during Carbon Transfer from Glucose to Ethanol during Fermentation Is Determined by the Catabolic Pathway Exploited. <i>Journal of Biological Chemistry</i> , 2015, 290, 4118-4128.	1.6	32

#	ARTICLE	IF	CITATIONS
37	¹³ C isotopomics of triacylglycerols using NMR with polarization transfer techniques. <i>Analytical Methods</i> , 2015, 7, 4889-4891.	1.3	18
38	Multi-element, multi-compound isotope profiling as a means to distinguish the geographical and varietal origin of fermented cocoa (<i>Theobroma cacao</i> L.) beans. <i>Food Chemistry</i> , 2015, 188, 576-582.	4.2	42
39	Predicting equilibrium vapour pressure isotope effects by using artificial neural networks or multi-linear regression – A quantitative structure property relationship approach. <i>Chemosphere</i> , 2015, 134, 521-527.	4.2	8
40	Fractionation in position-specific isotope composition during vaporization of environmental pollutants measured with isotope ratio monitoring by ¹³ C nuclear magnetic resonance spectrometry. <i>Environmental Pollution</i> , 2015, 205, 299-306.	3.7	29
41	Internal Referencing for ¹³ C Position-Specific Isotope Analysis Measured by NMR Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 7550-7554.	3.2	24
42	Position-Specific Isotope Analysis of Xanthines: A ¹³ C Nuclear Magnetic Resonance Method to Determine the ¹³ C Intramolecular Composition at Natural Abundance. <i>Analytical Chemistry</i> , 2015, 87, 6600-6606.	3.2	28
43	A retro-biosynthetic approach to the prediction of biosynthetic pathways from position-specific isotope analysis as shown for tramadol. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8296-8301.	3.3	24
44	Insights into Mechanistic Models for Evaporation of Organic Liquids in the Environment Obtained by Position-Specific Carbon Isotope Analysis. <i>Environmental Science & Technology</i> , 2015, 49, 12782-12788.	4.6	22
45	Suppression of radiation damping for high precision quantitative NMR. <i>Journal of Magnetic Resonance</i> , 2015, 259, 121-125.	1.2	14
46	Comparative study of ¹³ C composition in ethanol and bulk dry wine using isotope ratio monitoring by mass spectrometry and by nuclear magnetic resonance as an indicator of vine water status. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 9053-9060.	1.9	12
47	Reference and normalization methods: Essential tools for the intercomparison of NMR spectra. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 93, 3-16.	1.4	58
48	Conditions to obtain precise and true measurements of the intramolecular ¹³ C distribution in organic molecules by isotopic ¹³ C nuclear magnetic resonance spectrometry. <i>Analytica Chimica Acta</i> , 2014, 846, 1-7.	2.6	30
49	Site-specific ¹³ C content by quantitative isotopic ¹³ C Nuclear Magnetic Resonance spectrometry: A pilot inter-laboratory study. <i>Analytica Chimica Acta</i> , 2013, 788, 108-113.	2.6	39
50	NMR spectrometry isotopic fingerprinting: A tool for the manufacturer for tracking Active Pharmaceutical Ingredients from starting materials to final medicines. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 464-473.	1.9	39
51	Intramolecular ¹³ C pattern in hexoses from autotrophic and heterotrophic C ₃ plant tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18204-18209.	3.3	78
52	Biochemical and physiological determinants of intramolecular isotope patterns in sucrose from C ₃ , C ₄ and CAM plants accessed by isotopic ¹³ C NMR spectrometry: a viewpoint. <i>Natural Product Reports</i> , 2012, 29, 476.	5.2	34
53	Comparison of IRMS and NMR spectrometry for the determination of intramolecular ¹³ C isotope composition: Application to ethanol. <i>Talanta</i> , 2012, 99, 1035-1039.	2.9	33
54	Analytical model for site-specific isotope fractionation in ¹³ C during sorption: Determination by isotopic ¹³ C NMR spectrometry with vanillin as model compound. <i>Chemosphere</i> , 2012, 87, 445-452.	4.2	16

#	ARTICLE	IF	CITATIONS
55	Isotopic finger-printing of active pharmaceutical ingredients by ^{13}C NMR and polarization transfer techniques as a tool to fight against counterfeiting. <i>Talanta</i> , 2011, 85, 1909-1914.	2.9	51
56	The intramolecular ^{13}C -distribution in ethanol reveals the influence of the CO_2 -fixation pathway and environmental conditions on the site-specific ^{13}C variation in glucose. <i>Plant, Cell and Environment</i> , 2011, 34, 1104-1112.	2.8	50
57	A ^{13}C NMR spectrometric method for the determination of intramolecular ^{13}C values in fructose from plant sucrose samples. <i>New Phytologist</i> , 2011, 191, 579-588.	3.5	51
58	Impact of the deuterium isotope effect on the accuracy of ^{13}C NMR measurements of site-specific isotope ratios at natural abundance in glucose. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1979-1984.	1.9	9
59	Procedure for the isolation of vanillin from vanilla extracts prior to isotopic authentication by quantitative ^{13}C -NMR. <i>Flavour and Fragrance Journal</i> , 2010, 25, 463-467.	1.2	12
60	Performance Evaluation of Quantitative Adiabatic ^{13}C NMR Pulse Sequences for Site-Specific Isotopic Measurements. <i>Analytical Chemistry</i> , 2010, 82, 5582-5590.	3.2	51
61	Improved Characterization of the Botanical Origin of Sugar by Carbon-13 SNIF-NMR Applied to Ethanol. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11580-11585.	2.4	55
62	Isotopic ^{13}C NMR spectrometry to assess counterfeiting of active pharmaceutical ingredients: Site-specific ^{13}C content of aspirin and paracetamol. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 336-341.	1.4	81
63	Evidence of ^{13}C non-covalent isotope effects obtained by quantitative ^{13}C nuclear magnetic resonance spectroscopy at natural abundance during normal phase liquid chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 7043-7048.	1.8	24
64	Quantitative isotopic ^{13}C nuclear magnetic resonance at natural abundance to probe enzyme reaction mechanisms via site-specific isotope fractionation: The case of the chain-shortening reaction for the bioconversion of ferulic acid to vanillin. <i>Analytical Biochemistry</i> , 2009, 393, 182-188.	1.1	27
65	Accurate Quantitative Isotopic ^{13}C NMR Spectroscopy for the Determination of the Intramolecular Distribution of ^{13}C in Glucose at Natural Abundance. <i>Analytical Chemistry</i> , 2009, 81, 8978-8985.	3.2	68
66	Unexpected Fractionation in Site-Specific ^{13}C Isotopic Distribution Detected by Quantitative ^{13}C NMR at Natural Abundance. <i>Journal of the American Chemical Society</i> , 2008, 130, 414-415.	6.6	52
67	Precise and accurate quantitative ^{13}C NMR with reduced experimental time. <i>Talanta</i> , 2007, 71, 1016-1021.	2.9	86
68	Accurate Quantitative ^{13}C NMR Spectroscopy: Repeatability over Time of Site-Specific ^{13}C Isotope Ratio Determination. <i>Analytical Chemistry</i> , 2007, 79, 8266-8269.	3.2	90
69	Strategy for specific isotope ratio determination by quantitative NMR on symmetrical molecules: application to glycerol. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1622-1624.	1.8	15
70	Traceability in quantitative NMR using an electronic signal as working standard. <i>Accreditation and Quality Assurance</i> , 2005, 10, 415-420.	0.4	18
71	Quantification of the ^1H -Decoupling Effects on the Accuracy of ^{13}C -NMR Measurements. <i>Instrumentation Science and Technology</i> , 2005, 33, 391-399.	0.9	22
72	Hydrogen Isotopic Profile in the Characterization of Sugars. Influence of the Metabolic Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 1574-1580.	2.4	48

#	ARTICLE	IF	CITATIONS
73	Authentication of Lemon Juices and Concentrates by a Combined Multi-isotope Approach Using SNIF-NMR and IRMS. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 2200-2205.	2.4	45
74	Authentication of Bitter Almond Oil and Cinnamon Oil: Application of the SNIF-NMR Method to Benzaldehyde. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 4042-4048.	2.4	69
75	Detection of Sophisticated Adulterations of Natural Vanilla Flavors and Extracts: Application of the SNIF-NMR Method to Vanillin and p-Hydroxybenzaldehyde. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 859-866.	2.4	120
76	The effect of protecting groups of the nucleobase and the sugar moieties on the acidic hydrolysis of the glycosidic bond of 2-deoxyadenosine: a kinetic study. <i>Tetrahedron</i> , 1987, 43, 4453-4461.	1.0	39