

Zabun Nahar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5762571/zabun-nahar-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

263
citations

11
h-index

16
g-index

25
ext. papers

344
ext. citations

2.8
avg, IF

3
L-index

#	Paper	IF	Citations
22	Monocyte chemoattractant protein-1 levels are associated with major depressive disorder.. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2022 ,	1.6	6
21	Link of IL-1 β rs16944 polymorphism with breast, cervical and ovarian cancer: A systematic review and meta-analysis. <i>Gene Reports</i> , 2022 , 26, 101539	1.4	0
20	Increased serum resistin but not G-CSF levels are associated in the pathophysiology of major depressive disorder: Findings from a case-control study.. <i>PLoS ONE</i> , 2022 , 17, e0264404	3.7	3
19	Altered serum elements, antioxidants, MDA, and immunoglobulins are associated with an increased risk of seborrheic dermatitis. <i>Heliyon</i> , 2021 , 7, e06621	3.6	2
18	Higher levels of serum IL-1 β and TNF- α are associated with an increased probability of major depressive disorder. <i>Psychiatry Research</i> , 2021 , 295, 113568	9.9	24
17	Prevalence of CYP2C19 and ITGB3 polymorphisms among Bangladeshi patients who underwent percutaneous coronary intervention. <i>SAGE Open Medicine</i> , 2021 , 9, 20503121211042209	2.4	1
16	Serum insulin-like growth factor-1 and relaxin-3 are linked with major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2020 , 53, 102164	6.7	11
15	Evaluation of serum amino acids and non-enzymatic antioxidants in drug-naïve first-episode major depressive disorder. <i>BMC Psychiatry</i> , 2020 , 20, 333	4.2	22
14	Pharmacogenetic Variants in MTHFR Gene are Significant Predictors of Methotrexate Toxicities in Bangladeshi Patients With Acute Lymphoblastic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, e58-e65	2	7
13	Association between variants of COQ2 and TNF- α genes and statin-induced toxicities in Bangladeshi hyperlipidemic patients. <i>Drugs and Therapy Perspectives</i> , 2019 , 35, 621-626	1.5	1
12	DPYD*2A and MTHFR C677T predict toxicity and efficacy, respectively, in patients on chemotherapy with 5-fluorouracil for colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 81, 119-129	3.5	13
11	Elevated serum levels of malondialdehyde and cortisol are associated with major depressive disorder: A case-control study. <i>SAGE Open Medicine</i> , 2018 , 6, 2050312118773953	2.4	35
10	Association of TP53 codon 72 and CDH1 genetic polymorphisms with colorectal cancer risk in Bangladeshi population. <i>Cancer Epidemiology</i> , 2017 , 49, 46-52	2.8	11
9	Genetic variants of SULT1A1 and XRCC1 genes and risk of lung cancer in Bangladeshi population. <i>Tumor Biology</i> , 2017 , 39, 1010428317729270	2.9	12
8	Loss of the proprioception and touch sensation channel PIEZO2 in siblings with a progressive form of contractures. <i>Clinical Genetics</i> , 2017 , 91, 470-475	4	50
7	Effect of Serum Trace Elements, Macro-minerals and Antioxidants in Acne Vulgaris Patients: A Case-Control Study. <i>Dhaka University Journal of Pharmaceutical Sciences</i> , 2017 , 15, 215-220	0.6	
6	Comparative analysis of serum malondialdehyde, antioxidant vitamins and immunoglobulin levels in patients suffering from generalized anxiety disorder. <i>Drug Research</i> , 2014 , 64, 406-11	1.8	4

5	Determination of serum antioxidant vitamins, glutathione and MDA levels in panic disorder patients. <i>Drug Research</i> , 2013 , 63, 424-8	1.8	11
4	Quantitative Determination of Azithromycin in Human Plasma by Liquid Chromatography?Mass Spectrometry and its Application in Pharmackokinetic Study. <i>Dhaka University Journal of Pharmaceutical Sciences</i> , 2012 , 11, 55-63	0.6	4
3	Immunoglobulin levels in panic disorder patients. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2012 , 25, 149-53	0.4	1
2	Molecular detection of noroviruses in hospitalized patients in Bangladesh. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010 , 29, 937-45	5.3	16
1	Comparative analysis of serum manganese, zinc, calcium, copper and magnesium level in panic disorder patients. <i>Biological Trace Element Research</i> , 2010 , 133, 284-90	4.5	28