

Zhenzhen Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5762932/publications.pdf>

Version: 2024-02-01

29
papers

734
citations

623574

14
h-index

580701

25
g-index

31
all docs

31
docs citations

31
times ranked

945
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic reprogramming of cancer-associated fibroblasts and its effect on cancer cell reprogramming. <i>Theranostics</i> , 2021, 11, 8322-8336.	4.6	100
2	Quercetin Nanoparticle Ameliorates Lipopolysaccharide-Triggered Renal Inflammatory Impairment by Regulation of Sirt1/NF-KB Pathway. <i>Journal of Biomedical Nanotechnology</i> , 2021, 17, 230-241.	0.5	26
3	The role of metabolic reprogramming in tubular epithelial cells during the progression of acute kidney injury. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 5731-5741.	2.4	27
4	Epigenetic Modification Drives Acute Kidney Injury-to-Chronic Kidney Disease Progression. <i>Nephron</i> , 2021, 145, 737-747.	0.9	13
5	Ginsenosides: potential therapeutic source for fibrosis-associated human diseases. <i>Journal of Ginseng Research</i> , 2020, 44, 386-398.	3.0	20
6	Proteomics Reveal the Inhibitory Mechanism of Levodopa Against Esophageal Squamous Cell Carcinoma. <i>Frontiers in Pharmacology</i> , 2020, 11, 568459.	1.6	9
7	Ginsenoside Rb1 ameliorates autophagy via the AMPK/mTOR pathway in renal tubular epithelial cells in vitro and in vivo. <i>International Journal of Biological Macromolecules</i> , 2020, 163, 996-1009.	3.6	24
8	The value of DWI in predicting the response to synchronous radiochemotherapy for advanced cervical carcinoma: comparison among three mathematical models. <i>Cancer Imaging</i> , 2020, 20, 8.	1.2	13
9	Melatonin ameliorates renal fibroblast \rightarrow myofibroblast transdifferentiation and renal fibrosis through miR-21 \rightarrow 5p regulation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 5615-5628.	1.6	42
10	Extracellular S100A4 as a key player in fibrotic diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 5973-5983.	1.6	45
11	Apigenin Alleviates Renal Fibroblast Activation through AMPK and ERK Signaling Pathways In Vitro. <i>Current Pharmaceutical Biotechnology</i> , 2020, 21, 1107-1118.	0.9	13
12	Propofol suppresses gastric cancer tumorigenesis by modulating the circular RNA \rightarrow PVT1/miR-195 \rightarrow 5p/E26 oncogene homolog 1 axis. <i>Oncology Reports</i> , 2020, 44, 1736-1746.	1.2	16
13	Effect of Danggui-Shaoyao-San-Containing Serum on the Renal Tubular Epithelial-Mesenchymal Transition of Diabetic Nephropathy. <i>Current Pharmaceutical Biotechnology</i> , 2020, 21, 1204-1212.	0.9	8
14	FP314MELATONIN THERAPY PROTECT AGAINST RENAL INJURY DURING AND AFTER RELEASE OF BILATERAL URETERAL OBSTRUCTION IN RATS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
15	Quercetin inhibits kidney fibrosis and the epithelial to mesenchymal transition of the renal tubular system involving suppression of the Sonic Hedgehog signaling pathway. <i>Food and Function</i> , 2019, 10, 3782-3797.	2.1	54
16	Melatonin therapy protects against renal injury before and after release of bilateral ureteral obstruction in rats. <i>Life Sciences</i> , 2019, 229, 104-115.	2.0	6
17	TOPK promotes metastasis of esophageal squamous cell carcinoma by activating the Src/GSK3 β /STAT3 signaling pathway via β -catenin. <i>BMC Cancer</i> , 2019, 19, 1264.	1.1	13
18	Proteome and phosphoproteome reveal mechanisms of action of atorvastatin against esophageal squamous cell carcinoma. <i>Aging</i> , 2019, 11, 9530-9543.	1.4	13

#	ARTICLE	IF	CITATIONS
19	Semaphorin-3A and Netrin-1 predict the development of kidney injury in children with congenital hydronephrosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 55-61.	0.6	6
20	MKP2 inhibits TGF- β 1-induced epithelial-to-mesenchymal transition in renal tubular epithelial cells through a JNK-dependent pathway. <i>Clinical Science</i> , 2018, 132, 2339-2355.	1.8	13
21	S100A4+ Macrophages Are Necessary for Pulmonary Fibrosis by Activating Lung Fibroblasts. <i>Frontiers in Immunology</i> , 2018, 9, 1776.	2.2	65
22	Urinary heme oxygenase-1 as a potential biomarker for early diabetic nephropathy. <i>Nephrology</i> , 2017, 22, 58-64.	0.7	14
23	Pirfenidone suppresses MAPK signalling pathway to reverse epithelial-mesenchymal transition and renal fibrosis. <i>Nephrology</i> , 2017, 22, 589-597.	0.7	79
24	NOD2 promotes endothelial-to-mesenchymal transition of glomerular endothelial cells via MEK/ERK signaling pathway in diabetic nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2017, 484, 435-441.	1.0	49
25	Association of p21 3' UTR gene polymorphism with cancer risk: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2015, 5, 13189.	1.6	7
26	Urinary MMP-1, matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 as potential biomarkers in children with ureteropelvic junction narrowing on conservative treatment. <i>Nephrology</i> , 2015, 20, 194-200.	0.7	8
27	Lack of association between vitamin D receptor gene FokI and BsmI polymorphisms and prostate cancer risk: an updated meta-analysis involving 21,756 subjects. <i>Tumor Biology</i> , 2013, 34, 3189-3200.	0.8	21
28	Urinary heme oxygenase-1 in children with congenital hydronephrosis due to ureteropelvic junction obstruction. <i>Biomarkers</i> , 2012, 17, 471-476.	0.9	12
29	Prediction of the outcome of antenatal hydronephrosis: significance of urinary EGF. <i>Pediatric Nephrology</i> , 2012, 27, 2251-2259.	0.9	17