

# Till Luckenbach

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/576313/publications.pdf>

Version: 2024-02-01

58  
papers

3,014  
citations

249298

26  
h-index

182931

54  
g-index

62  
all docs

62  
docs citations

62  
times ranked

4249  
citing authors

#	ARTICLE	IF	CITATIONS
1	Zebrafish Oatp1d1 Acts as a Cellular Efflux Transporter of the Anionic Herbicide Bromoxynil. <i>Chemical Research in Toxicology</i> , 2022, , .	1.7	0
2	Reduced genetic diversity of freshwater amphipods in rivers with increased levels of anthropogenic organic micropollutants. <i>Evolutionary Applications</i> , 2022, 15, 976-991.	1.5	7
3	Proteomics reveals sex-specific heat shock response of Baikal amphipod <i>Eulimnogammarus cyaneus</i> . <i>Science of the Total Environment</i> , 2021, 763, 143008.	3.9	4
4	Chemical effects on dye efflux activity in live zebrafish embryos and on zebrafish Abcb4 ATPase activity. <i>FEBS Letters</i> , 2021, 595, 828-843.	1.3	14
5	Photomotor response data analysis approach to assess chemical neurotoxicity with the zebrafish embryo. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2021, , .	0.9	2
6	Thermal reaction norms of key metabolic enzymes reflect divergent physiological and behavioral adaptations of closely related amphipod species. <i>Scientific Reports</i> , 2021, 11, 4562.	1.6	7
7	Chemical Pollution Levels in a River Explain Site-Specific Sensitivities to Micropollutants within a Genetically Homogeneous Population of Freshwater Amphipods. <i>Environmental Science &amp; Technology</i> , 2021, 55, 6087-6096.	4.6	18
8	Low annual temperature likely prevents the Holarctic amphipod <i>Gammarus lacustris</i> from invading Lake Baikal. <i>Scientific Reports</i> , 2021, 11, 10532.	1.6	5
9	Different ways to play it cool: Transcriptomic analysis sheds light on different activity patterns of three amphipod species under long-term cold exposure. <i>Molecular Ecology</i> , 2021, 30, 5735-5751.	2.0	11
10	Transcriptome-level effects of the model organic pollutant phenanthrene and its solvent acetone in three amphipod species. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2020, 33, 100630.	0.4	2
11	Yolk Sac of Zebrafish Embryos as Backpack for Chemicals?. <i>Environmental Science &amp; Technology</i> , 2020, 54, 10159-10169.	4.6	33
12	Changes of cellular stress response related <i>hsp70</i> and <i>abcb1</i> transcript and Hsp70 protein levels in Siberian freshwater amphipods upon exposure to cadmium chloride in the lethal concentration range. <i>PeerJ</i> , 2020, 8, e8635.	0.9	5
13	Indication of ongoing amphipod speciation in Lake Baikal by genetic structures within endemic species. <i>BMC Evolutionary Biology</i> , 2019, 19, 138.	3.2	12
14	Comparison between transcriptomic responses to short-term stress exposures of a common Holarctic and endemic Lake Baikal amphipods. <i>BMC Genomics</i> , 2019, 20, 712.	1.2	17
15	Isolation and characterization of eleven novel microsatellite markers for fine-scale population genetic analyses of <i>Gammarus pulex</i> (Crustacea: Amphipoda). <i>Molecular Biology Reports</i> , 2019, 46, 6609-6615.	1.0	5
16	Description of strongly heat-inducible heat shock protein 70 transcripts from Baikal endemic amphipods. <i>Scientific Reports</i> , 2019, 9, 8907.	1.6	7
17	Elemental imaging (LA-ICP-MS) of zebrafish embryos to study the toxicokinetics of the acetylcholinesterase inhibitor naled. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 617-627.	1.9	16
18	Effects of ammonium-based ionic liquids and 2,4-dichlorophenol on the phospholipid fatty acid composition of zebrafish embryos. <i>PLoS ONE</i> , 2018, 13, e0190779.	1.1	20

#	ARTICLE	IF	CITATIONS
19	Uptake Kinetics and Subcellular Compartmentalization Explain Lethal but Not Sublethal Effects of Cadmium in Two Closely Related Amphipod Species. <i>Environmental Science &amp; Technology</i> , 2017, 51, 7208-7218.	4.6	16
20	From the exposome to mechanistic understanding of chemical-induced adverse effects. <i>Environment International</i> , 2017, 99, 97-106.	4.8	146
21	The impact of chemosensitisation on bioaccumulation and sediment toxicity. <i>Chemosphere</i> , 2017, 186, 652-659.	4.2	5
22	Effects of pharmaceuticals and personal care products (PPCPs) on multixenobiotic resistance (MXR) related efflux transporter activity in zebrafish ( <i>Danio rerio</i> ) embryos. <i>Ecotoxicology and Environmental Safety</i> , 2017, 136, 14-23.	2.9	29
23	Assessing the bioaccumulation potential of ionizable organic compounds: Current knowledge and research priorities. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 882-897.	2.2	106
24	Thermal Preference Ranges Correlate with Stable Signals of Universal Stress Markers in Lake Baikal Endemic and Holarctic Amphipods. <i>PLoS ONE</i> , 2016, 11, e0164226.	1.1	30
25	Lake Baikal amphipods under climate change: thermal constraints and ecological consequences. <i>Ecosphere</i> , 2016, 7, e01308.	1.0	49
26	Use of a combined effect model approach for discriminating between ABCB1- and ABCC1-type efflux activities in native bivalve gill tissue. <i>Toxicology and Applied Pharmacology</i> , 2016, 297, 56-67.	1.3	10
27	Does perfluorooctane sulfonate (PFOS) act as chemosensitizer in zebrafish embryos?. <i>Science of the Total Environment</i> , 2016, 548-549, 317-324.	3.9	26
28	Body Mass Parameters, Lipid Profiles and Protein Contents of Zebrafish Embryos and Effects of 2,4-Dinitrophenol Exposure. <i>PLoS ONE</i> , 2015, 10, e0134755.	1.1	49
29	Is chemosensitisation by environmental pollutants ecotoxicologically relevant?. <i>Aquatic Toxicology</i> , 2015, 167, 134-142.	1.9	15
30	Identification of a putatively multixenobiotic resistance related Abcb1 transporter in amphipod species endemic to the highly pristine Lake Baikal. <i>Environmental Science and Pollution Research</i> , 2015, 22, 5453-5468.	2.7	5
31	<strong>On <i>Eulimnogammarus messerschmidii</i>, sp. n. (Amphipoda: Gammaridea) from Lake Baikal, Siberia, with redescription of <i>E. cyanoides</i> (Sowinsky) and remarks on taxonomy of the genus <i>Eulimnogammarus</i></strong> . <i>Zootaxa</i> , 2014, 3838, 518.	0.2	11
32	Contrasting cellular stress responses of Baikalian and Palearctic amphipods upon exposure to humic substances: environmental implications. <i>Environmental Science and Pollution Research</i> , 2014, 21, 14124-14137.	2.7	14
33	First evidence for toxic defense based on the multixenobiotic resistance (MXR) mechanism in <i>Daphnia magna</i> . <i>Aquatic Toxicology</i> , 2014, 148, 139-151.	1.9	47
34	A first Glimpse at the genome of the Baikalian amphipod <i>Eulimnogammarus verrucosus</i> . <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2014, 322, 177-189.	0.6	27
35	Current advances on ABC drug transporters in fish. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2014, 165, 28-52.	1.3	98
36	A European perspective on alternatives to animal testing for environmental hazard identification and risk assessment. <i>Regulatory Toxicology and Pharmacology</i> , 2013, 67, 506-530.	1.3	139

#	ARTICLE	IF	CITATIONS
37	Abcb4 acts as multixenobiotic transporter and active barrier against chemical uptake in zebrafish ( <i>Danio rerio</i> ) embryos. <i>BMC Biology</i> , 2013, 11, 69.	1.7	153
38	Expression patterns and organization of the <i>hsp70</i> genes correlate with thermotolerance in two congener endemic amphipod species ( <i>Eulimnogammarus cyaneus</i> and <i>E. verrucosus</i> ) from Lake Baikal. <i>Molecular Ecology</i> , 2013, 22, 1416-1430.	2.0	90
39	Abcb and Abcc transporter homologs are expressed and active in larvae and adults of zebra mussel and induced by chemical stress. <i>Aquatic Toxicology</i> , 2012, 122-123, 144-152.	1.9	39
40	Characterization of the multixenobiotic resistance (MXR) mechanism in embryos and larvae of the zebra mussel ( <i>Dreissena polymorpha</i> ) and studies on its role in tolerance to single and mixture combinations of toxicants. <i>Aquatic Toxicology</i> , 2011, 101, 78-87.	1.9	72
41	Constitutive mRNA expression and protein activity levels of nine ABC efflux transporters in seven permanent cell lines derived from different tissues of rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Aquatic Toxicology</i> , 2011, 101, 438-446.	1.9	60
42	Identification of five partial ABC genes in the liver of the Antarctic fish <i>Trematomus bernacchii</i> and sensitivity of ABCB1 and ABCC2 to Cd exposure. <i>Environmental Pollution</i> , 2010, 158, 2746-2756.	3.7	45
43	Identification of multi-drug resistance associated proteins MRP1 (ABCC1) and MRP3 (ABCC3) from rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Marine Environmental Research</i> , 2010, 69, S7-S10.	1.1	12
44	The zebrafish embryo model in environmental risk assessment—applications beyond acute toxicity testing. <i>Environmental Science and Pollution Research</i> , 2008, 15, 394-404.	2.7	472
45	Teasing apart activities of different types of ABC efflux pumps in bivalve gills using the concepts of independent action and concentration addition. <i>Marine Environmental Research</i> , 2008, 66, 75-76.	1.1	21
46	Efflux Transporters: Newly Appreciated Roles in Protection against Pollutants. <i>Environmental Science &amp; Technology</i> , 2008, 42, 3914-3920.	4.6	152
47	ABCB- and ABCC-type transporters confer multixenobiotic resistance and form an environment-tissue barrier in bivalve gills. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1919-R1929.	0.9	84
48	New Perspectives on Perfluorochemical Ecotoxicology: Inhibition and Induction of an Efflux Transporter in the Marine Mussel, <i>Mytilus californianus</i> . <i>Environmental Science &amp; Technology</i> , 2006, 40, 5580-5585.	4.6	61
49	Combined effects of temperature and cadmium on developmental parameters and biomarker responses in zebrafish ( <i>Danio rerio</i> ) embryos. <i>Journal of Thermal Biology</i> , 2005, 30, 7-17.	1.1	192
50	Synthetic Musk Compounds: Luckenbach Responds. <i>Environmental Health Perspectives</i> , 2005, 113, .	2.8	4
51	Nitromusk and Polycyclic Musk Compounds as Long-Term Inhibitors of Cellular Xenobiotic Defense Systems Mediated by Multidrug Transporters. <i>Environmental Health Perspectives</i> , 2005, 113, 17-24.	2.8	190
52	Emerging contaminants—pesticides, PPCPs, microbial degradation products and natural substances as inhibitors of multixenobiotic defense in aquatic organisms. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 552, 101-117.	0.4	171
53	Fatal attraction: Synthetic musk fragrances compromise multixenobiotic defense systems in mussels. <i>Marine Environmental Research</i> , 2004, 58, 215-219.	1.1	60
54	Title is missing!. <i>Hydrobiologia</i> , 2003, 490, 53-62.	1.0	7

#	ARTICLE	IF	CITATIONS
55	Developmental and subcellular effects of chronic exposure to sub-lethal concentrations of ammonia, PAH and PCP mixtures in brown trout ( <i>Salmo trutta</i> f. <i>fario</i> L.) early life stages. <i>Aquatic Toxicology</i> , 2003, 65, 39-54.	1.9	21
56	Establishing Causality between Pollution and Effects at Different Levels of Biological Organization: The VALIMAR Project. <i>Human and Ecological Risk Assessment (HERA)</i> , 2003, 9, 171-194.	1.7	24
57	Toxicity of waters from two streams to early life stages of brown trout ( <i>Salmo trutta</i> f. <i>fario</i> L.), tested under semi-field conditions. <i>Chemosphere</i> , 2001, 45, 571-579.	4.2	34
58	Fish early life stage tests as a tool to assess embryotoxic potentials in small streams. <i>Hydrobiologia</i> , 2001, 8, 355-370.	1.0	40