

# Dan Dalacu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/576439/publications.pdf>

Version: 2024-02-01

44  
papers

2,019  
citations

257101

24  
h-index

264894

42  
g-index

44  
all docs

44  
docs citations

44  
times ranked

2119  
citing authors

#	ARTICLE	IF	CITATIONS
1	Magnetic tuning of tunnel coupling between InAsP double quantum dots in InP nanowires. Scientific Reports, 2022, 12, 5100.	1.6	2
2	Single-photon source based on a quantum dot emitting at cesium wavelength. , 2022, , .		2
3	Unity yield of deterministically positioned quantum dot single photon sources. Scientific Reports, 2022, 12, 6376.	1.6	15
4	Demonstration and modeling of time-bin entangled photons from a quantum dot in a nanowire. AIP Advances, 2022, 12, 055115.	0.6	5
5	Numerical Engineering of Robust Adiabatic Operations. Physical Review Applied, 2021, 15, .	1.5	4
6	Systematic study of the emission spectra of nanowire quantum dots. Applied Physics Letters, 2021, 118, .	1.5	9
7	Tailoring the Geometry of Bottom-Up Nanowires: Application to High Efficiency Single Photon Sources. Nanomaterials, 2021, 11, 1201.	1.9	7
8	Optical fibre-based single photon source using InAsP quantum dot nanowires and gradient-index lens collection. Scientific Reports, 2021, 11, 22878.	1.6	12
9	Hybrid Quantum Photonic Integrated Circuits. , 2021, , .		1
10	On-chip Integration of Single Photon Sources via Evanescent Coupling of Tapered Nanowires to SiN Waveguides. Advanced Quantum Technologies, 2020, 3, 1900021.	1.8	38
11	Pump power control of photon statistics in a nanowire quantum dot. Physical Review B, 2020, 102, .	1.1	6
12	Multiplexed Single Photons from Deterministically Positioned Nanowire Quantum Dots. Physical Review Applied, 2020, 14, .	1.5	7
13	Efficient Single-Photon Detection with 7.7 ps Time Resolution for Photon-Correlation Measurements. ACS Photonics, 2020, 7, 1780-1787.	3.2	52
14	Multiplexed Single-Photon Source Based on Multiple Quantum Dots Embedded within a Single Nanowire. Nano Letters, 2020, 20, 3688-3693.	4.5	25
15	Nanowire-based sources of non-classical light. Nanotechnology, 2019, 30, 232001.	1.3	32
16	Theory and experiments of coherent photon coupling in semiconductor nanowire waveguides with quantum dot molecules. Physical Review B, 2019, 99, .	1.1	14
17	Controlled integration of selected detectors and emitters in photonic integrated circuits. Optics Express, 2019, 27, 3710.	1.7	23
18	Precision tuning of InAs quantum dot emission wavelength by iterative laser annealing. Optics and Laser Technology, 2018, 103, 382-386.	2.2	6

#	ARTICLE	IF	CITATIONS
19	Bright Single InAsP Quantum Dots at Telecom Wavelengths in Position-Controlled InP Nanowires: The Role of the Photonic Waveguide. Nano Letters, 2018, 18, 3047-3052.	4.5	80
20	Strain-Tunable Quantum Integrated Photonics. Nano Letters, 2018, 18, 7969-7976.	4.5	57
21	<i>In-situ</i> tuning of individual position-controlled nanowire quantum dots via laser-induced intermixing. Applied Physics Letters, 2018, 113, .	1.5	14
22	A solid state source of photon triplets based on quantum dot molecules. Nature Communications, 2017, 8, 15716.	5.8	35
23	On-chip single photon filtering and multiplexing in hybrid quantum photonic circuits. Nature Communications, 2017, 8, 379.	5.8	134
24	Bright nanoscale source of deterministic entangled photon pairs violating Bell's inequality. Scientific Reports, 2017, 7, 1700.	1.6	56
25	Controlling the exciton energy of a nanowire quantum dot by strain fields. Applied Physics Letters, 2016, 108, .	1.5	42
26	Deterministic Integration of Single Photon Sources in Silicon Based Photonic Circuits. Nano Letters, 2016, 16, 2289-2294.	4.5	151
27	Polarization Entangled Photons from Quantum Dots Embedded in Nanowires. Nano Letters, 2014, 14, 7107-7114.	4.5	73
28	Far field emission profile of pure wurtzite InP nanowires. Applied Physics Letters, 2014, 105, 191113.	1.5	15
29	Observation of strongly entangled photon pairs from a nanowire quantum dot. Nature Communications, 2014, 5, 5298.	5.8	179
30	Nanowire Waveguides Launching Single Photons in a Gaussian Mode for Ideal Fiber Coupling. Nano Letters, 2014, 14, 4102-4106.	4.5	107
31	Droplet Dynamics in Controlled InAs Nanowire Interconnections. Nano Letters, 2013, 13, 2676-2681.	4.5	40
32	Ultraclean Emission from InAsP Quantum Dots in Defect-Free Wurtzite InP Nanowires. Nano Letters, 2012, 12, 5919-5923.	4.5	144
33	Selective-area vapor-liquid-solid growth of tunable InAsP quantum dots in nanowires. Applied Physics Letters, 2011, 98, .	1.5	58
34	Deterministic emitter-cavity coupling using a single-site controlled quantum dot. Physical Review B, 2010, 82, .	1.1	55
35	All-optical conditional logic with a nonlinear photonic crystal nanocavity. Applied Physics Letters, 2009, 95, .	1.5	35
36	Selective-area vapour-liquid-solid growth of InP nanowires. Nanotechnology, 2009, 20, 395602.	1.3	108

#	ARTICLE	IF	CITATIONS
37	Nanowire coupling to photonic crystal nanocavities for single photon sources. Optics Express, 2007, 15, 1267.	1.7	56
38	Microphotonic Elements for Integration on the Silicon-on-Insulator Waveguide Platform. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1402-1415.	1.9	21
39	Resonant scattering and second-harmonic spectroscopy of planar photonic crystal microcavities. Applied Physics Letters, 2005, 87, 221110.	1.5	61
40	Postfabrication fine-tuning of photonic crystal microcavities in InAs/InP quantum dot membranes. Applied Physics Letters, 2005, 87, 151107.	1.5	23
41	InAs/InP quantum-dot pillar microcavities using SiO <sub>2</sub> /Ta <sub>2</sub> O <sub>5</sub> Bragg reflectors with emission around 1.55 μm. Applied Physics Letters, 2004, 84, 3235-3237.	1.5	20
42	Substrate and morphology effects on photoemission from core-levels in gold clusters. Surface Science, 2001, 472, 33-40.	0.8	54
43	Spectroellipsometric characterization of plasma-deposited Au/SiO <sub>2</sub> nanocomposite films. Journal of Applied Physics, 2000, 87, 228-235.	1.1	95
44	Temperature dependence of the surface plasmon resonance of Au/SiO <sub>2</sub> nanocomposite films. Applied Physics Letters, 2000, 77, 4283-4285.	1.5	46