

Loira Toncelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5766758/publications.pdf>

Version: 2024-02-01

27
papers

511
citations

686830

13
h-index

676716

22
g-index

27
all docs

27
docs citations

27
times ranked

700
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of left ventricular global longitudinal strain in patients with type 2 diabetes: Relationship with microvascular damage and glycemic control. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 994-1000.	1.1	2
2	Gender differences in the impact on physical activity and lifestyle in Italy during the lockdown, due to the COVID-19 pandemic. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2173-2180.	1.1	29
3	Gender differences in acculturation and cardiovascular disease risk-factor changes among Chinese immigrants in Italy: Evidence from a large population-based cohort. <i>International Journal of Cardiology Cardiovascular Risk and Prevention</i> , 2021, 11, 200112.	0.4	5
4	153â€fFragmented QRS in athletes. <i>European Heart Journal Supplements</i> , 2021, 23, .	0.0	0
5	The Impact of the Weight Status on Cardiovascular Parameters Related to Physical Effort in Young Athletes. <i>Sustainability</i> , 2020, 12, 3964.	1.6	3
6	Gender differences in barriers to physical activity among adolescents. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1582-1589.	1.1	58
7	Integrated total body composition versus Body Mass Index in young athletes. <i>Minerva Pediatrica</i> , 2020, 72, 163-169.	2.6	7
8	Evaluation of left ventricular remodelling in young Afro-Caribbean athletes. <i>Cardiovascular Ultrasound</i> , 2019, 17, 20.	0.5	2
9	Evaluation of physical activity and dietary behaviors in young athletes: a pilot study. <i>Minerva Pediatrics</i> , 2017, 69, 463-469.	0.2	6
10	Left ventricular remodeling and the athleteâ€™s heart, irrespective of quality load training. <i>Cardiovascular Ultrasound</i> , 2016, 14, 46.	0.5	21
11	3D Strain helps relating LV function to LV and structure in athletes. <i>Cardiovascular Ultrasound</i> , 2014, 12, 33.	0.5	20
12	Comparative numerical study on left ventricular fluid dynamics after dilated cardiomyopathy. <i>Journal of Biomechanics</i> , 2013, 46, 1611-1617.	0.9	67
13	Three-Dimensional Reconstruction of the Functional Strain-Line Pattern in the Left Ventricle From 3-Dimensional Echocardiography. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 808-809.	1.3	12
14	Functional Strain-Line Pattern in the Human Left Ventricle. <i>Physical Review Letters</i> , 2012, 109, 048103.	2.9	30
15	Adaptative or maladaptative hypertrophy, different spatial distribution of myocardial contraction. <i>Clinical Physiology and Functional Imaging</i> , 2010, 30, 6-12.	0.5	28
16	Effects of sports activity in athletes with bicuspid aortic valve and mild aortic regurgitation. <i>British Journal of Sports Medicine</i> , 2010, 44, 275-279.	3.1	45
17	Speckle tracking for left ventricle performance in young athletes with bicuspid aortic valve and mild aortic regurgitation. <i>European Journal of Echocardiography</i> , 2009, 10, 527-531.	2.3	37
18	Tissue Doppler Imaging can be useful to distinguish pathological from physiological left ventricular hypertrophy: a study in master athletes and mild hypertensive subjects. <i>Cardiovascular Ultrasound</i> , 2009, 7, 48.	0.5	13

#	ARTICLE	IF	CITATIONS
19	Non-invasive tissue Doppler imaging pulmonary capillary wedge pressure measurement improves NT-proBNP prognostic value in heart failure. <i>Acta Cardiologica</i> , 2009, 64, 213-218.	0.3	2
20	Supernormal functional reserve of apical segments in elite soccer players: an ultrasound speckle tracking handgrip stress study. <i>Cardiovascular Ultrasound</i> , 2008, 6, 14.	0.5	27
21	The cardiovascular profile of soccer referees: an echocardiographic study. <i>Cardiovascular Ultrasound</i> , 2008, 6, 8.	0.5	10
22	Right Ventricular Myxoma Detected Incidentally in a Young Athlete. <i>Clinical Journal of Sport Medicine</i> , 2008, 18, 295-297.	0.9	0
23	Bicuspid aortic valve in competitive athletes. <i>British Journal of Sports Medicine</i> , 2007, 42, 31-35.	3.1	42
24	Two-dimensional tracking and TDI are consistent methods for evaluating myocardial longitudinal peak strain in left and right ventricle basal segments in athletes. <i>Cardiovascular Ultrasound</i> , 2007, 5, 7.	0.5	37
25	The feasibility and usefulness of contrast exercise echocardiography for the assessment of left ventricular function in master athletes. <i>European Journal of Echocardiography</i> , 2005, 6, 24-30.	2.3	5
26	Noninvasive evaluation of cardiac performance at rest and during handgrip in bicyclists and weightlifters after Deconditioning period. <i>Research in Sports Medicine</i> , 1989, 1, 237-248.	0.0	1
27	Spontaneous Echocardiographic Contrast Effect in the Left Ventricle of Endurance Athletes. <i>Echocardiography</i> , 1988, 5, 173-176.	0.3	2