

Miriam J Johnson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/576689/miriam-j-johnson-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269
papers

4,589
citations

34
h-index

52
g-index

316
ext. papers

5,813
ext. citations

4.5
avg, IF

6.02
L-index

#	Paper	IF	Citations
269	Once-daily opioids for chronic dyspnea: a dose increment and pharmacovigilance study. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 388-99	4.8	207
268	Morphine for the relief of breathlessness in patients with chronic heart failure--a pilot study. <i>European Journal of Heart Failure</i> , 2002 , 4, 753-6	12.3	150
267	Towards an expert consensus to delineate a clinical syndrome of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	138
266	The use of oxygen in the palliation of breathlessness. A report of the expert working group of the Scientific Committee of the Association of Palliative Medicine. <i>Respiratory Medicine</i> , 2004 , 98, 66-77	4.6	137
265	Clinically important differences in the intensity of chronic refractory breathlessness. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 957-63	4.8	98
264	Management of venous thromboembolism in patients with advanced cancer: a systematic review and meta-analysis. <i>Lancet Oncology</i> , 2008 , 9, 577-84	21.7	81
263	The prevalence and associated variables of deep venous thrombosis in patients with advanced cancer. <i>Clinical Oncology</i> , 1999 , 11, 105-10	2.8	79
262	One evidence base; three stories: do opioids relieve chronic breathlessness?. <i>Thorax</i> , 2018 , 73, 88-90	7.3	71
261	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009 , 23, 213-27	5.5	71
260	Opioids for chronic refractory breathlessness: patient predictors of beneficial response. <i>European Respiratory Journal</i> , 2013 , 42, 758-66	13.6	69
259	Living with breathlessness: a systematic literature review and qualitative synthesis. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	68
258	Palliative care among heart failure patients in primary care: a comparison to cancer patients using English family practice data. <i>PLoS ONE</i> , 2014 , 9, e113188	3.7	60
257	Short-term opioids for breathlessness in stable chronic heart failure: a randomized controlled trial. <i>European Journal of Heart Failure</i> , 2011 , 13, 1006-12	12.3	59
256	Patient and health care professional decision-making to commence and withdraw from renal dialysis: a systematic review of qualitative research. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1201-15	6.9	53
255	Breathlessness and presentation to the emergency department: a survey and clinical record review. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 53	3.5	52
254	Respiratory adverse effects of opioids for breathlessness: a systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	48
253	Measurement of breathlessness in clinical trials in patients with chronic heart failure: the need for a standardized approach: a systematic review. <i>European Journal of Heart Failure</i> , 2010 , 12, 137-47	12.3	47

252	Chronic breathlessness associated with poorer physical and mental health-related quality of life (SF-12) across all adult age groups. <i>Thorax</i> , 2017 , 72, 1151-1153	7.3	46
251	Preferred and actual place of death in haematological malignancy. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, 150-157	2.2	44
250	Palliative care and Parkinson's disease: Meeting summary and recommendations for clinical research. <i>Parkinsonism and Related Disorders</i> , 2017 , 37, 19-26	3.6	44
249	Palliative care for people living with heart failure: European Association for Palliative Care Task Force expert position statement. <i>Cardiovascular Research</i> , 2020 , 116, 12-27	9.9	44
248	Validated screening tools for the assessment of cachexia, sarcopenia, and malnutrition: a systematic review. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1196-1208	7	44
247	Is there a role for subcutaneous furosemide in the community and hospice management of end-stage heart failure?. <i>Palliative Medicine</i> , 2011 , 25, 658-63	5.5	42
246	Gaps in the evidence base of opioids for refractory breathlessness. A future work plan?. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 614-24	4.8	41
245	Symptom prevalence of patients with fibrotic interstitial lung disease: a systematic literature review. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 78	3.5	38
244	Contributions of a hand-held fan to self-management of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	38
243	Minimally clinically important difference in chronic breathlessness: every little helps. <i>American Heart Journal</i> , 2012 , 164, 229-35	4.9	38
242	Which patients with heart failure should receive specialist palliative care?. <i>European Journal of Heart Failure</i> , 2018 , 20, 1338-1347	12.3	38
241	The relationship between two performance scales: New York Heart Association Classification and Karnofsky Performance Status Scale. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 652-8	4.8	37
240	To what causes do people attribute their chronic breathlessness? A population survey. <i>Journal of Palliative Medicine</i> , 2012 , 15, 744-50	2.2	37
239	The longitudinal pattern of response when morphine is used to treat chronic refractory dyspnea. <i>Journal of Palliative Medicine</i> , 2013 , 16, 881-6	2.2	36
238	Use of the modified Borg scale and numerical rating scale to measure chronic breathlessness: a pooled data analysis. <i>European Respiratory Journal</i> , 2016 , 47, 1861-4	13.6	35
237	Repeat dose opioids may be effective for breathlessness in chronic heart failure if given for long enough. <i>Journal of Palliative Medicine</i> , 2013 , 16, 250-5	2.2	35
236	A randomised controlled trial of three or one breathing technique training sessions for breathlessness in people with malignant lung disease. <i>BMC Medicine</i> , 2015 , 13, 213	11.4	34
235	Palliative care for patients with heart failure: description of a service. <i>Palliative Medicine</i> , 2006 , 20, 211-45.5		34

234	Prevalence and assessment of breathlessness in the clinical setting. <i>Expert Review of Respiratory Medicine</i> , 2014 , 8, 151-61	3.8	33
233	Prevalence and Outcomes of Breathlessness in Older Adults: A National Population Study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2035-2041	5.6	32
232	Prevalence, symptom burden, and natural history of deep vein thrombosis in people with advanced cancer in specialist palliative care units (HIDDEN): a prospective longitudinal observational study. <i>Lancet Haematology</i> , 2019 , 6, e79-e88	14.6	31
231	A systematic review of strategies used to increase recruitment of people with cancer or organ failure into clinical trials: implications for palliative care research. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 762-772.e5	4.8	31
230	A randomised trial of high vs low intensity training in breathing techniques for breathless patients with malignant lung disease: a feasibility study. <i>Lung Cancer</i> , 2010 , 70, 313-9	5.9	31
229	Relationship between markers of malnutrition and clinical outcomes in older adults with cancer: systematic review, narrative synthesis and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 1519-1535	5.2	30
228	Breathlessness in Elderly Adults During the Last Year of Life Sufficient to Restrict Activity: Prevalence, Pattern, and Associated Factors. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 73-80	5.6	30
227	Novel use of amantadine: to treat hiccups. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 460-5	4.8	29
226	How do palliative physicians manage venous thromboembolism?. <i>Palliative Medicine</i> , 1997 , 11, 462-8	5.5	29
225	Management of end stage cardiac failure. <i>Postgraduate Medical Journal</i> , 2007 , 83, 395-401	2	29
224	Abnormal coagulation and deep venous thrombosis in patients with advanced cancer. <i>International Journal of Laboratory Hematology</i> , 1999 , 21, 51-4		29
223	A Mixed-Methods, Randomized, Controlled Feasibility Trial to Inform the Design of a Phase III Trial to Test the Effect of the Handheld Fan on Physical Activity and Carer Anxiety in Patients With Refractory Breathlessness. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 807-15	4.8	28
222	Does advance care planning in addition to usual care reduce hospitalisation for patients with advanced heart failure: A systematic review and narrative synthesis. <i>Palliative Medicine</i> , 2018 , 32, 1539-1551	5.5	28
221	Palliative care specialists' perceptions concerning referral of haematology patients to their services: findings from a qualitative study. <i>BMC Palliative Care</i> , 2018 , 17, 33	3	27
220	The need to research refractory breathlessness. <i>European Respiratory Journal</i> , 2016 , 47, 342-3	13.6	27
219	Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power: A systematic review and meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 57-65	5.7	26
218	Somatostatin Analogues Compared With Placebo and Other Pharmacologic Agents in the Management of Symptoms of Inoperable Malignant Bowel Obstruction: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 901-919.e1	4.8	25
217	Determinants of hospital death in haematological cancers: findings from a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 78-86	2.2	24

216	Palliative care in the emergency department: A systematic literature qualitative review and thematic synthesis. <i>Palliative Medicine</i> , 2018 , 32, 1443-1454	5.5	23
215	Interventions to support a palliative care approach in patients with chronic obstructive pulmonary disease: an integrative review. <i>International Journal of Nursing Studies</i> , 2012 , 49, 1443-58	5.8	23
214	Improving the quality of life of people with advanced respiratory disease and severe breathlessness. <i>Breathe</i> , 2019 , 15, 198-215	1.8	23
213	Prospectively collected characteristics of adult patients, their consultations and outcomes as they report breathlessness when presenting to general practice in Australia. <i>PLoS ONE</i> , 2013 , 8, e74814	3.7	23
212	A feasibility study to inform the design of a randomised controlled trial to identify the most clinically effective and cost-effective length of Anticoagulation with Low-molecular-weight heparin in the treatment of Cancer-Associated Thrombosis (ALICAT). <i>Health Technology Assessment</i> , 2015 , 19, vii-xxiii, 1-93	4.4	23
211	The Adaptation, Face, and Content Validation of a Needs Assessment Tool: Progressive Disease for People with Interstitial Lung Disease. <i>Journal of Palliative Medicine</i> , 2016 , 19, 549-55	2.2	23
210	Quality of missing data reporting and handling in palliative care trials demonstrates that further development of the CONSORT statement is required: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 81-91	5.7	22
209	Variations in specialist palliative care referrals: findings from a population-based patient cohort of acute myeloid leukaemia, diffuse large B-cell lymphoma and myeloma. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 496-502	2.2	22
208	Patients' psychosocial experiences of attending Specialist Palliative Day Care: a systematic review. <i>Palliative Medicine</i> , 2011 , 25, 210-28	5.5	22
207	Neoplastic fever. <i>Palliative Medicine</i> , 1996 , 10, 217-24	5.5	22
206	Airflow relieves chronic breathlessness in people with advanced disease: An exploratory systematic review and meta-analyses. <i>Palliative Medicine</i> , 2019 , 33, 618-633	5.5	21
205	Diagnosis and management of people with venous thromboembolism and advanced cancer: how do doctors decide? A qualitative study. <i>BMC Medical Informatics and Decision Making</i> , 2012 , 12, 75	3.6	21
204	Lung cancer, immune thrombocytopenia and the lupus inhibitor. <i>Postgraduate Medical Journal</i> , 1987 , 63, 793-5	2	21
203	Clinical decision making in the recognition of dying: a qualitative interview study. <i>BMC Palliative Care</i> , 2017 , 16, 11	3	20
202	Multi-disciplinary palliative care is effective in people with symptomatic heart failure: A systematic review and narrative synthesis. <i>Palliative Medicine</i> , 2019 , 33, 1003-1016	5.5	20
201	Problems of anticoagulation within a palliative care setting: an audit of hospice patients taking warfarin. <i>Palliative Medicine</i> , 1997 , 11, 306-12	5.5	20
200	Breathlessness, Anxiety, Depression, and Function-The BAD-F Study: A Cross-Sectional and Population Prevalence Study in Adults. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 197-205.e2	4.8	20
199	Timely recognition of palliative care needs of patients with advanced chronic heart failure: a pilot study of a Dutch translation of the Needs Assessment Tool: Progressive Disease - Heart Failure (NAT:PD-HF). <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 375-388	3.3	19

198	Can variability in the effect of opioids on refractory breathlessness be explained by genetic factors?. <i>BMJ Open</i> , 2015 , 5, e006818	3	19
197	Breathlessness--current and emerging mechanisms, measurement and management: a discussion from an European Association of Palliative Care workshop. <i>Palliative Medicine</i> , 2013 , 27, 932-8	5.5	19
196	They've got to learn--a qualitative study exploring the views of patients and staff regarding medical student teaching in a hospice. <i>Palliative Medicine</i> , 2010 , 24, 419-26	5.5	19
195	Heart failure specialist nurses--use of palliative care services: a comparison of surveys across England in 2005 and 2010. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 190-6	3.3	19
194	Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. <i>Health Technology Assessment</i> , 2015 , 19, 1-120	4.4	19
193	Oral anticoagulation is preferable to injected, but only if it is safe and effective: An interview study of patient and carer experience of oral and injected anticoagulant therapy for cancer-associated thrombosis in the select-d trial. <i>Palliative Medicine</i> , 2019 , 33, 510-517	5.5	19
192	Perspectives of bereaved relatives of patients with haematological malignancies concerning preferred place of care and death: A qualitative study. <i>Palliative Medicine</i> , 2019 , 33, 518-530	5.5	18
191	The evidence base for oxygen for chronic refractory breathlessness: issues, gaps, and a future work plan. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 763-75	4.8	18
190	Barriers to the diagnosis and treatment of venous thromboembolism in advanced cancer patients: a qualitative study. <i>Palliative Medicine</i> , 2013 , 27, 339-48	5.5	18
189	Palliative and end-of-life care for patients with chronic heart failure and chronic lung disease. <i>Clinical Medicine</i> , 2010 , 10, 286-9	1.9	18
188	Planning for end-of-life care in heart failure: experience of two integrated cardiology-palliative care teams. <i>British Journal of Cardiology</i> , 2012 , 19,	1	18
187	Identification of patients with potential palliative care needs: A systematic review of screening tools in primary care. <i>Palliative Medicine</i> , 2020 , 34, 989-1005	5.5	17
186	The importance of the feasibility study: Lessons from a study of the hand-held fan used to relieve dyspnea in people who are breathless at rest. <i>Palliative Medicine</i> , 2016 , 30, 504-9	5.5	17
185	Opioids, Exertion, and Dyspnea: A Review of the Evidence. <i>American Journal of Hospice and Palliative Medicine</i> , 2016 , 33, 194-200	2.6	16
184	Physical activity and nutrition interventions for older adults with cancer: a systematic review. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 689-711	5.1	16
183	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017 , 7, e018100	3	16
182	Neuroimaging of central breathlessness mechanisms. <i>Current Opinion in Supportive and Palliative Care</i> , 2014 , 8, 225-33	2.6	16
181	Does home oxygen benefit people with chronic heart failure?. <i>BMJ, The</i> , 2011 , 342, d234	5.9	16

180	Painful bone metastases: a prospective observational cohort study. <i>Palliative Medicine</i> , 2005 , 19, 521-5	5.5	16
179	Who experiences higher and increasing breathlessness in advanced cancer? The longitudinal EPCCS Study. <i>Supportive Care in Cancer</i> , 2016 , 24, 3803-11	3.9	16
178	Palliative care needs in patients hospitalized with heart failure (PCHF) study: rationale and design. <i>ESC Heart Failure</i> , 2015 , 2, 25-36	3.7	15
177	Magnetoencephalography to investigate central perception of exercise-induced breathlessness in people with chronic lung disease: a feasibility pilot. <i>BMJ Open</i> , 2015 , 5, e007535	3	15
176	"It's not all doom and gloom": perceptions of medical students talking to hospice patients. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1125-9	2.2	15
175	Malignant melanoma as a target malignancy for the study of the anti-metastatic properties of the heparins. <i>Cancer and Metastasis Reviews</i> , 2010 , 29, 777-84	9.6	15
174	What are the patterns of compliance with Early Warning Track and Trigger Tools: A narrative review. <i>Applied Nursing Research</i> , 2018 , 44, 39-47	1.8	15
173	Primary thromboprophylaxis in hospices: the association between risk of venous thromboembolism and development of symptoms. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 56-64	4.8	14
172	Insights from Australians with respiratory disease living in the community with experience of self-managing through an emergency department near miss for breathlessness: a strengths-based qualitative study. <i>BMJ Open</i> , 2017 , 7, e017536	3	14
171	Update on the role of palliative oxygen. <i>Current Opinion in Supportive and Palliative Care</i> , 2011 , 5, 87-91	2.6	14
170	Primary thromboprophylaxis for hospice inpatients: who needs it?. <i>Palliative Medicine</i> , 2011 , 25, 701-5	5.5	14
169	Implementation of the Needs Assessment Tool for patients with interstitial lung disease (NAT:ILD): facilitators and barriers. <i>Thorax</i> , 2017 , 72, 1049-1051	7.3	13
168	Change in physiological variables in the last 2 weeks of life: an observational study of hospital in-patients with cancer. <i>Palliative Medicine</i> , 2015 , 29, 120-7	5.5	13
167	The ethical decisions UK doctors make regarding advanced cancer patients at the end of life--the perceived (in) appropriateness of anticoagulation for venous thromboembolism: a qualitative study. <i>BMC Medical Ethics</i> , 2012 , 13, 22	2.9	13
166	Blinded Patient Preference for Morphine Compared to Placebo in the Setting of Chronic Refractory Breathlessness--An Exploratory Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 247-54	4.8	13
165	The independent association of overweight and obesity with breathlessness in adults: a cross-sectional, population-based study. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	12
164	Cancer patients' experiences of living with venous thromboembolism: A systematic review and qualitative thematic synthesis. <i>Palliative Medicine</i> , 2018 , 32, 1010-1020	5.5	12
163	Oral modified release morphine for breathlessness in chronic heart failure: a randomized placebo-controlled trial. <i>ESC Heart Failure</i> , 2019 , 6, 1149-1160	3.7	12

162	Activity as a measure of symptom control. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e1-2	4.8	12
161	The management of dyspnoea in chronic heart failure. <i>Current Opinion in Supportive and Palliative Care</i> , 2010 , 4, 63-8	2.6	12
160	Attitudes to morphine in chronic heart failure patients. <i>Postgraduate Medical Journal</i> , 2012 , 88, 515-21	2	12
159	Palliative care needs assessment in chronic heart failure. <i>Current Opinion in Supportive and Palliative Care</i> , 2018 , 12, 25-31	2.6	12
158	Does the use of specialist palliative care services modify the effect of socioeconomic status on place of death? A systematic review. <i>Palliative Medicine</i> , 2016 , 30, 434-45	5.5	12
157	Pharmacovigilance in Hospice/Palliative Care: Net Effect of Haloperidol for Nausea or Vomiting. <i>Journal of Palliative Medicine</i> , 2018 , 21, 37-43	2.2	12
156	Agreement Between Breathlessness Severity and Unpleasantness in People With Chronic Breathlessness: A Longitudinal Clinical Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 715-723.e5	4.8	11
155	Minimal clinically important differences in average, best, worst and current intensity and unpleasantness of chronic breathlessness. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	11
154	Evidence-based intervention for chronic refractory breathlessness: practical therapies that make a difference. <i>British Journal of General Practice</i> , 2013 , 63, 609-10	1.6	11
153	The relationship between pain, analgesics and survival in patients with advanced cancer; a secondary data analysis of the international European palliative care Cancer symptom study. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 393-402	2.8	11
152	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018 , 73, 880-883	7.3	11
151	Breathlessness and sexual activity in older adults: the Australian Longitudinal Study of Ageing. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 20	3.2	11
150	A feasibility study to inform the design of a randomized controlled trial to identify the most clinically and cost effective anticoagulation length with low molecular weight heparin in the treatment of cancer associated thrombosis (ALICAT): study protocol for a mixed-methods study. <i>Trials</i> , 2014 , 15, 122	2.8	10
149	Palliative Radiotherapy in the Presence of Well-Controlled Metastatic Disease after Initial Chemotherapy May Prolong Survival in Patients with Metastatic Esophageal and Gastric Cancer. <i>Cancer Research and Treatment</i> , 2015 , 47, 706-17	5.2	10
148	Recognizing dying in terminal illness. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2011 , 72, 446-50	0.8	10
147	Why do health professionals refer individual patients to specialist day hospice care?. <i>Journal of Palliative Medicine</i> , 2011 , 14, 133-8	2.2	10
146	Family Caregivers Who Would Be Unwilling to Provide Care at the End of Life Again: Findings from the Health Survey for England Population Survey. <i>PLoS ONE</i> , 2016 , 11, e0146960	3.7	10
145	Haematology nurses' perspectives of their patients' places of care and death: A UK qualitative interview study. <i>European Journal of Oncology Nursing</i> , 2019 , 39, 70-80	2.8	10

144	Implementation of geriatric assessment in oncology settings: A systematic realist review. <i>Journal of Geriatric Oncology</i> , 2021 , 12, 22-33	3.6	10
143	Challenging Previously Held Beliefs About Clinical Practice: Evidence or Experience?. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, e1-2	4.8	9
142	Management of breathlessness in patients with cancer: ESMO Clinical Practice Guidelines. <i>ESMO Open</i> , 2020 , 5, e001038	6	9
141	Opioids for breathlessness: a narrative review. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 287-295	2.2	9
140	Care of the dying: a qualitative exploration of Foundation Year doctors' experiences. <i>Medical Education</i> , 2017 , 51, 1025-1036	3.7	9
139	Outcome measurement of refractory breathlessness: endpoints and important differences. <i>Current Opinion in Supportive and Palliative Care</i> , 2015 , 9, 238-43	2.6	9
138	Acute-on-Chronic Breathlessness: Recognition and Response. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e4-e5	4.8	9
137	The mechanisms of breathlessness in heart failure as the basis of therapy. <i>Current Opinion in Supportive and Palliative Care</i> , 2016 , 10, 32-5	2.6	9
136	Prognostic predictors relevant to end-of-life palliative care in Parkinson's disease and related disorders: a systematic review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	9
135	The Hand-Held Fan and the Calming Hand for People With Chronic Breathlessness: A Feasibility Trial. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 1051-1061.e1	4.8	8
134	Quality of Life Changes With Duration of Chronic Breathlessness: A Random Sample of Community-Dwelling People. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, 818-827.e4	4.8	8
133	Content and quality of websites supporting self-management of chronic breathlessness in advanced illness: a systematic review. <i>Npj Primary Care Respiratory Medicine</i> , 2016 , 26, 16025	3.2	8
132	Emergency admissions and subsequent inpatient care through an emergency oncology service at a tertiary cancer centre: service users' experiences and views. <i>Supportive Care in Cancer</i> , 2019 , 27, 451-460	3.9	8
131	Inclusion, characteristics and outcomes of people requiring palliative care in studies of non-pharmacological interventions for delirium: A systematic review. <i>Palliative Medicine</i> , 2019 , 33, 878-895	5.5	8
130	Developing a complex intervention for the outpatient management of incidentally diagnosed pulmonary embolism in cancer patients. <i>BMC Health Services Research</i> , 2013 , 13, 235	2.9	8
129	Measuring improvement in dyspnoea: should absolute or relative values be used?. <i>European Respiratory Journal</i> , 2014 , 44, 1700-3	13.6	8
128	Bleeding, clotting and cancer. <i>Clinical Oncology</i> , 1997 , 9, 294-301	2.8	8
127	Palliative care in Parkinson's disease: review of needs assessment tools. <i>Annals of Palliative Medicine</i> , 2020 , 9, S6-S15	1.7	8

126	Non-opioid medications for the relief of chronic breathlessness: current evidence. <i>Expert Review of Respiratory Medicine</i> , 2017 , 11, 333-341	3.8	7
125	Pulmonary rehabilitation, physical activity, respiratory failure and palliative respiratory care. <i>Thorax</i> , 2019 , 74, 693-699	7.3	7
124	The feasibility of a randomised controlled trial to compare the cost-effectiveness of palliative cardiology or usual care in people with advanced heart failure: Two exploratory prospective cohorts. <i>Palliative Medicine</i> , 2018 , 32, 1133-1141	5.5	7
123	The complex relationship between household income of family caregivers, access to palliative care services and place of death: A national household population survey. <i>Palliative Medicine</i> , 2018 , 32, 357-365	5.5	7
122	Symptomatic hypocalcemia with oral clodronate. <i>Journal of Pain and Symptom Management</i> , 1998 , 15, 140-2	4.8	7
121	Review of the evidence for the management of dyspnoea in people with chronic heart failure. <i>Current Opinion in Supportive and Palliative Care</i> , 2008 , 2, 84-8	2.6	7
120	Palliative care for non-cancer conditions in primary care: a time trend analysis in the UK (2009-2014). <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	7
119	Identification and Assessment of Breathlessness in Clinical Practice: A Systematic Review and Narrative Synthesis. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 724-733.e19	4.8	7
118	A systematic review and meta-analysis of studies comparing burden from lung cancer and chronic obstructive pulmonary disease. <i>Palliative Medicine</i> , 2020 , 34, 1291-1304	5.5	7
117	Implementing person-centred outcome measures in palliative care: An exploratory qualitative study using Normalisation Process Theory to understand processes and context. <i>Palliative Medicine</i> , 2021 , 35, 397-407	5.5	7
116	Effect of Opioids and Benzodiazepines on Clinical Outcomes in Patients Receiving Palliative Care: An Exploratory Analysis. <i>Journal of Palliative Medicine</i> , 2017 , 20, 1274-1279	2.2	6
115	Battery operated fan and chronic breathlessness: does it help?. <i>BMJ Supportive and Palliative Care</i> , 2019 , 9, 478-481	2.2	6
114	Delirium management by palliative medicine specialists: a survey from the association for palliative medicine of Great Britain and Ireland. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	6
113	No excess harms from sustained-release morphine: a randomised placebo-controlled trial in chronic breathlessness. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 421-428	2.2	6
112	Missed opportunity? Worsening breathlessness as a harbinger of death: a cohort study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	6
111	Low agreement between mMRC rated by patients and clinicians: implications for practice. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	6
110	Community palliative care clinical nurse specialists: a descriptive study of nurse-patient interactions. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 246-53	0.9	6
109	Coping with terminal illness: the experience of attending Specialist Palliative Day Care. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1211-8	2.2	6

108	Knowledge of attitudes to opioids in palliative care patients. <i>Palliative Medicine</i> , 2007 , 21, 721-2	5.5	6
107	Intention-to-Treat Analyses for Randomized Controlled Trials in Hospice/Palliative Care: The Case for Analyses to be of People Exposed to the Intervention. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 637-645	4.8	6
106	Effects of low-dose morphine on perceived sleep quality in patients with refractory breathlessness: A hypothesis generating study. <i>Respirology</i> , 2016 , 21, 386-91	3.6	6
105	Low-intensity educational interventions supporting self-management to improve outcomes related to chronic breathlessness: a systematic review. <i>Npj Primary Care Respiratory Medicine</i> , 2019 , 29, 41	3.2	6
104	Psychometric Properties of the Needs Assessment Tool-Progressive Disease Cancer in U.K. Primary Care. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 602-612	4.8	6
103	Palliative care for people with chronic heart failure: when is it time?. <i>Journal of Palliative Care</i> , 2011 , 27, 37-42	1.8	6
102	Time intervals from first symptom to diagnosis for head and neck cancers: An analysis of linked patient reports and medical records from the UK. <i>Cancer Epidemiology</i> , 2019 , 59, 37-45	2.8	5
101	Alteration in endothelial permeability occurs in response to the activation of PAR2 by factor Xa but not directly by the TF-factor VIIa complex. <i>Thrombosis Research</i> , 2019 , 175, 13-20	8.2	5
100	An integrated understanding of the complex drivers of emergency presentations and admissions in cancer patients: Qualitative modelling of secondary-care health professionals' experiences and views. <i>PLoS ONE</i> , 2019 , 14, e0216430	3.7	5
99	Interstitial lung disease and specialist palliative care access: a healthcare professionals survey. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	5
98	Postmortem ICD interrogation in mode of death classification. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 573-583	2.7	5
97	Medical students talking to hospice patients. <i>Clinical Teacher</i> , 2012 , 9, 9-13	1.1	5
96	Minimal clinically important differences for Dyspnea-12 and MDP scores are similar at 2 weeks and 6 months: follow-up of a longitudinal clinical study. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	5
95	"So, I try not to go to the Emergency Department: In-depth Interviews With Patients, Carers, and Clinicians. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, 316-325	4.8	5
94	Activities Forgone because of Chronic Breathlessness: A Cross-Sectional Population Prevalence Study. <i>Palliative Medicine Reports</i> , 2020 , 1, 166-170	1	5
93	In silico (computed) modelling of doses and dosing regimens associated with morphine levels above international legal driving limits. <i>Palliative Medicine</i> , 2018 , 32, 1222-1232	5.5	5
92	Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. <i>BMJ Open</i> , 2020 , 10, e039154	3	4
91	Validation of the Dyspnea Exertion Scale of Breathlessness in People With Life-Limiting Illness. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 430-435.e2	4.8	4

90	In response to C Walshe, The state of play <i>Palliative Medicine</i> , 2017 , 31, 772-773	5.5	4
89	Recognizing advanced disease. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2011 , 72, 432-6	0.8	4
88	Attitudes to morphine in chronic heart failure patients. <i>BMJ Supportive and Palliative Care</i> , 2012 , 2, 29-35.	2.2	4
87	Extending palliative care to patients with heart failure. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2010 , 71, 12-5	0.8	4
86	Randomised, double-blind, multicentre, mixed-methods, dose-escalation feasibility trial of mirtazapine for better treatment of severe breathlessness in advanced lung disease (BETTER-B feasibility). <i>Thorax</i> , 2020 , 75, 176-179	7.3	4
85	Prospective cohort study of elderly patients with coronary artery disease: impact of frailty on quality of life and outcome. <i>Open Heart</i> , 2020 , 7,	3	4
84	Clinical decision-making at the end of life: a mixed-methods study. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, e26	2.2	4
83	Do early warning track and trigger tools improve patient outcomes? A systematic synthesis without meta-analysis. <i>Journal of Advanced Nursing</i> , 2021 , 77, 622-634	3.1	4
82	Breathlessness in the emergency care setting. <i>Current Opinion in Supportive and Palliative Care</i> , 2018 , 12, 232-236	2.6	4
81	VAScular and Chronic Obstructive Lung disease (VASCOL): a longitudinal study on morbidity, symptoms and quality of life among older men in Blekinge county, Sweden. <i>BMJ Open</i> , 2021 , 11, e046473	2.3	4
80	Health service utilisation associated with chronic breathlessness: random population sample. <i>ERJ Open Research</i> , 2021 , 7,	3.5	4
79	The roles of dispositional coping style and social support in helping people with respiratory disease cope with a breathlessness crisis. <i>Journal of Advanced Nursing</i> , 2019 , 75, 1953-1965	3.1	3
78	Chronic breathlessness: re-thinking the symptom. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	3
77	Change in Physiological Variables in the Last Two Weeks of Life: An Observational Study of Hospitalized Adults With Heart Failure. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 1335-1340	4.8	3
76	Impact of specialist palliative care on coping with Parkinson's disease: patients and carers. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 180-183	2.2	3
75	CAMERA - complete assessment of elderly patients with cancer: A non-randomised feasibility study. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 175-177	3.6	3
74	Palliative care in non-malignant disease. <i>Medicine</i> , 2011 , 39, 664-667	0.6	3
73	Management of cancer-associated thrombosis in people with advanced disease. <i>BMJ Supportive and Palliative Care</i> , 2012 , 2, 163-7	2.2	3

72	A feasibility, randomised controlled trial of a complex breathlessness intervention in idiopathic pulmonary fibrosis (BREEZE-IPF): study protocol. <i>ERJ Open Research</i> , 2019 , 5,	3.5	3
71	Breathlessness and opioid prescribing in COPD in general practice: a cross-sectional, observational study. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
70	Opioids in chronic obstructive pulmonary disease: the whole picture using all available evidence. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 795-6	3.8	3
69	Predictors and trajectory of performance status in patients with advanced cancer: A secondary data analysis of the international European Palliative Care Cancer Symptom study. <i>Palliative Medicine</i> , 2019 , 33, 206-212	5.5	3
68	Comparing functional decline and distress from symptoms in people with thoracic life-limiting illnesses: lung cancers and non-malignant end-stage respiratory diseases. <i>Thorax</i> , 2021 , 76, 989-995	7.3	3
67	Conference presentation in palliative medicine: predictors of subsequent publication. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 73-77	2.2	3
66	Prevalence and Risk Factors of Breathlessness Across Canada: A National Retrospective Cohort Study in Home Care and Nursing Home Populations. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 346-354.e1	4.8	3
65	Incident opioid drug use and adverse respiratory outcomes among older adults with COPD. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	2
64	Breathlessness despite optimal pathophysiological treatment: on the relevance of being chronic. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	2
63	How can training in care of the dying be improved?. <i>Clinical Teacher</i> , 2019 , 16, 610-614	1.1	2
62	Delirium screening practice in specialist palliative care units: a survey. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	2
61	Psychological concerns of Indian women with breast cancer in different national contexts: a systematic review and mixed-methods synthesis. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	2
60	Chronic breathlessness: re-thinking the symptom. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	2
59	How much evidence isn't in evidence-based guidelines?. <i>Annals of Oncology</i> , 2016 , 27, 205	10.3	2
58	Analysing data in palliative care trials. <i>BMJ, The</i> , 2018 , 362, k2943	5.9	2
57	Adverse respiratory effects of opioids for chronic breathlessness: to what extent can we learn lessons from chronic pain?. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	2
56	Clustering of 27,525,663 Death Records from the United States Based on Health Conditions Associated with Death: An Example of big Health Data Exploration. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
55	Australia-modified Karnofsky Performance Scale and physical activity in COPD and lung cancer: an exploratory pooled data analysis. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	2

54	Response: what tools are available to identify patients with palliative care needs in primary care: a systematic literature review and survey of European practice?. <i>BMJ Supportive and Palliative Care</i> , 2014 , 4, 130	2.2	2
53	Palliative physicians persuade procurators fiscal. <i>Palliative Medicine</i> , 2002 , 16, 532-9	5.5	2
52	Management of chronic breathlessness153-171		2
51	Morphine for the symptomatic reduction of chronic breathlessness: the case for controlled release. <i>Current Opinion in Supportive and Palliative Care</i> , 2020 , 14, 177-181	2.6	2
50	The experience of delirium in palliative care settings for patients, family, clinicians and volunteers: A qualitative systematic review and thematic synthesis. <i>Palliative Medicine</i> , 2021 , 35, 988-1004	5.5	2
49	Non-medical devices for chronic breathlessness: use, barriers and facilitators for patients, carers and clinicians - a scoping review. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	2
48	Minimal clinically important difference and Edmonton Symptom Assessment Scale. <i>Cancer</i> , 2016 , 122, 158-9	6.4	2
47	A Dyadic Growth Modeling Approach for Examining Associations Between Weight Gain and Lung Function Decline. <i>American Journal of Epidemiology</i> , 2020 , 189, 1173-1184	3.8	2
46	Perceptions and experiences of laws and regulations governing access to opioids in South, Southeast, East and Central Asia: A systematic review, critical interpretative synthesis and development of a conceptual framework. <i>Palliative Medicine</i> , 2021 , 35, 59-75	5.5	2
45	Don't talk about my distress to others; I feel that I have to suffer my problems...Voices of Indian women with breast cancer: a qualitative interview study. <i>Supportive Care in Cancer</i> , 2021 , 29, 2591-2600	3.9	2
44	Heart failure and palliative care: Time for action. <i>Palliative Medicine</i> , 2018 , 269216318804456	5.5	2
43	"So, when a woman becomes ill, the total structure of the family is affected, they can't do anything" Voices from the community on women with breast cancer in India: a qualitative focus group study. <i>Supportive Care in Cancer</i> , 2022 , 30, 951-963	3.9	2
42	Reply to: MASCC/ESMO consensus recommendations for the management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 2989-2990	3.9	1
41	Re: Hui et al., which treatment is better?. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, e6-7	4.8	1
40	Optimised clinical study recruitment in palliative care: success strategies and lessons learned. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 216-220	2.2	1
39	Openness Personality Trait Associated With Benefit From a Nonpharmacological Breathlessness Intervention in People With Intrathoracic Cancer: An Exploratory Analysis. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 1059-1066.e2	4.8	1
38	Ensuring caregivers are part of palliative care service delivery. <i>Palliative and Supportive Care</i> , 2018 , 16, 639-640	2.5	1
37	The strength of evidence: low dose morphine for chronic breathlessness. <i>Internal Medicine Journal</i> , 2018 , 48, 102-103	1.6	1

36	What palliative care clinicians need to know about heart failure?. <i>Progress in Palliative Care</i> , 2014 , 22, 26-31	1	1
35	Overdosing on immediate-release morphine solution has predictable adverse effects. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	1
34	Invisible suffering: breathlessness in and beyond the clinic--a reply. <i>Lancet Respiratory Medicine</i> , 2015 , 3, e29	35.1	1
33	Missing data from missing participants. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e1-2; author reply e2-4	4.8	1
32	Artificial hydration in the terminally ill patient. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2013 , 74, 397-401	0.8	1
31	Anti-cancer agent-induced dyspnea. <i>Progress in Palliative Care</i> , 2011 , 19, 235-242	1	1
30	Development of guidelines to reduce, handle and report missing data in palliative care trials: A multi-stakeholder modified nominal group technique.. <i>Palliative Medicine</i> , 2022 , 2692163211065597	5.5	1
29	Randomized trial of high- versus low-intensity breathing training for dyspnea due to intrathoracic cancer: Cost-effectiveness.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 54-54	2.2	1
28	Breathlessness dimensions association with physical and mental quality of life: the population based VASCOL study of elderly men. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	1
27	Indications and patterns of use of benzodiazepines and opioids in severe interstitial lung disease: a population-based longitudinal study. <i>ERJ Open Research</i> , 2021 , 7,	3.5	1
26	Professionals, patients and families' views on the use of opioids for chronic breathlessness: A systematic review using the framework method and pillar process. <i>Palliative Medicine</i> , 2021 , 35, 1421-1433	5.5	1
25	Response to "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e12-e13	4.8	1
24	CANcer BEhavioural nutrition and exercise feasibility trial (CanBenefit); phase I qualitative interview findings. <i>Journal of Geriatric Oncology</i> , 2021 , 12, 641-648	3.6	1
23	Patient, family and carer experiences of nutritional screening: a systematic review. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 595-603	3.1	1
22	A cluster randomised trial of a Needs Assessment Tool for adult Cancer patients and their carers (NAT-C) in primary care: A feasibility study. <i>PLoS ONE</i> , 2021 , 16, e0245647	3.7	1
21	Outcomes and measures of delirium interventional studies in palliative care to inform a core outcome set: A systematic review. <i>Palliative Medicine</i> , 2021 , 35, 1761-1775	5.5	1
20	Performance status and trial site-level factors are associated with missing data in palliative care trials: An individual participant-level data analysis of 10 phase 3 trials. <i>Palliative Medicine</i> , 2021 , 35, 1998-2007	5.5	1
19	Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review.. <i>Palliative Medicine</i> , 2022 , 2692163221081331	5.5	1

18	Lower workforce participation is associated with more severe persisting breathlessness.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 93	3.5	1
17	Risk factors for delirium in adult patients receiving specialist palliative care: A systematic review and meta-analysis.. <i>Palliative Medicine</i> , 2021 , 2692163211065278	5.5	1
16	Prevalence and severity of differing dimensions of breathlessness among elderly males in the population.. <i>ERJ Open Research</i> , 2022 , 8,	3.5	1
15	Persisting breathlessness and activities reduced or ceased: a population study in older men. <i>BMJ Open Respiratory Research</i> , 2022 , 9, e001168	5.6	1
14	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 41	3.5	0
13	Living well with breathlessness: how clinicians can help. <i>British Journal of General Practice</i> , 2019 , 69, 26-27.6		0
12	The unique information and communication needs of men affected by prostate cancer: A qualitative study of men's experience. <i>European Journal of Cancer Care</i> , 2021 , 30, e13503	2.4	0
11	Implementing person-centred outcome measures (PCOMs) into routine palliative care: A protocol for a mixed-methods process evaluation of The RESOLVE PCOM Implementation Strategy. <i>BMJ Open</i> , 2021 , 11, e051904	3	0
10	Authors' Response. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e2-e3	4.8	
9	O-8 In silico modelling of the plasma morphine concentration and the legal driving limit. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, A3.1-A3	2.2	
8	Re: Asia, Australia and New Zealand Dyspnoea in Emergency Departments (AANZDEM) study: Rationale, design and analysis. <i>EMA - Emergency Medicine Australasia</i> , 2015 , 27, 498-9	1.5	
7	Left ventricular systolic dysfunction is where the robust evidence base for heart failure therapy has evolved. <i>BMJ Supportive and Palliative Care</i> , 2012 , 2, 84	2.2	
6	An evaluation of hospice-based teaching in the west of Scotland. <i>Palliative Medicine</i> , 1998 , 12, 467-8	5.5	
5	16 Delirium care of hospice patients: a qualitative interview study with staff and volunteers. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 365.3-366	2.2	
4	Using the United Kingdom standards for public involvement to evaluate the impact of public involvement in a multinational clinical study. <i>Research Involvement and Engagement</i> , 2021 , 7, 22	4.4	
3	Statistical compared to clinical significance and the risk of misattribution. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	
2	Implementing the battery-operated hand-held fan as an evidence-based, non-pharmacological intervention for chronic breathlessness in patients with chronic obstructive pulmonary disease (COPD): a qualitative study of the views of specialist respiratory clinicians.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 129	3.5	
1	Cancer patients' needs assessment in primary care: study protocol for a cluster randomised controlled trial (cRCT), economic evaluation and normalisation process theory evaluation of the needs assessment tool cancer (CANAssess).. <i>BMJ Open</i> , 2022 , 12, e051394	3	

