Simone Honikman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5767656/publications.pdf

Version: 2024-02-01

44 papers

1,905 citations

20 h-index 265206 42 g-index

45 all docs

45 docs citations

45 times ranked

2276 citing authors

#	Article	IF	CITATIONS
1	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	8.4	436
2	Postpartum psychiatric disorders. Nature Reviews Disease Primers, 2018, 4, 18022.	30.5	180
3	Stepped Care for Maternal Mental Health: A Case Study of the Perinatal Mental Health Project in South Africa. PLoS Medicine, 2012, 9, e1001222.	8.4	129
4	Maternal mental health in primary care in five low- and middle-income countries: a situational analysis. BMC Health Services Research, 2016, 16, 53.	2.2	110
5	Antenatal depression and adversity in urban South Africa. Journal of Affective Disorders, 2016, 203, 121-129.	4.1	92
6	Prevalence and predictors of anxiety disorders amongst low-income pregnant women in urban South Africa: a cross-sectional study. Archives of Women's Mental Health, 2017, 20, 765-775.	2.6	88
7	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	3.9	77
8	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. British Journal of Psychiatry, 2016, 208, s47-s54.	2.8	73
9	Factors associated with household food insecurity and depression in pregnant South African women from a low socio-economic setting: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 363-372.	3.1	64
10	Comparison of mental health screening tools for detecting antenatal depression and anxiety disorders in South African women. PLoS ONE, 2018, 13, e0193697.	2.5	53
11	Domestic and intimate partner violence among pregnant women in a low resource setting in South Africa: a facility-based, mixed methods study. BMC Women's Health, 2018, 18, 119.	2.0	52
12	Perinatal suicidal ideation and behaviour: psychiatry and adversity. Archives of Women's Mental Health, 2017, 20, 321-331.	2.6	50
13	Perinatal mental health care in a rural African district, Uganda: a qualitative study of barriers, facilitators and needs. BMC Health Services Research, 2016, 16, 295.	2.2	46
14	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	3.1	43
15	Antenatal depressive symptoms and perinatal complications: a prospective study in rural Ethiopia. BMC Psychiatry, 2017, 17, 301.	2.6	40
16	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	1.6	35
17	Abuse in South African maternity settings is a disgrace: Potential solutions to the problem. South African Medical Journal, 2015, 105, 284.	0.6	35
18	Predictors of alcohol and other drug use among pregnant women in a peri-urban South African setting. International Journal of Mental Health Systems, 2016, 10, 38.	2.7	29

#	Article	IF	CITATIONS
19	Screening and pathways to maternal mental health care in a South African antenatal setting. Archives of Women's Mental Health, 2013, 16, 371-379.	2.6	28
20	Partnerships in a Global Mental Health Research Programmeâ€"the Example of PRIME. Global Social Welfare, 2019, 6, 159-175.	1.9	24
21	Antenatal depressive symptoms and utilisation of delivery and postnatal care: a prospective study in rural Ethiopia. BMC Pregnancy and Childbirth, 2017, 17, 206.	2.4	22
22	Food Insecurity, Maternal Mental Health, and Domestic Violence: A Call for a Syndemic Approach to Research and Interventions. Maternal and Child Health Journal, 2020, 24, 401-404.	1.5	20
23	â€~First 1000 days' health interventions in low- and middle-income countries: alignment of South African policies with high-quality evidence. Global Health Action, 2017, 10, 1340396.	1.9	19
24	Characteristics of perinatal depression in rural central, India: a cross-sectional study. International Journal of Mental Health Systems, 2018, 12, 68.	2.7	16
25	Adolescent mothers: A qualitative study on barriers and facilitators to mental health in a low-resource setting in Cape Town, South Africa. African Journal of Primary Health Care and Family Medicine, 2020, 12, e1-e9.	0.8	16
26	Validation of a brief mental health screening tool for pregnant women in a low socio-economic setting. BMC Psychology, 2019, 7, 77.	2.1	14
27	Patterns of use of a maternal mental health service in a low-resource antenatal setting in South Africa. Health and Social Care in the Community, 2015, 23, 502-512.	1.6	13
28	Stakeholder perspectives on antenatal depression and the potential for psychological intervention in rural Ethiopia: a qualitative study. BMC Pregnancy and Childbirth, 2020, 20, 371.	2.4	12
29	Perinatal mental health around the world: priorities for research and service development in Africa. BJPsych International, 2020, 17, 56-59.	1.4	11
30	The Secret History method and the development of an ethos of care: Preparing the maternity environment for integrating mental health care in South Africa. Transcultural Psychiatry, 2020, 57, 173-182.	1.6	10
31	Improving child outcomes through maternal mental health interventions. Journal of Child and Adolescent Mental Health, 2010, 22, 73-82.	1.7	9
32	Developing a task-sharing psychological intervention to treat mild to moderate symptoms of perinatal depression and anxiety in South Africa: a mixed-method formative study. International Journal of Mental Health Systems, 2021, 15, 23.	2.7	8
33	Group problem solving therapy for perinatal depression in primary health care settings in rural Uganda: an intervention cohort study. BMC Pregnancy and Childbirth, 2021, 21, 584.	2.4	8
34	Accessible continued professional development for maternal mental health. African Journal of Primary Health Care and Family Medicine, 2019, 11, e1-e7.	0.8	6
35	Problem solving therapy (PST) tailored for intimate partner violence (IPV) versus standard PST and enhanced usual care for pregnant women experiencing IPV in rural Ethiopia: protocol for a randomised controlled feasibility trial. Trials, 2020, 21, 454.	1.6	6
36	Brief problem-solving therapy for antenatal depressive symptoms in primary care in rural Ethiopia: protocol for a randomised, controlled feasibility trial. Pilot and Feasibility Studies, 2021, 7, 35.	1.2	6

3

#	Article	IF	CITATIONS
37	Implementation outcomes of a health systems strengthening intervention for perinatal women with common mental disorders and experiences of domestic violence in South Africa: Pilot feasibility and acceptability study. BMC Health Services Research, 2022, 22, 641.	2.2	6
38	The impact of antenatal mental distress on functioning and capabilities: views of health care providers and service users in Cape Town, South Africa. Disability and Rehabilitation, 2014, 36, 1092-1099.	1.8	5
39	Adapting a perinatal empathic training method from South Africa to Germany. Pilot and Feasibility Studies, 2018, 4, 101.	1.2	5
40	Maternal mental health care: refining the components in a South African setting., 0,, 173-186.		3
41	Intercultural Adaptation of the "Secret History―Training: From South Africa to Germany. SpringerBriefs in Public Health, 2018, , 33-50.	0.2	2
42	Maternal Mental Health in South Africa and the Opportunity for Integration., 2020,, 335-342.		2
43	Creating Capabilities through Maternal Mental Health Interventions: A Case Study at Hanover Park, Cape Town. Journal of International Development, 2015, 27, 234-250.	1.8	1
44	Health systems strengthening interventions for perinatal common mental disorders and experiences of domestic violence in Cape Town, South Africa: protocol for a pilot implementation study. Pilot and Feasibility Studies, 2022, 8, 100.	1.2	1