

# Helena Sylvia Korpelainen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5768236/publications.pdf>

Version: 2024-02-01

202  
papers

6,670  
citations

61857

43  
h-index

95083

68  
g-index

203  
all docs

203  
docs citations

203  
times ranked

5437  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-specific interactions shape root phenolics and rhizosphere microbial communities in <i>Populus cathayana</i> . <i>Forest Ecology and Management</i> , 2022, 504, 119857.	1.4	16
2	Ammonium and nitrate affect sexually different responses to salt stress in <i>Populus cathayana</i> . <i>Physiologia Plantarum</i> , 2022, 174, e13626.	2.6	7
3	Sex-specific nitrogen allocation tradeoffs in the leaves of <i>Populus cathayana</i> cuttings under salt and drought stress. <i>Plant Physiology and Biochemistry</i> , 2022, 172, 101-110.	2.8	12
4	Integrated DNA methylation, transcriptome and physiological analyses reveal new insights into superiority of poplars formed by interspecific grafting. <i>Tree Physiology</i> , 2022, 42, 1481-1500.	1.4	5
5	Stem xylem traits and wood formation affect sex-specific responses to drought and rewatering in <i>Populus cathayana</i> . <i>Tree Physiology</i> , 2022, 42, 1350-1363.	1.4	8
6	Nitrogen addition alleviated sexual differences in responses to cadmium toxicity by regulating the antioxidant system and root characteristics, and inhibiting Cd translocation in mulberry seedlings. <i>Ecotoxicology and Environmental Safety</i> , 2022, 232, 113288.	2.9	6
7	Sex-specific strategies of nutrient resorption associated with leaf economics in <i>Populus euphratica</i> . <i>Journal of Ecology</i> , 2022, 110, 2062-2073.	1.9	13
8	Intra- and intersexual interactions shape microbial community dynamics in the rhizosphere of <i>Populus cathayana</i> females and males exposed to excess Zn. <i>Journal of Hazardous Materials</i> , 2021, 402, 123783.	6.5	21
9	Elevated temperature and CO <sub>2</sub> interactively modulate sexual competition and ecophysiological responses of dioecious <i>Populus cathayana</i> . <i>Forest Ecology and Management</i> , 2021, 481, 118747.	1.4	22
10	Revealing interactions between root phenolic metabolomes and rhizosphere bacterial communities in <i>Populus euphratica</i> plantations. <i>Biology and Fertility of Soils</i> , 2021, 57, 421-434.	2.3	24
11	Anatomical variation of mesophyll conductance due to salt stress in <i>Populus cathayana</i> females and males growing under different inorganic nitrogen sources. <i>Tree Physiology</i> , 2021, 41, 1462-1478.	1.4	21
12	Sexual differences and sex ratios of dioecious plants under stressful environments. <i>Journal of Plant Ecology</i> , 2021, 14, 920-933.	1.2	56
13	Elevated CO <sub>2</sub> causes different growth stimulation, water- and nitrogen-use efficiencies, and leaf ultrastructure responses in two conifer species under intra- and interspecific competition. <i>Tree Physiology</i> , 2021, 41, 2082-2095.	1.4	6
14	Nitrogen addition affects eco-physiological interactions between two tree species dominating in subtropical forests. <i>Plant Physiology and Biochemistry</i> , 2021, 162, 150-160.	2.8	9
15	Genetic Diversity and Population Structure of <i>Medemia argun</i> (Mart.) Wurttenb. ex H.Wendl. Based on Genome-Wide Markers. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	5
16	Assessment of genetic relationships among native and introduced Himalayan balsam ( <i>Impatiens</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.8	3
17	Different sexual impacts of dioecious <i>Populus euphratica</i> on microbial communities and nitrogen cycle processes in natural forests. <i>Forest Ecology and Management</i> , 2021, 496, 119403.	1.4	25
18	Hop ( <i>Humulus lupulus</i> L.): Traditional and Present Use, and Future Potential. <i>Economic Botany</i> , 2021, 75, 302-322.	0.8	30

#	ARTICLE	IF	CITATIONS
19	Genetic Diversity of the Symbiotic Fungus <i>Epichloa festucae</i> in Naturally Occurring Host Grass Populations. <i>Frontiers in Microbiology</i> , 2021, 12, 756991.	1.5	3
20	Sex-specific strategies of phosphorus (P) acquisition in <i>Populus cathayana</i> as affected by soil P availability and distribution. <i>New Phytologist</i> , 2020, 225, 782-792.	3.5	66
21	Root traits and rhizosphere processes reflect differential phosphorus acquisition strategies in contrasting <i>Populus</i> clones. <i>Forest Ecology and Management</i> , 2020, 457, 117750.	1.4	5
22	Species-specific responses to drought, salinity and their interactions in <i>Populus euphratica</i> and <i>P. pruinosa</i> seedlings. <i>Journal of Plant Ecology</i> , 2020, 13, 563-573.	1.2	26
23	Stoichiometric flexibility and soil bacterial communities respond to nitrogen fertilization and neighbor competition at the early stage of primary succession. <i>Biology and Fertility of Soils</i> , 2020, 56, 1121-1135.	2.3	9
24	Ecophysiological responses of two poplar species to intraspecific and interspecific competition under different nitrogen levels. <i>Journal of Plant Ecology</i> , 2020, 13, 693-703.	1.2	7
25	Sorrel ( <i>Rumex acetosa</i> L.): Not Only a Weed but a Promising Vegetable and Medicinal Plant. <i>Botanical Review</i> , The, 2020, 86, 234-246.	1.7	16
26	Are males and females of <i>Populus cathayana</i> differentially sensitive to Cd stress?. <i>Journal of Hazardous Materials</i> , 2020, 393, 122411.	6.5	31
27	Microstructural and physiological responses to cadmium stress under different nitrogen levels in <i>Populus cathayana</i> females and males. <i>Tree Physiology</i> , 2020, 40, 30-45.	1.4	26
28	Stronger intra-specific competition aggravates negative effects of drought on the growth of <i>Cunninghamia lanceolata</i> . <i>Environmental and Experimental Botany</i> , 2020, 175, 104042.	2.0	14
29	Sex-related responses in rhizosphere processes of dioecious <i>Populus cathayana</i> exposed to drought and low phosphorus stress. <i>Environmental and Experimental Botany</i> , 2020, 175, 104049.	2.0	20
30	Roots play a key role in drought-tolerance of poplars as suggested by reciprocal grafting between male and female clones. <i>Plant Physiology and Biochemistry</i> , 2020, 153, 81-91.	2.8	8
31	Mechanisms of drought response in <i>Populus</i> . <i>Southern Forests</i> , 2020, 82, 359-366.	0.2	7
32	Increasing soil age drives shifts in plant-plant interactions from positive to negative and affects primary succession dynamics in a subalpine glacier forefield. <i>Geoderma</i> , 2019, 353, 435-448.	2.3	19
33	Broadleaf trees mediate chemically the growth of Chinese fir through root exudates. <i>Biology and Fertility of Soils</i> , 2019, 55, 737-749.	2.3	24
34	Rootstock determines the drought resistance of poplar grafting combinations. <i>Tree Physiology</i> , 2019, 39, 1855-1866.	1.4	23
35	To what extent are bryophytes efficient dispersers?. <i>Journal of Ecology</i> , 2019, 107, 2149-2154.	1.9	29
36	Plant-plant interactions and resource dynamics of <i>Abies fabri</i> and <i>Picea brachytyla</i> as affected by phosphorus fertilization. <i>Environmental and Experimental Botany</i> , 2019, 168, 103893.	2.0	8

#	ARTICLE	IF	CITATIONS
37	Effects of competition and phosphorus fertilization on leaf and root traits of late-successional conifers <i>Abies fabri</i> and <i>Picea brachytyla</i> . <i>Environmental and Experimental Botany</i> , 2019, 162, 14-24.	2.0	17
38	Metabolic and physiological analyses reveal that <i>Populus cathayana</i> males adopt an energy-saving strategy to cope with phosphorus deficiency. <i>Tree Physiology</i> , 2019, 39, 1630-1645.	1.4	39
39	Postglacial colonization history reflects in the genetic structure of natural populations of <i>Festuca rubra</i> in Europe. <i>Ecology and Evolution</i> , 2019, 9, 3661-3674.	0.8	8
40	Physiological responses of <i>Elaeocarpus glabripetalus</i> seedlings exposed to simulated acid rain and cadmium. <i>Ecotoxicology and Environmental Safety</i> , 2019, 175, 118-127.	2.9	25
41	Distinct co-occurrence patterns and driving forces of rare and abundant bacterial subcommunities following a glacial retreat in the eastern Tibetan Plateau. <i>Biology and Fertility of Soils</i> , 2019, 55, 351-364.	2.3	50
42	Elevated temperature differently affects growth, photosynthetic capacity, nutrient absorption and leaf ultrastructure of <i>Abies faxoniana</i> and <i>Picea purpurea</i> under intra- and interspecific competition. <i>Tree Physiology</i> , 2019, 39, 1342-1357.	1.4	21
43	The effects of sample age and taxonomic origin on the success rate of DNA barcoding when using herbarium material. <i>Plant Systematics and Evolution</i> , 2019, 305, 319-324.	0.3	4
44	Asymmetric pruning reveals how organ connectivity alters the functional balance between leaves and roots of Chinese fir. <i>Journal of Experimental Botany</i> , 2019, 70, 1941-1953.	2.4	7
45	Revealing microbial processes and nutrient limitation in soil through coenzymatic stoichiometry and glomalin-related soil proteins in a retreating glacier forefield. <i>Geoderma</i> , 2019, 338, 313-324.	2.3	49
46	Plant-plant interactions and N fertilization shape soil bacterial and fungal communities. <i>Soil Biology and Biochemistry</i> , 2019, 128, 127-138.	4.2	94
47	Fast-growing <i>Larix kaempferi</i> suffers under nutrient imbalance caused by phosphorus fertilization in larch plantation soil. <i>Forest Ecology and Management</i> , 2018, 417, 49-62.	1.4	8
48	Divergent assemblage patterns and driving forces for bacterial and fungal communities along a glacier forefield chronosequence. <i>Soil Biology and Biochemistry</i> , 2018, 118, 207-216.	4.2	133
49	Genetic profiling of the critically endangered palm species <i>Medemia argun</i> using newly developed chloroplast DNA markers. <i>Plant Ecology and Diversity</i> , 2018, 11, 185-192.	1.0	3
50	Different responses in leaf-level physiology to competition and facilitation under different soil types and N fertilization. <i>Environmental and Experimental Botany</i> , 2018, 150, 69-78.	2.0	15
51	Male <i>Populus cathayana</i> than female shows higher photosynthesis and less cellular injury through ABA-induced manganese transporting inhibition under high manganese condition. <i>Trees - Structure and Function</i> , 2018, 32, 255-263.	0.9	12
52	Improved characterization of <i>Clematis</i> based on new chloroplast microsatellite markers and nuclear ITS sequences. <i>Horticulture Environment and Biotechnology</i> , 2018, 59, 889-897.	0.7	3
53	Improved drought resistance by intergeneric grafting in <i>Salicaceae</i> plants under water deficits. <i>Environmental and Experimental Botany</i> , 2018, 155, 217-225.	2.0	11
54	Influence of soil qualities on intra- and interspecific competition dynamics of <i>Larix kaempferi</i> and <i>L. olgensis</i> . <i>Environmental and Experimental Botany</i> , 2017, 135, 96-105.	2.0	12

#	ARTICLE	IF	CITATIONS
55	Sex-specific competition differently regulates ecophysiological responses and phytoremediation of <i>Populus cathayana</i> under Pb stress. <i>Plant and Soil</i> , 2017, 421, 203-218.	1.8	17
56	Effects of phosphorus availability on later stages of primary succession in Gongga Mountain glacier retreat area. <i>Environmental and Experimental Botany</i> , 2017, 141, 103-112.	2.0	13
57	Biodiversity of pollen in indoor air samples as revealed by DNA metabarcoding. <i>Nordic Journal of Botany</i> , 2017, 35, 602-608.	0.2	28
58	Nitrogen-controlled intra- and interspecific competition between <i>Populus purdomii</i> and <i>Salix rehderiana</i> drive primary succession in the Gongga Mountain glacier retreat area. <i>Tree Physiology</i> , 2017, 37, 799-814.	1.4	34
59	Reproductive investments driven by sex and altitude in sympatric <i>Populus</i> and <i>Salix</i> trees. <i>Tree Physiology</i> , 2017, 37, 1503-1514.	1.4	38
60	Diversity of indoor fungi as revealed by DNA metabarcoding. <i>Genome</i> , 2017, 60, 55-64.	0.9	8
61	iTRAQ-based quantitative proteomic analysis gives insight into sexually different metabolic processes of poplars under nitrogen and phosphorus deficiencies. <i>Proteomics</i> , 2016, 16, 614-628.	1.3	16
62	Physiological and transcriptional responses of two contrasting <i>Populus</i> clones to nitrogen stress. <i>Tree Physiology</i> , 2016, 36, 628-642.	1.4	21
63	Males exhibit competitive advantages over females of <i>Populus deltoides</i> under salinity stress. <i>Tree Physiology</i> , 2016, 36, 1573-1584.	1.4	44
64	Effects of nitrogen and phosphorus supply on growth and physiological traits of two <i>Larix</i> species. <i>Environmental and Experimental Botany</i> , 2016, 130, 206-215.	2.0	36
65	Effective detection of indoor fungi by metabarcoding. <i>Annals of Microbiology</i> , 2016, 66, 495-498.	1.1	11
66	Growth, biomass allocation and photosynthetic responses are related to intensity of root severance and soil moisture conditions in the plantation tree <i>Cunninghamia lanceolata</i> . <i>Tree Physiology</i> , 2016, 36, 807-817.	1.4	50
67	Identifying sex in non-fertile individuals of the moss <i>Drepanocladus turgescens</i> (Bryophyta): Tj ETQq1 1 0.784314 r <sub>BT</sub> / Overlock 10 T <sub>p</sub> 2		9
68	Sexual competition affects biomass partitioning, carbon nutrient balance, Cd allocation and ultrastructure of <i>Populus cathayana</i> females and males exposed to Cd stress. <i>Tree Physiology</i> , 2016, 36, tpw054.	1.4	11
69	Species-specific competition and N fertilization regulate non-structural carbohydrate contents in two <i>Larix</i> species. <i>Forest Ecology and Management</i> , 2016, 364, 60-69.	1.4	49
70	Comparative Population Genetics of Red Alga Occupying Different Salinity Conditions. , 2016, , 331-344.		2
71	Transcriptomic regulatory network underlying morphological and physiological acclimation to nitrogen starvation and excess in poplar roots and leaves. <i>Tree Physiology</i> , 2015, 35, 1279-1282.	1.4	5
72	Population genetics of the invasive giant hogweed ( <i>Heracleum</i> sp.) in a northern European region. <i>Plant Ecology</i> , 2015, 216, 1155-1162.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Transcriptional profiling in dioecious plant <i>Populus cathayana</i> reveals potential and sex-related molecular adaptations to solar UV-B radiation. <i>Physiologia Plantarum</i> , 2015, 153, 105-118.	2.6	9
74	Male poplars have a stronger ability to balance growth and carbohydrate accumulation than do females in response to a short-term potassium deficiency. <i>Physiologia Plantarum</i> , 2015, 155, 400-413.	2.6	18
75	Population genetics of Himalayan balsam ( <i>Impatiens glandulifera</i> ): comparison of native and introduced populations. <i>Plant Ecology and Diversity</i> , 2015, 8, 317-321.	1.0	24
76	Soil nematode assemblages as bioindicators of primary succession along a 120-year-old chronosequence on the Hailuoguo Glacier forefield, SW China. <i>Soil Biology and Biochemistry</i> , 2015, 88, 362-371.	4.2	46
77	Partial shading of lateral branches affects growth, and foliage nitrogen- and water-use efficiencies in the conifer <i>Cunninghamia lanceolata</i> growing in a warm monsoon climate. <i>Tree Physiology</i> , 2015, 35, 632-643.	1.4	41
78	No evidence of sexual niche partitioning in a dioecious moss with rare sexual reproduction. <i>Annals of Botany</i> , 2015, 116, 771-779.	1.4	29
79	Sexual competition and N supply interactively affect the dimorphism and competitiveness of opposite sexes in <i>Populus cathayana</i> . <i>Plant, Cell and Environment</i> , 2015, 38, 1285-1298.	2.8	44
80	Development and Characterization of Nuclear Microsatellite Markers in the Endophytic Fungus <i>Epichloa festucae</i> (Clavicipitaceae). <i>Applications in Plant Sciences</i> , 2014, 2, 1400093.	0.8	3
81	Development and Characterization of Chloroplast Microsatellite Markers in a Fine-Leaved Fescue, <i>Festuca rubra</i> (Poaceae). <i>Applications in Plant Sciences</i> , 2014, 2, 1400094.	0.8	3
82	Sexually different physiological responses of <i>Populus cathayana</i> to nitrogen and phosphorus deficiencies. <i>Tree Physiology</i> , 2014, 34, 343-354.	1.4	102
83	Intra- and intersexual competition of <i>Populus cathayana</i> under different watering regimes. <i>Functional Ecology</i> , 2014, 28, 124-136.	1.7	86
84	Molecular characterization of Nicaraguan <i>Pinus tecunumanii</i> Schw. ex Eguluz et Perry populations for in situ conservation. <i>Trees - Structure and Function</i> , 2014, 28, 1249-1253.	0.9	2
85	Altitudinal variation in growth, photosynthetic capacity and water use efficiency of <i>Abies faxoniana</i> Rehd. et Wils. seedlings as revealed by reciprocal transplantations. <i>Trees - Structure and Function</i> , 2013, 27, 1405-1416.	0.9	29
86	Reciprocal grafting separates the roles of the root and shoot in sex-related drought responses in <i>Populus cathayana</i> males and females. <i>Plant, Cell and Environment</i> , 2013, 36, 356-364.	2.8	36
87	Sex-specific responses of <i>Populus yunnanensis</i> exposed to elevated CO <sub>2</sub> and salinity. <i>Physiologia Plantarum</i> , 2013, 147, 477-488.	2.6	37
88	The effects of exogenous putrescine on sex-specific responses of <i>Populus cathayana</i> to copper stress. <i>Ecotoxicology and Environmental Safety</i> , 2013, 97, 94-102.	2.9	34
89	Plastic responses of <i>Populus yunnanensis</i> and <i>Abies faxoniana</i> to elevated atmospheric CO <sub>2</sub> and warming. <i>Forest Ecology and Management</i> , 2013, 296, 33-40.	1.4	14
90	Effect of warming on extracted soil carbon pools of <i>Abies faxoniana</i> forest at two elevations. <i>Forest Ecology and Management</i> , 2013, 310, 357-365.	1.4	15

#	ARTICLE	IF	CITATIONS
91	Populus cathayana males are less affected than females by excess manganese: Comparative proteomic and physiological analyses. Proteomics, 2013, 13, 2424-2437.	1.3	23
92	Populus yunnanensis males adopt more efficient protective strategies than females to cope with excess zinc and acid rain. Chemosphere, 2013, 91, 1213-1220.	4.2	35
93	Comparative Analyses of Plastid Sequences between Native and Introduced Populations of Aquatic Weeds Elodea canadensis and E. nuttallii. PLoS ONE, 2013, 8, e58073.	1.1	7
94	Effects of elevated $CO_2$ and temperature on photosynthesis and leaf traits of an understory dwarf bamboo in subalpine forest zone, China. Physiologia Plantarum, 2013, 148, 261-272.	2.6	33
95	Spatial genetic structure of aquatic bryophytes in a connected lake system. Plant Biology, 2013, 15, 514-521.	1.8	23
96	Single nucleotide polymorphisms found in the red alga <i>Furcellaria lumbricalis</i> ( <i>Gigartinales</i> ): new markers for population and conservation genetic analyses. Aquatic Conservation: Marine and Freshwater Ecosystems, 2013, 23, 460-467.	0.9	6
97	Preliminary evaluation of $F_1$ generation derived from two common bean landraces ( <i>Phaseolus vulgaris</i> ) from Nicaragua. Plant Breeding, 2013, 132, 205-210.	1.0	4
98	Sexual differences in photosynthetic activity, ultrastructure and phytoremediation potential of Populus cathayana exposed to lead and drought. Tree Physiology, 2013, 33, 1043-1060.	1.4	48
99	Microsatellite markers for common lilac ( <i>Syringa vulgaris</i> L.). Plant Genetic Resources: Characterisation and Utilisation, 2013, 11, 279-282.	0.4	3
100	Genetic structure of mosses <i>Pleurozium schreberi</i> (Willd. ex Brid.) Mitt. and <i>Racomitrium lanuginosum</i> (Hedw.) Brid. along altitude gradients in Hokkaido, Japan. Journal of Bryology, 2012, 34, 309-312.	0.4	17
101	Microsatellite markers for <i>Hylocomium splendens</i> (Hylocomiaceae). American Journal of Botany, 2012, 99, e344-6.	0.8	2
102	Genetic diversity of native cultivated cacao accessions ( <i>Theobroma cacao</i> L.) in Nicaragua. Plant Genetic Resources: Characterisation and Utilisation, 2012, 10, 254-257.	0.4	1
103	Sex-related and stage-dependent source-to-sink transition in Populus cathayana grown at elevated $CO_2$ and elevated temperature. Tree Physiology, 2012, 32, 1325-1338.	1.4	55
104	Transcriptional profiling analysis in Populus yunnanensis provides insights into molecular mechanisms of sexual differences in salinity tolerance. Journal of Experimental Botany, 2012, 63, 3709-3726.	2.4	43
105	Transcriptional profiling reveals sexual differences of the leaf transcriptomes in response to drought stress in Populus yunnanensis. Tree Physiology, 2012, 32, 1541-1555.	1.4	44
106	Genetic Composition of Bryophyte Populations Occupying Habitats Differing in the Level of Human Disturbance. International Journal of Plant Sciences, 2012, 173, 1015-1022.	0.6	8
107	Biochemical and Proteomic Analyses Reveal that <i>Populus cathayana</i> Males and Females Have Different Metabolic Activities under Chilling Stress. Journal of Proteome Research, 2012, 11, 5815-5826.	1.8	24
108	Populus cathayana males exhibit more efficient protective mechanisms than females under drought stress. Forest Ecology and Management, 2012, 275, 68-78.	1.4	54



#	ARTICLE	IF	CITATIONS
109	Complete chloroplast genome sequence of <i>Elodea canadensis</i> and comparative analyses with other monocot plastid genomes. <i>Gene</i> , 2012, 508, 96-105.	1.0	89
110	Comparative study on the population genetics of the red algae <i>Furcellaria lumbricalis</i> occupying different salinity conditions. <i>Marine Biology</i> , 2012, 159, 561-571.	0.7	20
111	Comparative Proteomics Analysis of Salt Response Reveals Sex-Related Photosynthetic Inhibition by Salinity in <i>Populus cathayana</i> Cuttings. <i>Journal of Proteome Research</i> , 2011, 10, 3944-3958.	1.8	59
112	Physiological responses of <i>Abies faxoniana</i> seedlings to different non-growing-season temperatures as revealed by reciprocal transplantations at two contrasting altitudes. <i>Canadian Journal of Forest Research</i> , 2011, 41, 599-607.	0.8	7
113	Long-term acclimation of mesophyll conductance, carbon isotope discrimination and growth in two contrasting <i>Picea asperata</i> populations exposed to drought and enhanced UV-B radiation for three years. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 116-126.	1.9	15
114	Links between plant diversity, carbon stocks and environmental factors along a successional gradient in a subalpine coniferous forest in Southwest China. <i>Forest Ecology and Management</i> , 2011, 262, 361-369.	1.4	59
115	Search for stress-responsive genes in the red alga <i>Furcellaria lumbricalis</i> (Rhodophyta) by expressed sequence tag analysis. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 404, 21-25.	0.7	9
116	Effect of drought and ABA on growth, photosynthesis and antioxidant system of <i>Cotinus coggygria</i> seedlings under two different light conditions. <i>Environmental and Experimental Botany</i> , 2011, 71, 107-113.	2.0	77
117	Fine-scale spatial genetic structure of a liverwort ( <i>Barbilophozia attenuata</i> ) within a network of ant trails. <i>Evolutionary Ecology</i> , 2011, 25, 45-57.	0.5	21
118	DNA barcoding: a tool for improved taxon identification and detection of species diversity. <i>Biodiversity and Conservation</i> , 2011, 20, 373-389.	1.2	62
119	Nitrogen deposition limits photosynthetic response to elevated CO <sub>2</sub> differentially in a dioecious species. <i>Oecologia</i> , 2011, 165, 41-54.	0.9	56
120	Adaptability to elevated temperature and nitrogen addition is greater in a high-elevation population than in a low-elevation population of <i>Hippophae rhamnoides</i> . <i>Trees - Structure and Function</i> , 2011, 25, 1073-1082.	0.9	12
121	Genetic structure in fragmented populations of <i>Hippophae rhamnoides</i> ssp. <i>sinensis</i> in China investigated by ISSR and cpSSR markers. <i>Plant Systematics and Evolution</i> , 2011, 295, 97-107.	0.3	22
122	Molecular and morphological evidence for distinct species in <i>Dumortiera</i> (Dumortieraceae). <i>Bryologist</i> , 2011, 114, 102-115.	0.1	18
123	Isolation of polymorphic microsatellite markers and tests of cross-amplification in four widespread European calcicole ferns. <i>American Journal of Botany</i> , 2011, 98, e319-22.	0.8	3
124	Nitrogen nutrient status induces sexual differences in responses to cadmium in <i>Populus yunnanensis</i> . <i>Journal of Experimental Botany</i> , 2011, 62, 5037-5050.	2.4	128
125	Sex-related differences in morphological, physiological, and ultrastructural responses of <i>Populus cathayana</i> to chilling. <i>Journal of Experimental Botany</i> , 2011, 62, 675-686.	2.4	106
126	Hybridization and introgression in <i>Carex aquatilis</i> and <i>C. Åpaleacea</i> . <i>Plant Systematics and Evolution</i> , 2010, 287, 141-151.	0.3	9



#	ARTICLE	IF	CITATIONS
127	Physiological differences in <i>Rhododendron calophytum</i> seedlings regenerated in mineral soil or on fallen dead wood of different decaying stages. <i>Plant and Soil</i> , 2010, 337, 205-215.	1.8	9
128	An improved and cost-effective cDNA-AFLP method to investigate transcription-derived products when high throughput sequencing is not available. <i>Journal of Biotechnology</i> , 2010, 145, 43-46.	1.9	7
129	Comparative physiological, ultrastructural and proteomic analyses reveal sexual differences in the responses of <i>Populus cathayana</i> under drought stress. <i>Proteomics</i> , 2010, 10, 2661-2677.	1.3	79
130	Inbreeding and inbreeding depression in a threatened endemic plant, the African violet ( <i>Saintpaulia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Ecology, 2010, 48, 576-587.	0.4	8
131	Sex-related adaptive responses to interaction of drought and salinity in <i>Populus yunnanensis</i> . <i>Plant, Cell and Environment</i> , 2010, 33, 1767-1778.	2.8	127
132	Sex-specific responses and tolerances of <i>Populus cathayana</i> to salinity. <i>Physiologia Plantarum</i> , 2010, 140, 163-173.	2.6	60
133	Can the sex-specific molecular marker of <i>Drepanocladus trifarius</i> uncover gender in related species?. <i>Journal of Bryology</i> , 2010, 32, 305-308.	0.4	14
134	Changes in antioxidant enzyme activities and isozyme profiles in leaves of male and female <i>Populus cathayana</i> infected with <i>Melampsora larici-populina</i> . <i>Tree Physiology</i> , 2010, 30, 116-128.	1.4	76
135	Different growth sensitivity to enhanced UV-B radiation between male and female <i>Populus cathayana</i> . <i>Tree Physiology</i> , 2010, 30, 1489-1498.	1.4	71
136	Differences in growth and physiological traits of two poplars originating from different altitudes as affected by UV-B radiation and nutrient availability. <i>Physiologia Plantarum</i> , 2010, 138, 278-288.	2.6	11
137	Excess heterozygosity and scarce genetic differentiation in the populations of <i>Phoenix dactylifera</i> L.: human impact or ecological determinants. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2009, 7, 95-104.	0.4	16
138	Biodiversity of date palms ( <i>Phoenix dactylifera</i> L.) in Sudan: chemical, morphological and DNA polymorphisms of selected cultivars. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2009, 7, 194-203.	0.4	42
139	Differences in growth and physiological traits of <i>Populus cathayana</i> populations as affected by enhanced UV-B radiation and exogenous ABA. <i>Environmental and Experimental Botany</i> , 2009, 66, 100-109.	2.0	21
140	Age-related nutrient content and carbon isotope composition in the leaves and branches of <i>Quercus aquifolioides</i> along an altitudinal gradient. <i>Trees - Structure and Function</i> , 2009, 23, 1109-1121.	0.9	43
141	Sex-related adaptive responses of <i>Populus cathayana</i> to photoperiod transitions. <i>Plant, Cell and Environment</i> , 2009, 32, 1401-1411.	2.8	76
142	Physiological and proteomic responses of two contrasting <i>Populus cathayana</i> populations to drought stress. <i>Physiologia Plantarum</i> , 2009, 136, 150-168.	2.6	149
143	Intraspecific variation in drought response of <i>Populus cathayana</i> grown under ambient and enhanced UV-B radiation. <i>Annals of Forest Science</i> , 2009, 66, 613-613.	0.8	24
144	Genetic variation of isolated <i>Picea balfouriana</i> populations from the southeast of the Qinghai-Tibet Plateau. <i>Annals of Forest Science</i> , 2009, 66, 607-607.	0.8	5

#	ARTICLE	IF	CITATIONS
145	Salt stress responses in <i>Populus cathayana</i> Rehder. <i>Plant Science</i> , 2009, 176, 669-677.	1.7	82
146	Microsatellite markers reveal high genetic diversity in date palm ( <i>Phoenix dactylifera</i> L.) germplasm from Sudan. <i>Genetica</i> , 2008, 134, 251-260.	0.5	96
147	Effort to reconstruct past population history in the fern <i>Blechnum spicant</i> . <i>Journal of Plant Research</i> , 2008, 121, 293-298.	1.2	6
148	Molecular evidence shows that the moss <i>Rhytidiadelphus subpinnatus</i> (Hylocomiaceae) is clearly distinct from <i>R. squarrosus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 372-376.	1.2	14
149	Morphotypes, varieties, or subspecies?: genetic diversity and differentiation of four <i>Saintpaulia</i> (Gesneriaceae) morphotypes from the East Usambara Mountains, Tanzania. <i>Botanical Journal of the Linnean Society</i> , 2008, 157, 347-355.	0.8	4
150	Interactions between drought, ABA application and supplemental UV-B in <i>Populus yunnanensis</i> . <i>Physiologia Plantarum</i> , 2008, 134, 257-269.	2.6	32
151	Sex-specific responses of <i>Populus cathayana</i> to drought and elevated temperatures. <i>Plant, Cell and Environment</i> , 2008, 31, 850-860.	2.8	177
152	Gene differentiation of <i>Daphnia magna</i> populations. <i>Hereditas</i> , 2008, 101, 209-216.	0.5	23
153	Competition between clones: An experimental study in a natural population of <i>Daphnia magna</i> . <i>Hereditas</i> , 2008, 105, 29-35.	0.5	16
154	Reproductive strategies of <i>Daphnia magna</i> genotypes. <i>Hereditas</i> , 2008, 106, 181-188.	0.5	13
155	Restricted gene flow in the clonal hepatic <i>Trichocolea tomentella</i> in fragmented landscapes. <i>Biological Conservation</i> , 2008, 141, 1204-1217.	1.9	24
156	Leaf photosynthesis of <i>Betula albosinensis</i> seedlings as affected by elevated CO <sub>2</sub> and planting density. <i>Forest Ecology and Management</i> , 2008, 255, 1937-1944.	1.4	32
157	New Microsatellite Markers for <i>Ulva Intestinalis</i> (Chlorophyta) and The Transferability of Markers Across Species of Ulvaceae. <i>Phycologia</i> , 2008, 47, 580-587.	0.6	15
158	The First Sex-Specific Molecular Marker Discovered in the Moss <i>Pseudocalliergon trifarium</i> . <i>Journal of Heredity</i> , 2008, 99, 581-587.	1.0	49
159	Drought inhibits photosynthetic capacity more in females than in males of <i>Populus cathayana</i> . <i>Tree Physiology</i> , 2008, 28, 1751-1759.	1.4	96
160	Sex-related differences in leaf morphological and physiological responses in <i>Hippophae rhamnoides</i> along an altitudinal gradient. <i>Tree Physiology</i> , 2007, 27, 399-406.	1.4	128
161	Interactions between water deficit, ABA, and provenances in <i>Picea asperata</i> . <i>Journal of Experimental Botany</i> , 2007, 58, 3025-3036.	2.4	102
162	Genetic relationships among poplar species in section <i>Tacamahaca</i> ( <i>Populus</i> L.) from western Sichuan, China. <i>Plant Science</i> , 2007, 172, 196-203.	1.7	15

#	ARTICLE	IF	CITATIONS
163	Physiological and biochemical responses to high Mn concentrations in two contrasting <i>Populus cathayana</i> populations. <i>Chemosphere</i> , 2007, 68, 686-694.	4.2	176
164	The effect of drought and enhanced UV-B radiation on the growth and physiological traits of two contrasting poplar species. <i>Forest Ecology and Management</i> , 2007, 239, 112-119.	1.4	92
165	Microsatellite marker identification using genome screening and restriction-ligation. <i>BioTechniques</i> , 2007, 42, 479-486.	0.8	32
166	Principal component analysis of intraspecific responses of tartary buckwheat to UV-B radiation under field conditions. <i>Environmental and Experimental Botany</i> , 2007, 61, 237-245.	2.0	38
167	Excessive Variation in Y Chromosomal DNA in <i>Rumex acetosa</i> (Polygonaceae). <i>Plant Biology</i> , 2007, 9, 383-389.	1.8	5
168	Effect of Mn toxicity on morphological and physiological changes in two <i>Populus cathayana</i> populations originating from different habitats. <i>Trees - Structure and Function</i> , 2007, 21, 569-580.	0.9	28
169	Genetic diversity of <i>populus cathayana</i> Rehd populations in southwestern china revealed by ISSR markers. <i>Plant Science</i> , 2006, 170, 407-412.	1.7	35
170	Dispersal potential of spores and asexual propagules in the epixylic hepatic <i>Anastrophyllum hellerianum</i> . <i>Evolutionary Ecology</i> , 2006, 20, 415-430.	0.5	86
171	Effects of ultraviolet-B radiation on crop growth, development, yield and leaf pigment concentration of tartary buckwheat ( <i>Fagopyrum tataricum</i> ) under field conditions. <i>European Journal of Agronomy</i> , 2006, 25, 215-222.	1.9	48
172	Growth and physiological responses to supplemental UV-B radiation of two contrasting poplar species. <i>Tree Physiology</i> , 2006, 26, 665-672.	1.4	33
173	Four Tropical, Closely Related Fern Species belonging to the Genus <i>Adiantum</i> L. are Genetically Distinct as Revealed by ISSR Fingerprinting. <i>Genetica</i> , 2005, 125, 283-291.	0.5	9
174	Niche breadth and niche overlap in three epixylic hepatics in a boreal old-growth forest, southern Finland. <i>Journal of Bryology</i> , 2005, 27, 119-127.	0.4	16
175	Diversity of microsatellite markers in the populations of <i>Picea asperata</i> originating from the mountains of China. <i>Plant Science</i> , 2005, 168, 707-714.	1.7	26
176	The evolutionary processes of mitochondrial and chloroplast genomes differ from those of nuclear genomes. <i>Die Naturwissenschaften</i> , 2004, 91, 505-518.	0.6	67
177	Human life histories and the demographic transition: A case study from Finland, 1870-1949. <i>American Journal of Physical Anthropology</i> , 2003, 120, 384-390.	2.1	32
178	DNA fingerprinting of mosses. <i>Journal of Forensic Sciences</i> , 2003, 48, 804-7.	0.9	8
179	A genetic method to resolve gender complements investigations on sex ratios in <i>Rumex acetosa</i> . <i>Molecular Ecology</i> , 2002, 11, 2151-2156.	2.0	31
180	Variation in the heritability and evolvability of human lifespan. <i>Die Naturwissenschaften</i> , 2000, 87, 566-568.	0.6	25

#	ARTICLE	IF	CITATIONS
181	Fitness, reproduction and longevity among European aristocratic and rural Finnish families in the 1700s and 1800s. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2000, 267, 1765-1770.	1.2	76
182	Geographical differentiation of <i>Rumex longifolius</i> . <i>Nordic Journal of Botany</i> , 1999, 19, 15-22.	0.2	1
183	Genetic Maternal Effects on Human Life Span through the Inheritance of Mitochondrial DNA. <i>Human Heredity</i> , 1999, 49, 183-185.	0.4	38
184	Labile sex expression in plants. <i>Biological Reviews</i> , 1998, 73, 157-180.	4.7	137
185	Somatic polyploidy examined by flow cytometry in <i>Daphnia</i> . <i>Journal of Plankton Research</i> , 1997, 19, 2031-2040.	0.8	26
186	Comparison of gametophyte growth, sex determination and reproduction in three fern species from the tropics. <i>Nordic Journal of Botany</i> , 1997, 17, 133-143.	0.2	7
187	Intragametophytic selfing does not reduce reproduction in <i>Dryopteris filix-mas</i> . <i>Sexual Plant Reproduction</i> , 1996, 9, 117-122.	2.2	11
188	Genetic diversity and population structure in the outcrossing populations of <i>Equisetum arvense</i> and <i>E. hyemale</i> ( <i>Equisetaceae</i> ). <i>American Journal of Botany</i> , 1996, 83, 58-62.	0.8	12
189	Genetic diversity and population structure in the outcrossing populations of <i>Equisetum arvense</i> and <i>E. hyemale</i> ( <i>Equisetaceae</i> ). , 1996, 83, 58.		6
190	Intragametophytic selfing does not reduce reproduction in <i>Dryopteris filix -mas</i> . <i>Sexual Plant Reproduction</i> , 1996, 9, 117-122.	2.2	0
191	Growth and reproductive characteristics in artificially formed clonal gametophytes of <i>Dryopteris filix-mas</i> ( <i>Dryopteridaceae</i> ). <i>Plant Systematics and Evolution</i> , 1995, 196, 195-206.	0.3	7
192	Mating system and distribution of enzyme genetic variation in bracken ( <i>Pteridium aquilinum</i> ). <i>Canadian Journal of Botany</i> , 1995, 73, 1611-1617.	1.2	13
193	Growth, sex determination and reproduction of <i>Dryopteris filix-mas</i> (L.) Schott gametophytes under varying nutritional conditions. <i>Botanical Journal of the Linnean Society</i> , 1994, 114, 357-366.	0.8	42
194	Lowered female reproductive effort as an indicator for increased male production and sexuality in <i>Daphnia</i> (Crustacea: Cladocera). <i>Invertebrate Reproduction and Development</i> , 1992, 22, 281-289.	0.3	5
195	Patterns of resource allocation in male and female plants of <i>Rumex acetosa</i> and <i>R. acetosella</i> . <i>Oecologia</i> , 1992, 89, 133-139.	0.9	85
196	Sex ratio variation and spatial segregation of the sexes in populations of <i>Rumex acetosa</i> and <i>R. acetosella</i> ( <i>Polygonaceae</i> ). <i>Plant Systematics and Evolution</i> , 1991, 174, 183-195.	0.3	42
197	SEX RATIOS AND CONDITIONS REQUIRED FOR ENVIRONMENTAL SEX DETERMINATION IN ANIMALS. <i>Biological Reviews</i> , 1990, 65, 147-184.	4.7	146
198	Temporal changes in the genetic structure of <i>Daphnia magna</i> populations. <i>Heredity</i> , 1986, 57, 5-14.	1.2	29

#	ARTICLE	IF	CITATIONS
199	The effects of temperature and photoperiod on life history parameters of <i>Daphnia magna</i> (Crustacea:) Tj ETQq1 1 0.784314 rgBT /Overl	1.2	86
200	Ecological genetics of the cyclic parthenogens, <i>Daphnia longispina</i> and <i>Daphnia pulex</i> . <i>Hereditas</i> , 1986, 105, 7-16.	0.5	1
201	Genetic variation and evolutionary relationships within four species of <i>Daphnia</i> (Crustacea:) Tj ETQq1 1 0.784314 rgBT /Overl	0.5	10
202	The true sex ratio in European <i>Pseudocalliergon trifarium</i> (Bryophyta: Amblystegiaceae) revealed by a novel molecular approach. <i>Biological Journal of the Linnean Society</i> , 0, 100, 132-140.	0.7	34