Daniela M Zöller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5769355/publications.pdf

Version: 2024-02-01

21 448 11 papers citations h-index

27 27 27 735
all docs docs citations times ranked citing authors

17

g-index

#	Article	IF	Citations
1	Disentangling resting-state BOLD variability and PCC functional connectivity in 22q11.2 deletion syndrome. Neurolmage, 2017, 149, 85-97.	2.1	62
2	Positive psychotic symptoms are associated with divergent developmental trajectories of hippocampal volume during late adolescence in patients with 22q11DS. Molecular Psychiatry, 2020, 25, 2844-2859.	4.1	51
3	Early Adaptive Functioning Trajectories in Preschoolers With Autism Spectrum Disorders. Journal of Pediatric Psychology, 2018, 43, 800-813.	1.1	45
4	Large-Scale Brain Network Dynamics Provide a Measure of Psychosis and Anxiety in 22q11.2 Deletion Syndrome. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 881-892.	1.1	35
5	Robust Recovery of Temporal Overlap Between Network Activity Using Transient-Informed Spatio-Temporal Regression. IEEE Transactions on Medical Imaging, 2019, 38, 291-302.	5.4	30
6	Agito ergo sum: Correlates of spatio-temporal motion characteristics during fMRI. NeuroImage, 2020, 209, 116433.	2.1	28
7	Abnormal Development and Dysconnectivity of Distinct Thalamic Nuclei in Patients With $22q11.2$ Deletion Syndrome Experiencing Auditory Hallucinations. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 875-890.	1.1	21
8	Psychotic symptoms influence the development of anterior cingulate BOLD variability in 22q11.2 deletion syndrome. Schizophrenia Research, 2018, 193, 319-328.	1.1	20
9	Structural control energy of restingâ€state functional brain states reveals less costâ€effective brain dynamics in psychosis vulnerability. Human Brain Mapping, 2021, 42, 2181-2200.	1.9	18
10	Dysmaturation Observed as Altered Hippocampal Functional Connectivity at Rest Is Associated With the Emergence of Positive Psychotic Symptoms in Patients With 22q11 Deletion Syndrome. Biological Psychiatry, 2021, 90, 58-68.	0.7	18
11	Development of Structural Covariance From Childhood to Adolescence: A Longitudinal Study in 22q11.2DS. Frontiers in Neuroscience, 2018, 12, 327.	1.4	16
12	Pituitary dysmaturation affects psychopathology and neurodevelopment in 22q11.2 Deletion Syndrome. Psychoneuroendocrinology, 2020, 113, 104540.	1.3	15
13	Cortical morphology development in patients with 22q11.2 deletion syndrome at ultra-high risk of psychosis. Psychological Medicine, 2018, 48, 2375-2383.	2.7	13
14	Altered cortical thickness development in 22q11.2 deletion syndrome and association with psychotic symptoms. Molecular Psychiatry, 2021, 26, 7671-7678.	4.1	13
15	Developmental trajectories of subcortical structures in relation to dimensional schizotypy expression along adolescence. Schizophrenia Research, 2020, 218, 76-84.	1.1	11
16	Developmental Trajectories of Cortical Thickness in Relation to Schizotypy During Adolescence. Schizophrenia Bulletin, 2020, 46, 1306-1316.	2.3	8
17	Quantifying indices of short- and long-range white matter connectivity at each cortical vertex. PLoS ONE, 2017, 12, e0187493.	1.1	7
18	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. ELife, 2021, 10 , .	2.8	7

Daniela M Zöller

#	Article	IF	CITATIONS
19	Long-term verbal memory deficit and associated hippocampal alterations in 22q11.2 deletion syndrome. Child Neuropsychology, 2020, 26, 289-311.	0.8	6
20	Identifying neurodevelopmental anomalies of white matter microstructure associated with high risk for psychosis in 22q11.2DS. Translational Psychiatry, 2020, 10, 408.	2.4	6
21	Influence of Vascular Variant of the Posterior Cerebral Artery (PCA) on Cerebral Blood Flow, Vascular Response to CO2 and Static Functional Connectivity. PLoS ONE, 2016, 11, e0161121.	1.1	4