

# Takashi Kawahara

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5769483/takashi-kawahara-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193  
papers

1,743  
citations

22  
h-index

32  
g-index

205  
ext. papers

2,128  
ext. citations

2.2  
avg, IF

4.67  
L-index

#	Paper	IF	Citations
193	Ureteral stent encrustation, incrustation, and coloring: morbidity related to indwelling times. <i>Journal of Endourology</i> , <b>2012</b> , 26, 178-82	2.7	105
192	ELK1 is up-regulated by androgen in bladder cancer cells and promotes tumor progression. <i>Oncotarget</i> , <b>2015</b> , 6, 29860-76	3.3	56
191	The most reliable preoperative assessment of renal stone burden as a predictor of stone-free status after flexible ureteroscopy with holmium laser lithotripsy: a single-center experience. <i>Urology</i> , <b>2012</b> , 80, 524-8	1.6	53
190	Predictive value of attenuation coefficients measured as Hounsfield units on noncontrast computed tomography during flexible ureteroscopy with holmium laser lithotripsy: a single-center experience. <i>Journal of Endourology</i> , <b>2012</b> , 26, 1125-30	2.7	52
189	Neutrophil-to-lymphocyte ratio predicts prostatic carcinoma in men undergoing needle biopsy. <i>Oncotarget</i> , <b>2015</b> , 6, 32169-76	3.3	44
188	Cyclosporine A and tacrolimus inhibit bladder cancer growth through down-regulation of NFATc1. <i>Oncotarget</i> , <b>2015</b> , 6, 1582-93	3.3	43
187	Androgen receptor activity modulates responses to cisplatin treatment in bladder cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 49169-49179	3.3	40
186	Neutrophil-to-lymphocyte ratio is a prognostic marker in bladder cancer patients after radical cystectomy. <i>BMC Cancer</i> , <b>2016</b> , 16, 185	4.8	39
185	Ureteroscopy assisted retrograde nephrostomy: a new technique for percutaneous nephrolithotomy (PCNL). <i>BJU International</i> , <b>2012</b> , 110, 588-90	5.6	39
184	Preoperative stenting for ureteroscopic lithotripsy for a large renal stone. <i>International Journal of Urology</i> , <b>2012</b> , 19, 881-5	2.3	38
183	Development and internal validation of a nomogram for predicting stone-free status after flexible ureteroscopy for renal stones. <i>BJU International</i> , <b>2015</b> , 115, 446-51	5.6	37
182	Enzalutamide inhibits androgen receptor-positive bladder cancer cell growth. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 432.e15-23	2.8	29
181	Loss of GATA3 in bladder cancer promotes cell migration and invasion. <i>Cancer Biology and Therapy</i> , <b>2014</b> , 15, 428-35	4.6	29
180	Prostaglandin receptors induce urothelial tumorigenesis as well as bladder cancer progression and cisplatin resistance presumably via modulating PTEN expression. <i>British Journal of Cancer</i> , <b>2018</b> , 118, 213-223	8.7	29
179	Compound A Inhibits Bladder Cancer Growth Predominantly via Glucocorticoid Receptor Transrepression. <i>Molecular Endocrinology</i> , <b>2015</b> , 29, 1486-97		27
178	Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. <i>BMC Cancer</i> , <b>2016</b> , 16, 111	4.8	27
177	A low psoas muscle volume correlates with a longer hospitalization after radical cystectomy. <i>BMC Urology</i> , <b>2017</b> , 17, 87	2.2	26

176	The role of NFATc1 in prostate cancer progression: cyclosporine A and tacrolimus inhibit cell proliferation, migration, and invasion. <i>Prostate</i> , <b>2015</b> , 75, 573-84	4.2	25
175	Reduced glucocorticoid receptor expression predicts bladder tumor recurrence and progression. <i>American Journal of Clinical Pathology</i> , <b>2014</b> , 142, 157-64	1.9	23
174	Risk factors for metastatic castration-resistant prostate cancer (CRPC) predict long-term treatment with docetaxel. <i>PLoS ONE</i> , <b>2012</b> , 7, e48186	3.7	23
173	Neutrophil-to-Lymphocyte Ratio Predicts Prognosis in Castration-Resistant Prostate Cancer Patients Who Received Cabazitaxel Chemotherapy. <i>BioMed Research International</i> , <b>2017</b> , 2017, 7538647 <sup>3</sup>		22
172	Prognostic value of a computer-aided diagnosis system involving bone scans among men treated with docetaxel for metastatic castration-resistant prostate cancer. <i>BMC Cancer</i> , <b>2016</b> , 16, 109	4.8	22
171	Nonsteroidal anti-inflammatory drugs and prostatic diseases. <i>BioMed Research International</i> , <b>2014</b> , 2014, 436123	3	21
170	ZKSCAN3 promotes bladder cancer cell proliferation, migration, and invasion. <i>Oncotarget</i> , <b>2016</b> , 7, 53599-53610 <sup>1</sup>	3.5	21
169	Effect of density gradient centrifugation on reactive oxygen species in human semen. <i>Systems Biology in Reproductive Medicine</i> , <b>2017</b> , 63, 192-198	2.9	20
168	Pretreatment Neutrophil to Lymphocyte Ratio (NLR) Predicts Prognosis for Castration Resistant Prostate Cancer Patients Underwent Enzalutamide. <i>BioMed Research International</i> , <b>2019</b> , 2019, 9450838 <sup>3</sup>		20
167	Abiraterone Followed by Enzalutamide Versus Enzalutamide Followed by Abiraterone in Chemotherapy-naive Patients With Metastatic Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, 142-148	3.3	20
166	Cyclosporine A and tacrolimus inhibit urothelial tumorigenesis. <i>Molecular Carcinogenesis</i> , <b>2016</b> , 55, 161-9 <sup>5</sup>		20
165	Ureteral stent retrieval using the crochet hook technique in females. <i>PLoS ONE</i> , <b>2012</b> , 7, e29292	3.7	20
164	Choosing an appropriate length of loop type ureteral stent using direct ureteral length measurement. <i>Urologia Internationalis</i> , <b>2012</b> , 88, 48-53	1.9	20
163	A Low Psoas Muscle Index before Treatment Can Predict a Poorer Prognosis in Advanced Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , <b>2017</b> , 2017, 7981549	3	19
162	Increased neutrophil-to-lymphocyte ratio is associated with disease-specific mortality in patients with penile cancer. <i>BMC Cancer</i> , <b>2016</b> , 16, 396	4.8	19
161	Silodosin inhibits the growth of bladder cancer cells and enhances the cytotoxic activity of cisplatin via ELK1 inactivation. <i>American Journal of Cancer Research</i> , <b>2015</b> , 5, 2959-68	4.4	19
160	Changing to a loop-type ureteral stent decreases patientsRstent-related symptoms. <i>Urological Research</i> , <b>2012</b> , 40, 763-7		18
159	Prognostic value of the bone scan index using a computer-aided diagnosis system for bone scans in hormone-naive prostate cancer patients with bone metastases. <i>BMC Cancer</i> , <b>2016</b> , 16, 128	4.8	17

158	Development and Internal Validation of a Classification System for Predicting Success Rates After Endoscopic Combined Intrarenal Surgery in the Modified Valdivia Position for Large Renal Stones. <i>Urology</i> , <b>2015</b> , 86, 697-702	1.6	16
157	Analysis of NSAID-activated gene 1 expression in prostate cancer. <i>Urologia Internationalis</i> , <b>2010</b> , 84, 198-202		15
156	Silodosin inhibits prostate cancer cell growth via ELK1 inactivation and enhances the cytotoxic activity of gemcitabine. <i>Prostate</i> , <b>2016</b> , 76, 744-56	4.2	15
155	Expression of receptor activator of nuclear factor kappa B ligand in bladder cancer. <i>International Journal of Urology</i> , <b>2018</b> , 25, 901-902	2.3	14
154	Clinical factors prolonging the operative time of flexible ureteroscopy for renal stones: a single-center analysis. <i>Urolithiasis</i> , <b>2015</b> , 43, 467-75	3.2	13
153	Comparison of Sequential Treatment With Androgen Receptor-Targeted Agent Followed by Another Androgen Receptor-Targeted Agent Versus Androgen Receptor-Targeted Agent Followed by Docetaxel in Chemotherapy-Naive Patients With Metastatic Castration-Resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e1073-1080	3.3	13
152	Stone area and volume are correlated with operative time for cystolithotripsy for bladder calculi using a holmium: yttrium garnet laser. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2012</b> , 46, 298-303		13
151	Which is the best method to estimate the actual ureteral length in patients undergoing ureteral stent placement?. <i>International Journal of Urology</i> , <b>2012</b> , 19, 634-8	2.3	13
150	A new prediction model for operative time of flexible ureteroscopy with lithotripsy for the treatment of renal stones. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192597	3.7	13
149	The neutrophil-to-lymphocyte ratio (NLR) predicts adrenocortical carcinoma and is correlated with the prognosis. <i>BMC Urology</i> , <b>2017</b> , 17, 49	2.2	12
148	FOXO1 as a tumor suppressor inactivated via AR/ER signals in urothelial cells. <i>Endocrine-Related Cancer</i> , <b>2020</b> , 27, 231-244	5.7	12
147	NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. <i>Translational Oncology</i> , <b>2017</b> , 10, 318-323	4.9	11
146	Androgen receptor mRNA expression is a predictor for recurrence-free survival in non-muscle invasive bladder cancer. <i>BMC Cancer</i> , <b>2019</b> , 19, 331	4.8	11
145	Paraganglioma in the bladder: a case report. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 306	1.2	11
144	FDG PET/CT after first molecular targeted therapy predicts survival of patients with renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2018</b> , 81, 739-744	3.5	11
143	Baseline neutrophil-to-lymphocyte ratio predicts the prognosis of castration-resistant prostate cancer treated with abiraterone acetate. <i>Molecular and Clinical Oncology</i> , <b>2018</b> , 8, 587-591	1.6	11
142	Predictors of poor response to secondary alternative antiandrogen therapy with flutamide in metastatic castration-resistant prostate cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>2016</b> , 46, 1042-1046	2.8	11
141	Predicting the mineral composition of ureteral stone using non-contrast computed tomography. <i>Urolithiasis</i> , <b>2016</b> , 44, 231-9	3.2	10

140	Gastrointestinal cancer and bilateral hydronephrosis resulted in a high risk of ureteral stent failure. <i>BMC Urology</i> , <b>2018</b> , 18, 35	2.2	10
139	Onco-testicular sperm extraction (onco-TESE) for bilateral testicular tumors: two case reports. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 139	1.2	10
138	ELK1 promotes urothelial tumorigenesis in the presence of an activated androgen receptor. <i>American Journal of Cancer Research</i> , <b>2018</b> , 8, 2325-2336	4.4	10
137	Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. <i>BioMed Research International</i> , <b>2016</b> , 2016, 6197353	3.53	10
136	A low psoas muscle volume predicts longer hospitalization and cancer recurrence in upper urinary tract urothelial carcinoma. <i>Molecular and Clinical Oncology</i> , <b>2018</b> , 8, 320-322	1.6	9
135	Renal Cell Carcinoma in a Horseshoe Kidney Treated with Laparoscopic Partial Nephrectomy. <i>Case Reports in Oncological Medicine</i> , <b>2018</b> , 2018, 7135180	0.9	9
134	Prognostic value of an automated bone scan index for men with metastatic castration-resistant prostate cancer treated with cabazitaxel. <i>BMC Cancer</i> , <b>2018</b> , 18, 501	4.8	9
133	Effectiveness of ureteroscopy-assisted retrograde nephrostomy (UARN) for percutaneous nephrolithotomy (PCNL). <i>PLoS ONE</i> , <b>2012</b> , 7, e52149	3.7	9
132	A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma. <i>PLoS ONE</i> , <b>2020</b> , 15, e0226581	3.7	9
131	Androgen Receptor Signaling Reduces the Efficacy of Bacillus Calmette-Guérin Therapy for Bladder Cancer via Modulating Rab27b-Induced Exocytosis. <i>Molecular Cancer Therapeutics</i> , <b>2020</b> , 19, 1930-1942	6.1	9
130	A Longer History of Hemodialysis Can Lead to Sarcopenia in Renal Transplantation Patients. <i>Transplantation Proceedings</i> , <b>2018</b> , 50, 2447-2450	1.1	9
129	Skene duct adenocarcinoma in a patient with an elevated serum prostate-specific antigen level: a case report. <i>Journal of Medical Case Reports</i> , <b>2018</b> , 12, 32	1.2	8
128	Early ureteral catheter removal after ureteroscopic lithotripsy using ureteral access sheath. <i>Urolithiasis</i> , <b>2013</b> , 41, 31-5	3.2	8
127	Impact of smoking habit on overactive bladder symptoms and incontinence in women. <i>International Journal of Urology</i> , <b>2020</b> , 27, 1078-1086	2.3	8
126	Efficacy of Immediate Switching from Bicalutamide to Flutamide as Second-Line Combined Androgen Blockade. <i>BioMed Research International</i> , <b>2016</b> , 2016, 4083183	3	8
125	Pretreatment Neutrophil-to-Lymphocyte Ratio Can Predict the Prognosis in Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , <b>2016</b> , 2016, 9846823	3	8
124	Prognostic Value of Automated Bone Scan Index in Men With Metastatic Castration-resistant Prostate Cancer Treated With Enzalutamide or Abiraterone Acetate. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, 472-478	3.3	7
123	Foreign body in the bladder: A case report. <i>International Journal of Surgery Case Reports</i> , <b>2017</b> , 32, 22-24	0.8	7

122	Measurement of serum isoform [-2]proPSA derivatives shows superior accuracy to magnetic resonance imaging in the diagnosis of prostate cancer in patients with a total prostate-specific antigen level of 2-10 ng/ml. <i>Scandinavian Journal of Urology</i> , <b>2017</b> , 51, 251-257	1.6	7
121	The Neutrophil-to-Lymphocyte Ratio before Repeat Prostate Needle Biopsy for Predicting Prostate Cancer. <i>Urologia Internationalis</i> , <b>2016</b> , 96, 123-4	1.9	7
120	High-grade invasive urothelial carcinoma with focal plasmacytoid differentiation successfully treated by transurethral resection followed by chemoradiotherapy. <i>International Journal of Urology</i> , <b>2011</b> , 18, 851-3	2.3	7
119	Ureteral stent exchange under fluoroscopic guidance using the crochet hook technique in women. <i>Urologia Internationalis</i> , <b>2012</b> , 88, 322-5	1.9	7
118	Bone management in Japanese patients with prostate cancer: hormonal therapy leads to an increase in the FRAX score. <i>BMC Urology</i> , <b>2016</b> , 16, 32	2.2	7
117	Distribution of androgen receptor expression in the urinary bladder. <i>International Journal of Urology</i> , <b>2019</b> , 26, 305-306	2.3	7
116	Primary amelanotic malignant melanoma of the male urethra with inguinal lymph node metastasis successfully controlled by nivolumab: A case report. <i>Urology Case Reports</i> , <b>2018</b> , 18, 54-56	0.5	7
115	Correlation between Automated Bone Scan Index Change after Cabazitaxel and Survival among Men with Castration-Resistant Prostate Cancer. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 279-284	1.9	6
114	Longer Control of Nivolumab in Metastatic Renal Cell Carcinoma Patients with End-Stage Kidney Disease on Dialysis. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 608-612	1	6
113	Does screening for prostate cancer improve cancer-specific mortality in Asian men? Real-world data in Yokosuka City 15 years after introducing PSA-based population screening. <i>Prostate</i> , <b>2020</b> , 80, 824-830	4.2	6
112	Developing a preoperative predictive model for ureteral length for ureteral stent insertion. <i>BMC Urology</i> , <b>2016</b> , 16, 70	2.2	6
111	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	6
110	Amplatz sheath for cystolithotripsy using Ho: YAG laser in female patients. <i>Urology</i> , <b>2012</b> , 80, 1154-5	1.6	6
109	Ureteroscopic removal of forgotten ureteral stent. <i>BMJ Case Reports</i> , <b>2012</b> , 2012,	0.9	6
108	Encrusted Ureteral Stent Retrieval Using Flexible Ureteroscopy with a Ho: YAG Laser. <i>Case Reports in Medicine</i> , <b>2012</b> , 2012, 862539	0.7	6
107	Risk factors of systemic inflammation response syndrome after endoscopic combined intrarenal surgery in the modified Valdivia position. <i>International Journal of Urology</i> , <b>2016</b> , 23, 687-92	2.3	6
106	BHD-associated kidney cancer exhibits unique molecular characteristics and a wide variety of variants in chromatin remodeling genes. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 2712-2724	5.6	6
105	Editorial Comment from Dr Kawahara to Prevention and treatment of symptoms associated with indwelling ureteral stents: A systematic review. <i>International Journal of Urology</i> , <b>2017</b> , 24, 260	2.3	5

104	Prediction of Time to Castration-Resistant Prostate Cancer Using Bone Scan Index in Men with Metastatic Hormone-Sensitive Prostate Cancer. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 400-405	1.9	5
103	Large cell neuroendocrine carcinoma of the kidney with cardiac metastasis: a case report. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 297	1.2	5
102	Invasive urothelial carcinoma, lymphoma-like/plasmacytoid variant, successfully treated by radical cystectomy with adjuvant chemotherapy: a case report. <i>Journal of Medical Case Reports</i> , <b>2016</b> , 10, 48	1.2	5
101	Ureteroscopy-assisted retrograde nephrostomy (UARN) for an incomplete double ureter. <i>Urological Research</i> , <b>2012</b> , 40, 781-2		5
100	A high neutrophil-to-lymphocyte ratio is a poor prognostic factor for castration-resistant prostate cancer patients who undergo abiraterone acetate or enzalutamide treatment. <i>BMC Cancer</i> , <b>2020</b> , 20, 919	4.8	5
99	RANK/RANKL expression in prostate cancer. <i>International Journal of Surgery Case Reports</i> , <b>2017</b> , 30, 106-107	1.8	4
98	Comparison of Outcomes between Two Methods to Extract Stone Fragments during Flexible Ureteroscopic Lithotripsy. <i>BioMed Research International</i> , <b>2018</b> , 2018, 4526721	3	4
97	Functional paraganglioma of the bladder: Both radiographic-negative and laboratory-negative case. <i>IJU Case Reports</i> , <b>2019</b> , 2, 174-177	0.5	4
96	Correlation between the operation time using two different power settings of a Ho: YAG laser: laser power doesn't influence lithotripsy time. <i>BMC Research Notes</i> , <b>2013</b> , 6, 80	2.3	4
95	Discolored ureteral stents: findings in urinalysis and urine culture. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122984	3.7	4
94	Ureteroscopy-Assisted Retrograde Nephrostomy. <i>Videourology (New Rochelle, N Y)</i> , <b>2012</b> , 26,	0.9	4
93	Retroperitoneal Castleman's Disease. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 885-889	1	4
92	Prognostic Value of the LATITUDE and CHAARTED Risk Criteria for Predicting the Survival of Men with Bone Metastatic Hormone-Naïve Prostate Cancer Treated with Combined Androgen Blockade Therapy: Real-World Data from a Japanese Multi-Institutional Study. <i>BioMed Research International</i> , <b>2020</b> , 2020, 7804932	3	4
91	The analysis of human papillomavirus DNA in penile cancer tissue by hybridization. <i>Oncology Letters</i> , <b>2018</b> , 15, 8102-8106	2.6	4
90	Inserting a Metallic Ureteral Stent Using an Antegrade Approach Freed a Patient from Nephrostomy Created due to Hydronephrosis Caused by Bladder Cancer. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 560-563	1	3
89	Granulocyte Colony-Stimulating Factor-Producing Bladder Cancer. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 603-607	1	3
88	Changing the enzalutamide form from a capsule to a tablet improves the adherence of medicine intake: A case of a significant decrease in the prostate-specific antigen level and improvement in radiographic findings. <i>IJU Case Reports</i> , <b>2019</b> , 2, 143-145	0.5	3
87	Successful onco-testicular sperm extraction from a testicular cancer patient with a single testis and azoospermia. <i>Clinical and Experimental Reproductive Medicine</i> , <b>2018</b> , 45, 44-47	2.2	3

86	A case of allograft ureteral stone successfully treated with antegrade ureteroscopic lithotripsy: use of a 3D-printed model to determine the ideal approach. <i>Urolithiasis</i> , <b>2019</b> , 47, 467-471	3.2	3
85	Port site recurrence after laparoscopic radical nephrectomy: a case report. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 151	1.2	3
84	Inflammatory Myofibroblastic Tumor in the Bladder: A Case Report. <i>Case Reports in Oncology</i> , <b>2016</b> , 9, 554-558	1	3
83	Ureteroscopy-assisted retrograde nephrostomy for percutaneous nephrolithotomy after urinary diversion. <i>Case Reports in Nephrology and Urology</i> , <b>2012</b> , 2, 113-7		3
82	Value of bone scan index for predicting overall survival among patients treated with radium-223 for bone metastatic castration-resistant prostate cancer.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 216-216 <sup>2.2</sup>		3
81	Re: Quality of life in patients aged 65 years and older with overactive bladder treated with mirabegron across eight European countries: Secondary analysis of BELIEVE. <i>International Journal of Urology</i> , <b>2020</b> , 27, 188	2.3	3
80	Impact of depression on overactive bladder. <i>International Journal of Urology</i> , <b>2021</b> , 28, 245-246	2.3	3
79	Preference for enzalutamide capsules versus tablet pills in patients with prostate cancer. <i>International Journal of Urology</i> , <b>2019</b> , 26, 1161-1162	2.3	2
78	The impact of smoking on male lower urinary tract symptoms (LUTS). <i>Scientific Reports</i> , <b>2020</b> , 10, 20212	4.9	2
77	Ureter metastatic castration-resistant prostate cancer: a case report. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 215	1.2	2
76	Lenalidomide decreased the PSA level for castration-resistant prostate cancer: a case report. <i>Clinical Case Reports (discontinued)</i> , <b>2018</b> , 6, 391-394	0.7	2
75	Extramedullary plasmacytoma of the testis: A case report. <i>Urology Case Reports</i> , <b>2018</b> , 16, 101-103	0.5	2
74	The Use of a Metal Stent in the Treatment of Ureteral Stricture in a Patient Who Had Undergone Radical Cystectomy with the Creation of an Ileal Conduit. <i>Case Reports in Oncology</i> , <b>2018</b> , 11, 159-163	1	2
73	Low-molecular-weight protein tyrosine phosphatase expression as a prognostic factor for men with metastatic hormone-naïve prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 607.e9-607.e14	2.8	2
72	Ductal Adenocarcinoma of the Prostate: A Case Report. <i>Case Reports in Oncology</i> , <b>2016</b> , 9, 802-805	1	2
71	Xanthogranulomatous Pyelonephritis with Incomplete Double Ureter. <i>Case Reports in Medicine</i> , <b>2017</b> , 2017, 2392670	0.7	2
70	A retrospective study on the possible systematic inflammatory response markers to predict the prognosis of patients with bladder cancer undergoing radical cystectomy. <i>Molecular and Clinical Oncology</i> , <b>2020</b> , 13, 47	1.6	2
69	Successful removal of an encrusted metallic ureteral stent using a disposable ureteroscope and Ho:YAG laser lithotripsy. <i>Urolithiasis</i> , <b>2020</b> , 48, 281-282	3.2	2



68	Editorial Comment to Ureteric stents: Overview of current clinical applications and economic implications. <i>International Journal of Urology</i> , <b>2020</b> , 27, 16	2.3	2
67	Outcomes of treatment for localized prostate cancer in a single institution: comparison of radical prostatectomy and radiation therapy by propensity score matching analysis. <i>World Journal of Urology</i> , <b>2020</b> , 38, 2477-2484	4	2
66	Skin Metastasis of Renal Cell Carcinoma. <i>Case Reports in Oncology</i> , <b>2020</b> , 13, 798-801	1	2
65	Re: Geriatric 8 screening of frailty in patients with prostate cancer. <i>International Journal of Urology</i> , <b>2020</b> , 27, 1161-1162	2.3	2
64	Impact of Vasectomy on the Development and Progression of Prostate Cancer: Preclinical Evidence. <i>Cancers</i> , <b>2020</b> , 12,	6.6	2
63	The Pretherapeutic Neutrophil-to-Lymphocyte Ratio for Docetaxel-Based Chemotherapy Is Useful for Predicting the Prognosis of Japanese Patients with Castration-Resistant Prostate Cancer. <i>BioMed Research International</i> , <b>2019</b> , 2019, 2535270	3	2
62	Management of urethral stricture: High-pressure balloon dilation versus optical internal urethrotomy. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2019</b> , 11, O34-O37	1.9	2
61	A Case of Switching from GnRH Agonist to Antagonist for Castration Resistant Prostate Cancer Control. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 688-692	1	2
60	Successful Resection of Cisplatin-Resistant Renal Pelvic Cancer after the Administration of Pembrolizumab as Second-Line Therapy. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 548-553	1	1
59	Changing the Timing of Enzalutamide Intake from Morning to before Sleep at Night Overcame Enzalutamide-Induced Dysgeusia. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 589-594	1	1
58	Successful treatment of ureteral stricture after total hysterectomy: An antegrade ureteroscopic approach facilitates the insertion of a guidewire for endoscopic dilation. <i>IJU Case Reports</i> , <b>2019</b> , 2, 140-142	0.5	1
57	Expression of PD-L1 and CTLA-4 in female urethral carcinoma. <i>IJU Case Reports</i> , <b>2019</b> , 2, 23-26	0.5	1
56	Successful treatment with sorafenib for sunitinib-refractory metastatic papillary renal cell carcinoma: Potential impact of Raf overexpression on predicting the efficacy of sorafenib. <i>IJU Case Reports</i> , <b>2019</b> , 2, 43-46	0.5	1
55	High orchiectomy and ipsilateral testicular sperm extraction in a man with a testicular tumor and Klinefelter syndrome: A case report. <i>IJU Case Reports</i> , <b>2019</b> , 2, 65-68	0.5	1
54	Clear cell adenocarcinoma of the prostatic urethra: A case report. <i>IJU Case Reports</i> , <b>2019</b> , 2, 19-22	0.5	1
53	Effect of Amplatz Sheath on Cystolithotripsy for Women with Large Bladder Stone. <i>BioMed Research International</i> , <b>2017</b> , 2017, 9341042	3	1
52	Enterogenous cyst of pediatric testis: a case report. <i>Journal of Medical Case Reports</i> , <b>2017</b> , 11, 207	1.2	1
51	Epidermal Cyst in the Scrotum Successfully Treated while Preserving the Testis: A Case Report. <i>Case Reports in Oncology</i> , <b>2016</b> , 9, 235-40	1	1

50	An infertile patient with Y chromosome b1/b3 deletion presenting with congenital bilateral absence of the vas deferens with normal spermatogenesis. <i>Clinical and Experimental Reproductive Medicine</i> , <b>2018</b> , 45, 48-51	2.2	1
49	Fluorescent Light-Guided Cystoscopy with 5-ALA Aids in Accurate Surgical Margin Detection for TURBO: A Case Report. <i>Case Reports in Oncology</i> , <b>2018</b> , 11, 164-167	1	1
48	The Achievement of Long-Term CRPC Control in a Patient with Enzalutamide-Induced Nausea and Fatigue after Overcoming the Adverse Events with a Temporary Drug Holiday. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 568-572	1	1
47	Ureteroscopy-assisted retrograde nephrostomy for lower calyx calculi in horseshoe kidney: two case reports. <i>Journal of Medical Case Reports</i> , <b>2012</b> , 6, 194	1.2	1
46	AuthorsResponse to Chew and Lange. <i>Journal of Endourology</i> , <b>2013</b> , 27, 507	2.7	1
45	A case of infective endocarditis after transurethral prostatic resection. <i>Urology Annals</i> , <b>2010</b> , 2, 83-5	1	1
44	Ureteroscopy assisted retrograde nephrostomy for complete staghorn renal calculi. <i>Current Urology</i> , <b>2012</b> , 6, 102-5	1.7	1
43	Ureteroscopy-assisted retrograde nephrostomy for an obese patient. <i>Indian Journal of Urology</i> , <b>2012</b> , 28, 439-41	0.8	1
42	The neutrophil-to-lymphocyte ratio at the prostate-specific antigen nadir predicts the time to castration-resistant prostate cancer. <i>Asian Journal of Urology</i> , <b>2021</b> , 8, 332-334	2.7	1
41	A novel prediction model for the completion of six cycles of radium-223 treatment and survival in patients with metastatic castration-resistant prostate cancer. <i>World Journal of Urology</i> , <b>2021</b> , 39, 3323-3328	4	1
40	Prediction of Time to Castration-Resistant Prostate Cancer Using Low-Molecular-Weight Protein Tyrosine Phosphatase Expression for Men with Metastatic Hormone-Naïve Prostate Cancer. <i>Urologia Internationalis</i> , <b>2019</b> , 102, 37-42	1.9	1
39	Complete ureteral stenosis after ureteroscopic lithotripsy successfully managed using a simultaneous retrograde and antegrade flexible ureteroscopic approach. <i>Clinical Case Reports (discontinued)</i> , <b>2021</b> , 9, 246-250	0.7	1
38	Prognostic value of automated bone scan index for predicting overall survival among bone metastatic castration resistant prostate cancer patients treated with radium-223.. <i>BJUI Compass</i> , <b>2021</b> , 2, 24-30	0.9	1
37	A lower psoas muscle index predicts a poorer prognosis in metastatic hormone-naïve prostate cancer.. <i>BJUI Compass</i> , <b>2021</b> , 2, 39-45	0.9	1
36	Prostate Basal Cell Carcinoma: A Case Report. <i>Case Reports in Oncology</i> , <b>2018</b> , 11, 138-142	1	1
35	Adrenal Hemangioma: A Case of Retroperitoneal Tumor. <i>Case Reports in Medicine</i> , <b>2018</b> , 2018, 8796327	0.7	1
34	Retroperitoneal Schwannoma in the Renal Hilum: A Case Report. <i>Case Reports in Oncology</i> , <b>2015</b> , 8, 394-8		0
33	Ureteroscopy-Assisted Retrograde Nephrostomy (UARN) after Anatomic Nephrolithotomy. <i>Case Reports in Medicine</i> , <b>2012</b> , 2012, 164963	0.7	0

32	IgG4-Producing MALT Lymphoma in the Renal Hilum. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 880-884	1	0
31	Renal Squamous Cell Carcinoma with Staghorn Calculus. <i>Case Reports in Oncology</i> , <b>2020</b> , 13, 403-407	1	0
30	A Case of Retroperitoneal Ganglioneuroma Accidentally Discovered by Laparoscopic Right Adrenalectomy. <i>Case Reports in Oncology</i> , <b>2020</b> , 13, 764-767	1	0
29	A novel prognostic model for Japanese patients with newly diagnosed bone-metastatic hormone-naïve prostate cancer.. <i>BJUI Compass</i> , <b>2021</b> , 2, 105-114	0.9	0
28	Use of metallic and polymeric ureteral stents in malignant ureteral obstruction.. <i>BJUI Compass</i> , <b>2021</b> , 2, 58-63	0.9	0
27	Prognosis and safety of radium-223 with concurrent abiraterone acetate or enzalutamide use for metastatic castration-resistant prostate cancer: Real-world data of Japanese patients.. <i>BJUI Compass</i> , <b>2021</b> , 2, 31-38	0.9	0
26	Sarcomatoid Variant of Bladder Carcinoma: A Case Report. <i>Case Reports in Oncology</i> , <b>2018</b> , 11, 633-637	1	0
25	Spontaneous adrenal hemorrhage with dehydroepiandrosterone-sulfate elevation in a patient with suspected adrenal cortical carcinoma. <i>IJU Case Reports</i> , <b>2019</b> , 2, 102-104	0.5	
24	Double ureteral access sheath (UAS) technique for complicated distal ureteral stone. <i>Urolithiasis</i> , <b>2015</b> , 43, 99-100	3.2	
23	Ureteroscopy-assisted retrograde nephrostomy for a large and obstructive renal pelvic stone: a case report. <i>Journal of Medical Case Reports</i> , <b>2015</b> , 9, 44	1.2	
22	Ureteroscopy-Assisted Biopsy for a Retroperitoneal Tumor: A Case Report. <i>Case Reports in Oncology</i> , <b>2015</b> , 8, 279-84	1	
21	Pediatric bilateral ureteral stone successfully removed using single-use flexible ureteroscopy with a holmium: YAG laser. <i>Clinical Case Reports (discontinued)</i> , <b>2020</b> , 8, 1073-1075	0.7	
20	Editorial Comment to Management and treatment options when facing malignant ureteral obstruction. <i>International Journal of Urology</i> , <b>2020</b> , 27, 598	2.3	
19	Female urethral diverticular carcinoma treated by multimodality therapies: A case report. <i>Urology Case Reports</i> , <b>2018</b> , 17, 131-133	0.5	
18	The half-loop transurethral incision technique for bilateral ureterocele in adult. <i>Urology Case Reports</i> , <b>2018</b> , 18, 6-8	0.5	
17	Long-Term Control of Metastatic Renal Cell Carcinoma Using Pazopanib. <i>Case Reports in Oncology</i> , <b>2019</b> , 12, 543-547	1	
16	Lack of an association between the aPKC $\zeta$ expression in prostate cancer and the patient outcomes. <i>International Journal of Surgery Case Reports</i> , <b>2017</b> , 37, 180-182	0.8	
15	Ureteroscopy-assisted retrograde nephrostomy (UARN) without ureteral access sheath (UAS). <i>International Journal of Surgery Case Reports</i> , <b>2015</b> , 10, 56-8	0.8	

14	Authors' Response to Letter to the Editor. <i>Journal of Endourology</i> , <b>2012</b> , 26, 926-926	2.7
13	A low psoas muscle volume is associated with a poor prognosis in penile cancer. <i>Oncotarget</i> , <b>2020</b> , 11, 3526-3530	3.3
12	Evaluation of ability of low-molecular-weight protein tyrosine phosphatase expression to predict primary hormone therapy efficacy among men with metastatic hormone-naïve prostate cancer.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 316-316	2.2
11	Evaluation of ability of OR51T1 expression to predict primary hormone therapy efficacy among men with hormone-naïve metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 317-317	2.2
10	Response to Letter to the Editor Regarding "Neutrophil-to-Lymphocyte Ratio in Renal Transplant Patients". <i>Experimental and Clinical Transplantation</i> , <b>2019</b> , 17, 129	0.8
9	Bilateral Encrusted Metallic Stent Successfully Removed by Ureteroscopic Lithotripsy Using a Ho:YAG Laser in a Patient with Malignant Myeloma. <i>Case Reports in Oncology</i> , <b>2020</b> , 13, 1501-1505	1
8	Clinical outcome of surgical management for symptomatic metastatic spinal cord compression from prostate cancer. <i>BMC Urology</i> , <b>2020</b> , 20, 143	2.2
7	Editorial Comment to Considerations for the use of gonadotropin-releasing hormone agonists and antagonists in patients with prostate cancer. <i>International Journal of Urology</i> , <b>2020</b> , 27, 837-838	2.3
6	Effectiveness and Feasibility of Up-Front Docetaxel Chemotherapy for Japanese Metastatic Hormone-Naïve Prostate Cancer. <i>SN Comprehensive Clinical Medicine</i> , <b>2021</b> , 3, 1715-1716	2.7
5	Re: Current treatment strategies for advanced prostate cancer. <i>International Journal of Urology</i> , <b>2020</b> , 27, 571	2.3
4	A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma <b>2020</b> , 15, e0226581	
3	A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma <b>2020</b> , 15, e0226581	
2	A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma <b>2020</b> , 15, e0226581	
1	A lower psoas muscle volume was associated with a higher rate of recurrence in male clear cell renal cell carcinoma <b>2020</b> , 15, e0226581	