

Lucia Cea Soriano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5770280/publications.pdf>

Version: 2024-02-01

74
papers

2,776
citations

218677

26
h-index

182427

51
g-index

79
all docs

79
docs citations

79
times ranked

4368
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504.	1.9	15
2	Mediterranean diet and diabetes risk in a cohort study of individuals with prediabetes: propensity score analyses. <i>Diabetic Medicine</i> , 2022, 39, e14768.	2.3	5
3	Estimating the Prevalence of Recreational Opioid Use in Spain Using a Multiplier Method. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4815.	2.6	2
4	Heterogeneity in the association between prediabetes categories and reduction on glomerular filtration rate in a 5-year follow-up. <i>Scientific Reports</i> , 2022, 12, 7373.	3.3	1
5	Discontinuation of oral anticoagulation in atrial fibrillation and risk of ischaemic stroke. <i>Heart</i> , 2021, 107, 542-548.	2.9	16
6	El Aprendizaje y Servicio como herramienta para la aplicación de los objetivos de Salud Pública en el colectivo de personas mayores. <i>Revista Española De Educación Médica</i> , 2021, 2, 66-73.	0.1	0
7	A Validation Study on the Frequency and Natural History of Miscarriages Using the Spanish Primary Care Database BIFAP. <i>Healthcare (Switzerland)</i> , 2021, 9, 596.	2.0	3
8	The heterogeneity of reversion to normoglycemia according to prediabetes type is not explained by lifestyle factors. <i>Scientific Reports</i> , 2021, 11, 9667.	3.3	3
9	Classifying and communicating risks in prediabetes according to fasting glucose and/or glycated hemoglobin: PREDAPS cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 355-363.	1.5	0
10	Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 27-35.	11.4	215
11	An algorithm to identify pregnancies in BIFAP Primary Care database in Spain: Results from a cohort of 155,419 pregnancies. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 57-68.	1.9	6
12	Feasibility study to identify women of childbearing age at risk of pregnancy not using any contraception in The Health Improvement Network (THIN) database. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 164.	3.0	2
13	Erosion of universal health coverage and trend in the frequency of physician consultations in Spain. <i>International Journal for Equity in Health</i> , 2020, 19, 121.	3.5	6
14	Reduction in use of cyproterone/ethinylestradiol (Diane-35 and generics) after risk minimization measures in the Netherlands, UK and Italy. <i>Contraception</i> , 2020, 102, 243-245.	1.5	0
15	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 606-615.	11.4	67
16	Bleeding associated with low-dose aspirin: Comparison of data from the COMPASS randomized controlled trial and routine clinical practice. <i>International Journal of Cardiology</i> , 2020, 318, 21-24.	1.7	3
17	No association between use of phosphodiesterase 5 inhibitors and colorectal cancer in men with erectile dysfunction. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 605-608.	1.9	5
18	Low-dose aspirin and risk of gastric and oesophageal cancer: A population-based study in the United Kingdom using The Health Improvement Network. <i>International Journal of Cancer</i> , 2020, 147, 2394-2404.	5.1	9

#	ARTICLE	IF	CITATIONS
19	Effect of Proton Pump Inhibitors on Risks of Upper and Lower Gastrointestinal Bleeding among Users of Low-Dose Aspirin: A Population-Based Observational Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 928.	2.4	9
20	Mortality in working-age population during the Great Recession and austerity in Spain. <i>PLoS ONE</i> , 2019, 14, e0218410.	2.5	9
21	The effect of low-dose aspirin on colorectal cancer prevention and gastrointestinal bleeding according to bodyweight and body mass index: Analysis of UK primary care data. <i>International Journal of Cardiology</i> , 2019, 297, 135-139.	1.7	4
22	Lifestyle factors do not explain the difference on diabetes progression according to type of prediabetes: Results from a Spanish prospective cohort of prediabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2019, 153, 66-75.	2.8	7
23	Low-dose aspirin and risk of upper/lower gastrointestinal bleeding by bleed severity: a cohort study with nested case-control analysis using primary care electronic health records from the United Kingdom. <i>Annals of Medicine</i> , 2019, 51, 182-192.	3.8	12
24	Feasibility and validity of The Health Improvement Network database of primary care electronic health records to identify and characterise patients with small cell lung cancer in the United Kingdom. <i>BMC Cancer</i> , 2019, 19, 91.	2.6	3
25	The importance of validating intracranial bleeding diagnoses in The Health Improvement Network, United Kingdom: Misclassification of onset and its impact on the risk associated with low-dose aspirin therapy. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 134-139.	1.9	7
26	Incidence of Upper and Lower Gastrointestinal Bleeding in New Users of Low-Dose Aspirin. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 887-895.e6.	4.4	27
27	Safety of non-insulin glucose-lowering drugs in pregnant women with pre-gestational diabetes: A cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1642-1651.	4.4	14
28	Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. <i>BMJ Open</i> , 2018, 8, e018184.	1.9	58
29	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using The Health Improvement Network in the United Kingdom. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1101-1112.	3.4	9
30	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2628-2639.	2.8	370
31	SGLT-2 Inhibitors and Cardiovascular Risk. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2497-2506.	2.8	113
32	Trends in the contemporary incidence of colorectal cancer and patient characteristics in the United Kingdom: a population-based cohort study using The Health Improvement Network. <i>BMC Cancer</i> , 2018, 18, 402.	2.6	17
33	Real world management of pregestational diabetes not achieving glycemic control for many patients in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 940-948.	1.9	4
34	Incidence of intracranial bleeds in new users of low-dose aspirin: a cohort study using The Health Improvement Network. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1055-1064.	3.8	10
35	Prescribing of cyproterone acetate/ethinylestradiol in UK general practice: a retrospective descriptive study using The Health Improvement Network. <i>Contraception</i> , 2017, 95, 299-305.	1.5	6
36	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2017, 48, 3245-3251.	2.0	19

#	ARTICLE	IF	CITATIONS
37	Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2017, 22, 334-343.	1.5	25
38	Incidence of colorectal cancer in new users and non-users of low-dose aspirin without existing cardiovascular disease: A cohort study using The Health Improvement Network. <i>International Journal of Cardiology</i> , 2017, 248, 376-381.	1.7	4
39	Low-dose aspirin and risk of intracranial bleeds. <i>Neurology</i> , 2017, 89, 2280-2287.	1.1	36
40	Cardiovascular outcomes for patients with symptomatic peripheral artery disease: A cohort study in The Health Improvement Network (THIN) in the UK. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1927-1937.	1.8	24
41	New use of low-dose aspirin and risk of colorectal cancer by stage at diagnosis: a nested case-control study in UK general practice. <i>BMC Cancer</i> , 2017, 17, 637.	2.6	33
42	Exposure to acid-suppressing drugs during pregnancy and the risk of asthma in childhood: an observational cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 427-437.	3.7	13
43	Prescribing patterns of combined hormonal products containing cyproterone acetate, levonorgestrel and drospirenone in the UK. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 247-254.	0.8	4
44	Validation of low-dose aspirin prescription data in The Health Improvement Network: how much misclassification due to over-the-counter use?. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 392-398.	1.9	30
45	Validity and completeness of colorectal cancer diagnoses in a primary care database in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 385-391.	1.9	25
46	The Protective Effect of Low-Dose Aspirin against Colorectal Cancer Is Unlikely Explained by Selection Bias: Results from Three Different Study Designs in Clinical Practice. <i>PLoS ONE</i> , 2016, 11, e0159179.	2.5	28
47	The continuation rates of long-acting reversible contraceptives in UK general practice using data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 52-58.	1.9	21
48	Cardiovascular events and all-cause mortality in a cohort of 57,946 patients with type 2 diabetes: associations with renal function and cardiovascular risk factors. <i>Cardiovascular Diabetology</i> , 2015, 14, 38.	6.8	60
49	Low-Dose Acetylsalicylic Acid and Risk of Colorectal Cancer: Evidence From a Primary Care Study in the UK. <i>Gastroenterology</i> , 2015, 148, S-371.	1.3	3
50	Area-level socioeconomic context, total mortality and cause-specific mortality in Spain: Heterogeneous findings depending on the level of geographic aggregation. <i>Social Science and Medicine</i> , 2015, 141, 142-150.	3.8	6
51	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. <i>Thrombosis and Haemostasis</i> , 2014, 111, 131-139.	3.4	12
52	Study of long-acting reversible contraceptive use in a UK primary care database: Validation of methodology. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 22-28.	1.5	9
53	Prescription of antihypertensive medications during pregnancy in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1051-1058.	1.9	22
54	Study of the Association Between Hip Fracture and Acid-Suppressive Drug Use in a UK Primary Care Setting. <i>Pharmacotherapy</i> , 2014, 34, 570-581.	2.6	32

#	ARTICLE	IF	CITATIONS
55	Use of long-acting reversible contraceptives in the UK from 2004 to 2010: Analysis using The Health Improvement Network Database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 439-447.	1.5	15
56	Use of prescription contraceptive methods in the <scp>UK</scp> general population: a primary care study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 53-61.	2.3	41
57	Changes in HbA1c and frequency of measuring HbA1c and adjusting glucose-lowering medications in the 10 years following diagnosis of type 2 diabetes: a population-based study in the UK. <i>Diabetologia</i> , 2014, 57, 1586-1594.	6.3	15
58	Mortality trends in patients with and without diabetes in Ontario, Canada and the UK from 1996 to 2009: a population-based study. <i>Diabetologia</i> , 2013, 56, 2601-2608.	6.3	142
59	The risk of pulmonary embolism and deep vein thrombosis in rheumatoid arthritis: a UK population-based outpatient cohort study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1182-1187.	0.9	112
60	Risk Factors for Falls with Use of Acid-Suppressive Drugs. <i>Epidemiology</i> , 2013, 24, 600-607.	2.7	14
61	Challenges of using primary care electronic medical records in the UK to study medications in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 977-985.	1.9	24
62	Coxibs: Pharmacology, Toxicity and Efficacy in Cancer Clinical Trials. <i>Recent Results in Cancer Research</i> , 2013, 191, 67-93.	1.8	38
63	Cardiovascular and upper gastrointestinal bleeding consequences of low-dose acetylsalicylic acid discontinuation. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1298-1304.	3.4	31
64	Use of clopidogrel and proton pump inhibitors after a serious acute coronary event: Risk of coronary events and peptic ulcer bleeding. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1014-1024.	3.4	13
65	Antihypertensive drugs and risk of incident gout among patients with hypertension: population based case-control study. <i>BMJ: British Medical Journal</i> , 2012, 344, d8190-d8190.	2.3	197
66	Epidemiology of Meningioma in the United Kingdom. <i>Neuroepidemiology</i> , 2012, 39, 27-34.	2.3	72
67	Hormonal therapies and meningioma: Is there a link?. <i>Cancer Epidemiology</i> , 2012, 36, 198-205.	1.9	72
68	Predictors and time trends in clopidogrel and proton pump inhibitor coprescription with low-dose acetylsalicylic acid. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 463-469.	1.9	1
69	Contemporary epidemiology of gout in the UK general population. <i>Arthritis Research and Therapy</i> , 2011, 13, R39.	3.5	113
70	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care. <i>BMJ: British Medical Journal</i> , 2011, 343, d4094-d4094.	2.3	117
71	Increased risk of stroke after discontinuation of acetylsalicylic acid. <i>Neurology</i> , 2011, 76, 740-746.	1.1	100
72	Frequency and risk factors of gout flares in a large population-based cohort of incident gout. <i>Rheumatology</i> , 2011, 50, 973-981.	1.9	98

#	ARTICLE	IF	CITATIONS
73	Risk of Upper Gastrointestinal Bleeding in a Cohort of New Users of Low-Dose ASA for Secondary Prevention of Cardiovascular Outcomes. <i>Frontiers in Pharmacology</i> , 2010, 1, 126.	3.5	32
74	Impact of diabetes against the future risk of developing gout. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2090-2094.	0.9	83