
Lucia Cea Soriano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5770280/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. Journal of the American College of Cardiology, 2018, 71, 2628-2639.	2.8	370
2	Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 27-35.	11.4	215
3	Antihypertensive drugs and risk of incident gout among patients with hypertension: population based case-control study. BMJ: British Medical Journal, 2012, 344, d8190-d8190.	2.3	197
4	Mortality trends in patients with and without diabetes in Ontario, Canada and the UK from 1996 to 2009: a population-based study. Diabetologia, 2013, 56, 2601-2608.	6.3	142
5	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care. BMJ: British Medical Journal, 2011, 343, d4094-d4094.	2.3	117
6	Contemporary epidemiology of gout in the UK general population. Arthritis Research and Therapy, 2011, 13, R39.	3.5	113
7	SGLT-2 Inhibitors and Cardiovascular Risk. Journal of the American College of Cardiology, 2018, 71, 2497-2506.	2.8	113
8	The risk of pulmonary embolism and deep vein thrombosis in rheumatoid arthritis: a UK population-based outpatient cohort study. Annals of the Rheumatic Diseases, 2013, 72, 1182-1187.	0.9	112
9	Increased risk of stroke after discontinuation of acetylsalicylic acid. Neurology, 2011, 76, 740-746.	1.1	100
10	Frequency and risk factors of gout flares in a large population-based cohort of incident gout. Rheumatology, 2011, 50, 973-981.	1.9	98
11	Impact of diabetes against the future risk of developing gout. Annals of the Rheumatic Diseases, 2010, 69, 2090-2094.	0.9	83
12	Epidemiology of Meningioma in the United Kingdom. Neuroepidemiology, 2012, 39, 27-34.	2.3	72
13	Hormonal therapies and meningioma: Is there a link?. Cancer Epidemiology, 2012, 36, 198-205.	1.9	72
14	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 606-615.	11.4	67
15	Cardiovascular events and all-cause mortality in a cohort of 57,946 patients with type 2 diabetes: associations with renal function and cardiovascular risk factors. Cardiovascular Diabetology, 2015, 14, 38.	6.8	60
16	Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. BMJ Open, 2018, 8, e018184.	1.9	58
17	Use of prescription contraceptive methods in the <scp>UK</scp> general population: a primary care study. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 53-61.	2.3	41
18	Coxibs: Pharmacology, Toxicity and Efficacy in Cancer Clinical Trials. Recent Results in Cancer Research, 2013, 191, 67-93.	1.8	38

LUCIA CEA SORIANO

#	Article	IF	CITATIONS
19	Low-dose aspirin and risk of intracranial bleeds. Neurology, 2017, 89, 2280-2287.	1.1	36
20	New use of low-dose aspirin and risk of colorectal cancer by stage at diagnosis: a nested case–control study in UK general practice. BMC Cancer, 2017, 17, 637.	2.6	33
21	Risk of Upper Gastrointestinal Bleeding in a Cohort of New Users of Low-Dose ASA for Secondary Prevention of Cardiovascular Outcomes. Frontiers in Pharmacology, 2010, 1, 126.	3.5	32
22	Study of the Association Between Hip Fracture and Acid‣uppressive Drug Use in a <scp>UK</scp> Primary Care Setting. Pharmacotherapy, 2014, 34, 570-581.	2.6	32
23	Cardiovascular and upper gastrointestinal bleeding consequences of low-dose acetylsalicylic acid discontinuation. Thrombosis and Haemostasis, 2013, 110, 1298-1304.	3.4	31
24	Validation of lowâ€dose aspirin prescription data in The Health Improvement Network: how much misclassification due to overâ€theâ€counter use?. Pharmacoepidemiology and Drug Safety, 2016, 25, 392-398.	1.9	30
25	The Protective Effect of Low-Dose Aspirin against Colorectal Cancer Is Unlikely Explained by Selection Bias: Results from Three Different Study Designs in Clinical Practice. PLoS ONE, 2016, 11, e0159179.	2.5	28
26	Incidence of Upper and Lower Gastrointestinal Bleeding in New Users of Low-Dose Aspirin. Clinical Gastroenterology and Hepatology, 2019, 17, 887-895.e6.	4.4	27
27	Validity and completeness of colorectal cancer diagnoses in a primary care database in the United Kingdom. Pharmacoepidemiology and Drug Safety, 2016, 25, 385-391.	1.9	25
28	Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. European Journal of Contraception and Reproductive Health Care, 2017, 22, 334-343.	1.5	25
29	Challenges of using primary care electronic medical records in the UK to study medications in pregnancy. Pharmacoepidemiology and Drug Safety, 2013, 22, 977-985.	1.9	24
30	Cardiovascular outcomes for patients with symptomatic peripheral artery disease: A cohort study in The Health Improvement Network (THIN) in the UK. European Journal of Preventive Cardiology, 2017, 24, 1927-1937.	1.8	24
31	Prescription of antihypertensive medications during pregnancy in the UK. Pharmacoepidemiology and Drug Safety, 2014, 23, 1051-1058.	1.9	22
32	The continuation rates of long-acting reversible contraceptives in UK general practice using data from The Health Improvement Network. Pharmacoepidemiology and Drug Safety, 2015, 24, 52-58.	1.9	21
33	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. Stroke, 2017, 48, 3245-3251.	2.0	19
34	Trends in the contemporary incidence of colorectal cancer and patient characteristics in the United Kingdom: a population-based cohort study using The Health Improvement Network. BMC Cancer, 2018, 18, 402.	2.6	17
35	Discontinuation of oral anticoagulation in atrial fibrillation and risk of ischaemic stroke. Heart, 2021, 107, 542-548.	2.9	16
36	Use of long-acting reversible contraceptives in the UK from 2004 to 2010: Analysis using The Health Improvement Network Database. European Journal of Contraception and Reproductive Health Care, 2014, 19, 439-447.	1.5	15

#	Article	IF	CITATIONS
37	Changes in HbA1c and frequency of measuring HbA1c and adjusting glucose-lowering medications in the 10Åyears following diagnosis of type 2 diabetes: a population-based study in the UK. Diabetologia, 2014, 57, 1586-1594.	6.3	15
38	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. European Journal of Clinical Pharmacology, 2022, 78, 497-504.	1.9	15
39	Risk Factors for Falls with Use of Acid-Suppressive Drugs. Epidemiology, 2013, 24, 600-607.	2.7	14
40	Safety of nonâ€insulin glucoseâ€lowering drugs in pregnant women with preâ€gestational diabetes: A cohort study. Diabetes, Obesity and Metabolism, 2018, 20, 1642-1651.	4.4	14
41	Use of clopidogrel and proton pump inhibitors after a serious acute coronary event: Risk of coronary events and peptic ulcer bleeding. Thrombosis and Haemostasis, 2013, 110, 1014-1024.	3.4	13
42	Exposure to acidâ€suppressing drugs during pregnancy and the risk of asthma in childhood: an observational cohort study. Alimentary Pharmacology and Therapeutics, 2016, 43, 427-437.	3.7	13
43	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. Thrombosis and Haemostasis, 2014, 111, 131-139.	3.4	12
44	Low-dose aspirin and risk of upper/lower gastrointestinal bleeding by bleed severity: a cohort study with nested case-control analysis using primary care electronic health records from the United Kingdom. Annals of Medicine, 2019, 51, 182-192.	3.8	12
45	Incidence of intracranial bleeds in new users of lowâ€dose aspirin: a cohort study using The Health Improvement Network. Journal of Thrombosis and Haemostasis, 2017, 15, 1055-1064.	3.8	10
46	Study of long-acting reversible contraceptive use in a UK primary care database: Validation of methodology. European Journal of Contraception and Reproductive Health Care, 2014, 19, 22-28.	1.5	9
47	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using The Health Improvement Network in the United Kingdom. Thrombosis and Haemostasis, 2018, 118, 1101-1112.	3.4	9
48	Mortality in working-age population during the Great Recession and austerity in Spain. PLoS ONE, 2019, 14, e0218410.	2.5	9
49	Lowâ€dose aspirin and risk of gastric and oesophageal cancer: A populationâ€based study in the United Kingdom using The Health Improvement Network. International Journal of Cancer, 2020, 147, 2394-2404.	5.1	9
50	Effect of Proton Pump Inhibitors on Risks of Upper and Lower Gastrointestinal Bleeding among Users of Low-Dose Aspirin: A Population-Based Observational Study. Journal of Clinical Medicine, 2020, 9, 928.	2.4	9
51	Lifestyle factors do not explain the difference on diabetes progression according to type of prediabetes: Results from a Spanish prospective cohort of prediabetic patients. Diabetes Research and Clinical Practice, 2019, 153, 66-75.	2.8	7
52	The importance of validating intracranial bleeding diagnoses in The Health Improvement Network, United Kingdom: Misclassification of onset and its impact on the risk associated with lowâ€dose aspirin therapy. Pharmacoepidemiology and Drug Safety, 2019, 28, 134-139.	1.9	7
53	Area-level socioeconomic context, total mortality and cause-specific mortality in Spain: Heterogeneous findings depending on the level of geographic aggregation. Social Science and Medicine, 2015, 141, 142-150.	3.8	6
54	Prescribing of cyproterone acetate/ethinylestradiol in UK general practice: a retrospective descriptive study using The Health Improvement Network. Contraception, 2017, 95, 299-305.	1.5	6

LUCIA CEA SORIANO

#	Article	IF	CITATIONS
55	An algorithm to identify pregnancies in BIFAP Primary Care database in Spain: Results from a cohort of 155A419 pregnancies. Pharmacoepidemiology and Drug Safety, 2020, 29, 57-68.	1.9	6
56	Erosion of universal health coverage and trend in the frequency of physician consultations in Spain. International Journal for Equity in Health, 2020, 19, 121.	3.5	6
57	No association between use of phosphodiesterase 5 inhibitors and colorectal cancer in men with erectile dysfunction. Pharmacoepidemiology and Drug Safety, 2020, 29, 605-608.	1.9	5
58	Mediterranean diet and diabetes risk in a cohort study of individuals with prediabetes: propensity score analyses. Diabetic Medicine, 2022, 39, e14768.	2.3	5
59	Prescribing patterns of combined hormonal products containing cyproterone acetate, levonorgestrel and drospirenone in the UK. Journal of Family Planning and Reproductive Health Care, 2016, 42, 247-254.	0.8	4
60	Incidence of colorectal cancer in new users and non-users of low-dose aspirin without existing cardiovascular disease: A cohort study using The Health Improvement Network. International Journal of Cardiology, 2017, 248, 376-381.	1.7	4
61	Real world management of pregestational diabetes not achieving glycemic control for many patients in the UK. Pharmacoepidemiology and Drug Safety, 2018, 27, 940-948.	1.9	4
62	The effect of low-dose aspirin on colorectal cancer prevention and gastrointestinal bleeding according to bodyweight and body mass index: Analysis of UK primary care data. International Journal of Cardiology, 2019, 297, 135-139.	1.7	4
63	Sa1971 Low-Dose Acetylsalicylic Acid and Risk of Colorectal Cancer: Evidence From a Primary Care Study in the UK. Gastroenterology, 2015, 148, S-371.	1.3	3
64	Feasibility and validity of The Health Improvement Network database of primary care electronic health records to identify and characterise patients with small cell lung cancer in the United Kingdom. BMC Cancer, 2019, 19, 91.	2.6	3
65	Bleeding associated with low-dose aspirin: Comparison of data from the COMPASS randomized controlled trial and routine clinical practice. International Journal of Cardiology, 2020, 318, 21-24.	1.7	3
66	A Validation Study on the Frequency and Natural History of Miscarriages Using the Spanish Primary Care Database BIFAP. Healthcare (Switzerland), 2021, 9, 596.	2.0	3
67	The heterogeneity of reversion to normoglycemia according to prediabetes type is not explained by lifestyle factors. Scientific Reports, 2021, 11, 9667.	3.3	3
68	Feasibility study to identify women of childbearing age at risk of pregnancy not using any contraception in The Health Improvement Network (THIN) database. BMC Medical Informatics and Decision Making, 2020, 20, 164.	3.0	2
69	Estimating the Prevalence of Recreational Opioid Use in Spain Using a Multiplier Method. International Journal of Environmental Research and Public Health, 2022, 19, 4815.	2.6	2
70	Predictors and time trends in clopidogrel and proton pump inhibitor coprescription with lowâ€dose acetylsalicylic acid. Pharmacoepidemiology and Drug Safety, 2012, 21, 463-469.	1.9	1
71	Heterogeneity in the association between prediabetes categories and reduction on glomerular filtration rate in a 5-year follow-up. Scientific Reports, 2022, 12, 7373.	3.3	1
72	Reduction in use of cyproterone/ethinylestradiol (Diane-35 and generics) after risk minimization measures in the Netherlands, UK and Italy. Contraception, 2020, 102, 243-245.	1.5	0

#	Article	IF	CITATIONS
73	El Aprendizaje y Servicio como herramienta para laaplicación de los objetivos de Salud Pública en el colectivode personas mayores. Revista EspaÑola De EducaciÓn MÉdica, 2021, 2, 66-73.	0.1	Ο
74	Classifying and communicating risks in prediabetes according to fasting glucose and/or glycated hemoglobin: PREDAPS cohort study. Scandinavian Journal of Primary Health Care, 2021, 39, 355-363.	1.5	0