Felice Iasevoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5770491/publications.pdf

Version: 2024-02-01

101543 168389 3,592 125 36 53 citations h-index g-index papers 131 131 131 5152 citing authors docs citations times ranked all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The effects of sustained COVIDâ€19 emergency and restrictions on the mental health of subjects with serious mental illness: A prospective study. Journal of Community Psychology, 2023, 51, 154-167. | 1.8 | 5 |
| 2 | Relationships between early age at onset of psychotic symptoms and treatment resistant schizophrenia. Microbial Biotechnology, 2022, 16, 352-362. | 1.7 | 14 |
| 3 | Pharmacotherapy to prevent the onset of depression following traumatic brain injury. Expert Opinion on Pharmacotherapy, 2022, 23, 255-262. | 1.8 | 1 |
| 4 | The prevalence, odds, predictors, and management of tobacco use disorder or nicotine dependence among people with severe mental illness: Systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2022, 132, 289-303. | 6.1 | 24 |
| 5 | Treatment-resistant schizophrenia: Addressing white matter integrity, intracortical glutamate levels, clinical and cognitive profiles between early- and adult-onset patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110493. | 4.8 | 9 |
| 6 | The Homer1 family of proteins at the crossroad of dopamine-glutamate signaling: An emerging molecular "Lego―in the pathophysiology of psychiatric disorders. A systematic review and translational insight. Neuroscience and Biobehavioral Reviews, 2022, 136, 104596. | 6.1 | 12 |
| 7 | Cerebellar Transcranial Direct Current Stimulation in Children with Autism Spectrum Disorder: A Pilot Study on Efficacy, Feasibility, Safety, and Unexpected Outcomes in Tic Disorder and Epilepsy. Journal of Clinical Medicine, 2022, 11, 143. | 2.4 | 14 |
| 8 | Predicting the Severity of Lockdown-Induced Psychiatric Symptoms with Machine Learning. Diagnostics, 2022, 12, 957. | 2.6 | 3 |
| 9 | Clozapine's multiple cellular mechanisms: What do we know after more than fifty years? A systematic review and critical assessment of translational mechanisms relevant for innovative strategies in treatment-resistant schizophrenia. , 2022, 236, 108236. | | 19 |
| 10 | Psychological distress in patients with serious mental illness during the COVID-19 outbreak and one-month mass quarantine in Italy. Psychological Medicine, 2021, 51, 1054-1056. | 4.5 | 104 |
| 11 | Cariprazine Add-on in Inadequate Clozapine Response: A Report on Two Cases. Clinical Psychopharmacology and Neuroscience, 2021, 19, 174-178. | 2.0 | 28 |
| 12 | Modulation of glutamatergic functional connectivity by a prototypical antipsychotic: Translational inference from a postsynaptic density immediate-early gene-based network analysis. Behavioural Brain Research, 2021, 404, 113160. | 2.2 | 13 |
| 13 | Glutamatergic postsynaptic density in early life stress programming: Topographic gene expression of mGlu5 receptors and Homer proteins. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 96, 109725. | 4.8 | 11 |
| 14 | M139. DIFFERENTIAL PATTERNS OF BRAIN METABOLISM IN STABILIZED, ACTIVELY SYMPTOMATIC TREATMENT RESISTANT VS. TREATMENT RESPONDER SCHIZOPHRENIA PATIENTS: A STUDY BY 18F-FDG-POSITRON EMISSION TOMOGRAPHY AND STRUCTURAL 3T MRI. Schizophrenia Bulletin, 2020, 46, S188-S188. | 4.3 | 0 |
| 15 | M170. GENETIC CHARACTERIZATION OF A COHORT OF PATIENTS AFFECTED BY SCHIZOPHRENIA. THE ROLE FOR RARE STRUCTURAL VARIANTS IN MODULATING TREATMENT RESISTANT ENDOPHENOTYPES: PRELIMINARY DATA. Schizophrenia Bulletin, 2020, 46, S201-S201. | 4.3 | 0 |
| 16 | S202. PROXIMAL AND DISTAL FACTORS ASSOCIATED WITH CLOZAPINE EXPOSURE IN A SAMPLE OF TREATMENT RESISTANT AND TREATMENT RESPONSIVE SCHIZOPHRENIA PATIENTS. Schizophrenia Bulletin, 2020, 46, S115-S115. | 4.3 | 0 |
| 17 | The Effects of Antipsychotics on the Synaptic Plasticity Gene Homer1a Depend on a Combination of Their Receptor Profile, Dose, Duration of Treatment, and Brain Regions Targeted. International Journal of Molecular Sciences, 2020, 21, 5555. | 4.1 | 8 |
| 18 | O9.4. RELATIONSHIPS BETWEEN AGE AT ONSET OF PSYCHOTIC SYMPTOMS AND POOR RESPONSE TO ANTIPSYCHOTICS IN A SAMPLE OF TRS/NON-TRS PATIENTS. Schizophrenia Bulletin, 2020, 46, S22-S22. | 4.3 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | S205. A TRANSLATIONAL HOMER 1A-BASED NETWORK APPROACH: IMAGING HOW HALOPERIDOL MODULATES GLUTAMATE SYSTEM FUNCTIONAL CONNECTIVITY. Schizophrenia Bulletin, 2020, 46, S116-S117. | 4.3 | 0 |
| 20 | Safety and tolerability of antipsychotic agents in neurodevelopmental disorders: a systematic review. Expert Opinion on Drug Safety, 2020, 19, 1419-1444. | 2.4 | 19 |
| 21 | Glycine Signaling in the Framework of Dopamine-Glutamate Interaction and Postsynaptic Density. Implications for Treatment-Resistant Schizophrenia. Frontiers in Psychiatry, 2020, 11, 369. | 2.6 | 25 |
| 22 | Predictors of Treatment Resistance Across Different Clinical Subtypes of Depression: Comparison of Unipolar vs. Bipolar Cases. Frontiers in Psychiatry, 2020, 11, 438. | 2.6 | 7 |
| 23 | Adjunctive vortioxetine for SSRI-resistant major depressive disorder: a "real-world―chart review study. Revista Brasileira De Psiquiatria, 2020, 42, 317-321. | 1.7 | 14 |
| 24 | Translating preclinical findings in clinically relevant new antipsychotic targets: focus on the glutamatergic postsynaptic density. Implications for treatment resistant schizophrenia. Neuroscience and Biobehavioral Reviews, 2019, 107, 795-827. | 6.1 | 17 |
| 25 | Duration of antipsychotic treatment and doses/receptor profile modulate early gene expression throughout rat brain regions. European Neuropsychopharmacology, 2019, 29, S610-S611. | 0.7 | 0 |
| 26 | Editorial: Neurobiology, Clinical Course, and Therapeutic Approaches of Treatment-Resistant Schizophrenia: Toward an Integrated View. Frontiers in Psychiatry, 2019, 10, 870. | 2.6 | 2 |
| 27 | Nicotine and caffeine modulate haloperidol-induced changes in postsynaptic density transcripts expression: Translational insights in psychosis therapy and treatment resistance. European Neuropsychopharmacology, 2018, 28, 538-559. | 0.7 | 7 |
| 28 | Clinical and psychopathological features associated with treatment-emergent mania in bipolar-II depressed outpatients exposed to antidepressants. Journal of Affective Disorders, 2018, 234, 131-138. | 4.1 | 16 |
| 29 | Creativity and psychiatric illness: A functional perspective beyond chaos. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 80, 91-100. | 4.8 | 7 |
| 30 | Treatment resistant schizophrenia and neurological soft signs may converge on the same pathology: Evidence from explanatory analysis on clinical, psychopathological, and cognitive variables. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 81, 356-366. | 4.8 | 27 |
| 31 | Predictors of hospitalization length of stay among re-admitted treatment-resistant Bipolar Disorder inpatients. Journal of Affective Disorders, 2018, 228, 118-124. | 4.1 | 8 |
| 32 | Disease Severity in Treatment Resistant Schizophrenia Patients Is Mainly Affected by Negative Symptoms, Which Mediate the Effects of Cognitive Dysfunctions and Neurological Soft Signs. Frontiers in Psychiatry, 2018, 9, 553. | 2.6 | 24 |
| 33 | F234. TYPICAL AND ATYPICAL ANTIPSYCHOTICS' D2R AFFINITY AND DOSES INFLUENCES POSTSYNAPTIC DENSITY BY MODULATING THE SPATIAL EXPRESSION OF HOMER1A A GENE HIGHLY IMPLICATED IN SYNAPTIC PLASTICITY AND PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S313-S313. | 4.3 | 1 |
| 34 | Evaluation of a few discrete clinical markers may predict categorization of actively symptomatic non-acute schizophrenia patients as treatment resistant or responders: A study by ROC curve analysis and multivariate analyses. Psychiatry Research, 2018, 269, 481-493. | 3.3 | 10 |
| 35 | F233. NEGATIVE SYMPTOMS ARE INDEPENDENT MODERATOR FACTORS OF TREATMENT RESISTANT SCHIZOPHRENIA EFFECTS ON MULTIPLE CLINICAL, PSYCHOPATHOLOGICAL, COGNITIVE AND PSYCHOSOCIAL VARIABLES. Schizophrenia Bulletin, 2018, 44, S312-S313. | 4.3 | 0 |
| 36 | T226. CLINICAL PREDICTORS OF FUNCTIONAL CAPACITY IN TREATMENT RESISTANT SCHIZOPHRENIA PATIENTS: COMPARISON WITH RESPONDER PATIENTS, ROLE OF NEGATIVE SYMPTOMS, PROBLEM SOLVING DYSFUNCTIONS, AND NEUROLOGICAL SOFT SIGNS. Schizophrenia Bulletin, 2018, 44, S204-S204. | 4.3 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical evaluation of functional capacity in treatment resistant schizophrenia patients: Comparison and differences with non-resistant schizophrenia patients. Schizophrenia Research, 2018, 202, 217-225. | 2.0 | 14 |
| 38 | S228. TOWARD EARLY DETECTION OF TREATMENT RESISTANT SCHIZOPHRENIA: PREDICTIVE INFORMATION ON NON-RESPONSE TO ANTIPSYCHOTICS BY EVALUATION OF A FEW CLINICAL FACTORS: A STUDY BY ROC CURVE ANALYSIS AND CONFIRMATORY MULTIVARIATE ANALYSIS. Schizophrenia Bulletin, 2018, 44, S414-S415. | 4.3 | О |
| 39 | Alexithymia, Suicide Ideation, C-Reactive Protein, and Serum Lipid Levels Among Outpatients with Generalized Anxiety Disorder. Archives of Suicide Research, 2017, 21, 100-112. | 2.3 | 46 |
| 40 | The relationship between emotional regulation and eating behaviour: a multidimensional analysis of obesity psychopathology. Eating and Weight Disorders, 2017, 22, 105-115. | 2.5 | 61 |
| 41 | Assessing patient-rated vs. clinician-rated adherence to the therapy in treatment resistant schizophrenia, schizophrenia responders, and non-schizophrenia patients. Psychiatry Research, 2017, 249, 159-166. | 3.3 | 5 |
| 42 | Re-arrangements of gene transcripts at glutamatergic synapses after prolonged treatments with antipsychotics: A putative link with synaptic remodeling. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 29-41. | 4.8 | 24 |
| 43 | Dopamine transporter (DAT) genetic hypofunction in mice produces alterations consistent with ADHD but not schizophrenia or bipolar disorder. Neuropharmacology, 2017, 121, 179-194. | 4.1 | 52 |
| 44 | Effect of agomelatine treatment on C-reactive protein levels in patients with major depressive disorder: an exploratory study in "real-world,―everyday clinical practice. CNS Spectrums, 2017, 22, 342-347. | 1,2 | 43 |
| 45 | CHD2 mutations: Only epilepsy? Description of cognitive and behavioral profile in a case with a new mutation. Seizure: the Journal of the British Epilepsy Association, 2017, 51, 186-189. | 2.0 | 13 |
| 46 | Psychiatric patients show different coping styles during aggression compared to controls. European Psychiatry, 2017, 41, S745-S745. | 0.2 | 0 |
| 47 | Impact of an Intervention of Neuro-cognitive Rehabilitation in Treatment Resistant Schizophrenia (TRS) Compared to Schizophrenia Responder Patients. European Psychiatry, 2017, 41, S266-S267. | 0.2 | O |
| 48 | Postsynaptic density protein transcripts are differentially modulated by minocycline alone or in add-on to haloperidol: Implications for treatment resistant schizophrenia. Journal of Psychopharmacology, 2017, 31, 406-417. | 4.0 | 16 |
| 49 | Treating the Synapse in Major Psychiatric Disorders: The Role of Postsynaptic Density Network in Dopamine-Glutamate Interplay and Psychopharmacologic Drugs Molecular Actions. International Journal of Molecular Sciences, 2017, 18, 135. | 4.1 | 57 |
| 50 | The Role of Inhaled Loxapine in the Treatment of Acute Agitation in Patients with Psychiatric Disorders: A Clinical Review. International Journal of Molecular Sciences, 2017, 18, 349. | 4.1 | 30 |
| 51 | Immediate-Early Genes Modulation by Antipsychotics: Translational Implications for a Putative Gateway to Drug-Induced Long-Term Brain Changes. Frontiers in Behavioral Neuroscience, 2017, 11, 240. | 2.0 | 35 |
| 52 | Lurasidone in the Treatment of Bipolar Depression: Systematic Review of Systematic Reviews. BioMed Research International, 2017, 2017, 1-17. | 1.9 | 23 |
| 53 | Cariprazine (RGH-188): a new pharmacological target option for the treatment of schizophrenia, bipolar disorders and depression?. Minerva Psychiatry, 2017, 58, . | 0.3 | 1 |
| 54 | Current and Future Perspectives on the Major Depressive Disorder: Focus on the New Multimodal Antidepressant Vortioxetine. CNS and Neurological Disorders - Drug Targets, 2017, 16, 65-92. | 1.4 | 25 |

| # | Article | IF | Citations |
|----------|---|-------------------|------------------|
| 55 | A Systematized Review of Atypical Antipsychotics in Pregnant Women. Journal of Clinical Psychiatry, 2017, 78, e477-e489. | 2.2 | 55 |
| 56 | The Interface between Neuroscience and Neuro-Psychoanalysis: Focus on Brain Connectivity. Frontiers in Human Neuroscience, 2016, 10, 20. | 2.0 | 18 |
| 57 | Suicide during Perinatal Period: Epidemiology, Risk Factors, and Clinical Correlates. Frontiers in Psychiatry, 2016, 7, 138. | 2.6 | 115 |
| 58 | A comprehensive review on the efficacy of S-Adenosyl-L-methionine in Major Depressive Disorder CNS and Neurological Disorders - Drug Targets, 2016, 15, 35-44. | 1.4 | 53 |
| 59 | PM437. Spatial and temporal modulation of Homer1a gene expression at the post-synaptic density is related to D2R affinity and dose of antipsychotics: translational considerations for schizophrenia treatment strategies International Journal of Neuropsychopharmacology, 2016, 19, 59-59. | 2.1 | 0 |
| 60 | P.1.009 Effects of caffeine, nicotine and their combination with haloperidol on PSD molecules: relevance to psychiatric diseases. European Neuropsychopharmacology, 2016, 26, S10-S11. | 0.7 | 0 |
| 61 | Switching antipsychotics: Imaging the differential effect on the topography of postsynaptic density transcripts in antipsychotic-naĀ-ve vs. antipsychotic-exposed rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 70, 24-38. | 4.8 | 14 |
| 62 | New advances in the treatment of generalized anxiety disorder: the multimodal antidepressant vortioxetine. Expert Review of Neurotherapeutics, 2016, 16, 483-495. | 2.8 | 18 |
| 63 | Aripiprazole for relapse prevention and craving in alcohol use disorder: current evidence and future perspectives. Expert Opinion on Investigational Drugs, 2016, 25, 719-728. | 4.1 | 35 |
| 64 | Chronobiology of Mood Disorders. , 2016, , 273-295. | | 0 |
| 65 | Inflammatory markers and suicidal attempts in depressed patients: A review. International Journal of | | |
| | Immunopathology and Pharmacology, 2016, 29, 583-594. | 2.1 | 27 |
| 66 | Immunopathology and Pharmacology, 2016, 29, 583-594. An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. | 2.1 | 112 |
| 66 | An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. Treatment resistant schizophrenia is associated with the worst community functioning among severely-ill highly-disabling psychiatric conditions and is the most relevant predictor of poorer achievements in functional milestones. Progress in Neuro-Psychopharmacology and Biological | | |
| | Immunopathology and Pharmacology, 2016, 29, 583-594. An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. Treatment resistant schizophrenia is associated with the worst community functioning among severely-ill highly-disabling psychiatric conditions and is the most relevant predictor of poorer | 2,4 | 112 |
| 67 | An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. Treatment resistant schizophrenia is associated with the worst community functioning among severely-ill highly-disabling psychiatric conditions and is the most relevant predictor of poorer achievements in functional milestones. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 34-48. The Novel Antipsychotic Cariprazine (RCH-188): State-of-the-Art in the Treatment of Psychiatric | 2.4 | 112 |
| 68 | An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. Treatment resistant schizophrenia is associated with the worst community functioning among severely-ill highly-disabling psychiatric conditions and is the most relevant predictor of poorer achievements in functional milestones. Progress in Neuro-Psychopharmacology and Biological Psychiatry. 2016. 65. 34-48. The Novel Antipsychotic Cariprazine (RGH-188): State-of-the-Art in the Treatment of Psychiatric Disorders. Current Pharmaceutical Design, 2016, 22, 5144-5162. | 2.4 | 112 120 25 |
| 67 68 | An update of safety of clinically used atypical antipsychotics. Expert Opinion on Drug Safety, 2016, 15, 1329-1347. Treatment resistant schizophrenia is associated with the worst community functioning among severely-ill highly-disabling psychiatric conditions and is the most relevant predictor of poorer achievements in functional milestones. Progress in Neuro-Psychopharmacology and Biological Psychiatry. 2016. 65. 34-48. The Novel Antipsychotic Cariprazine (RGH-188): State-of-the-Art in the Treatment of Psychiatric Disorders. Current Pharmaceutical Design, 2016, 22, 5144-5162. S-Adenosyl-L-Methionine for Major Depressive Disorder. , 2016, , 847-854. Alexithymia and Breast Cancer Surgery: A Systematic Review. British Journal of Medicine and Medical | 2.4 4.8 1.9 | 112 120 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | D-aspartate dysregulation in Ddoâ^'/â^' mice modulates phencyclidine-induced gene expression changes of postsynaptic density molecules in cortex and striatum. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 62, 35-43. | 4.8 | 11 |
| 74 | MicroRNAs in Schizophrenia: Implications for Synaptic Plasticity and Dopamine–Glutamate Interaction at the Postsynaptic Density. New Avenues for Antipsychotic Treatment Under a Theranostic Perspective. Molecular Neurobiology, 2015, 52, 1771-1790. | 4.0 | 15 |
| 75 | Increased Signaling via Adenosine A1 Receptors, Sleep Deprivation, Imipramine, and Ketamine Inhibit Depressive-like Behavior via Induction of Homer1a. Neuron, 2015, 87, 549-562. | 8.1 | 168 |
| 76 | Agomelatine beyond Borders: Current Evidences of Its Efficacy in Disorders Other than Major Depression. International Journal of Molecular Sciences, 2015, 16, 1111-1130. | 4.1 | 66 |
| 77 | Progressive recruitment of cortical and striatal regions by inducible postsynaptic density transcripts after increasing doses of antipsychotics with different receptor profiles: Insights for psychosis treatment. European Neuropsychopharmacology, 2015, 25, 566-582. | 0.7 | 27 |
| 78 | Alexithymia, responsibility attitudes and suicide ideation among outpatients with obsessive-compulsive disorder: An exploratory study. Comprehensive Psychiatry, 2015, 58, 82-87. | 3.1 | 36 |
| 79 | Factor structure and reliability of the Italian adaptation of the Hypomania Check List-32, second revision (HCL-32-R2). Journal of Affective Disorders, 2015, 178, 112-120. | 4.1 | 14 |
| 80 | Update on the Mechanism of Action of Aripiprazole: Translational Insights into Antipsychotic Strategies Beyond Dopamine Receptor Antagonism. CNS Drugs, 2015, 29, 773-799. | 5.9 | 131 |
| 81 | Prevalence and clinical features associated to bipolar disorder–migraine comorbidity: a systematic review. Comprehensive Psychiatry, 2015, 56, 1-16. | 3.1 | 20 |
| 82 | Cotard's Syndrome after breast surgery successfully treated with aripiprazole augmentation of escitalopram: a case report. Rivista Di Psichiatria, 2015, 50, 95-8. | 0.6 | 7 |
| 83 | Targeting the Noradrenergic System in Posttraumatic Stress Disorder: A Systematic Review and Meta-Analysis of Prazosin Trials. Current Drug Targets, 2015, 16, 1094-1106. | 2.1 | 89 |
| 84 | Treatment of Antipsychotic-Induced Hyperprolactinemia: An Update on the Role of the Dopaminergic Receptors D2 Partial Agonist Aripiprazole. Recent Patents on Endocrine, Metabolic & Immune Drug Discovery, 2014, 8, 30-37. | 0.6 | 24 |
| 85 | The Glutamatergic Aspects of Schizophrenia Molecular Pathophysiology: Role of the Postsynaptic Density, and Implications for Treatment. Current Neuropharmacology, 2014, 12, 219-238. | 2.9 | 42 |
| 86 | Obsessive-Compulsive Aspects and Pathological Gambling in an Italian Sample. BioMed Research International, 2014, 2014, 1-10. | 1.9 | 14 |
| 87 | Efficacy and Clinical Determinants of Antipsychotic Polypharmacy in Psychotic Patients Experiencing an Acute Relapse and Admitted to Hospital Stay: Results from a Cross-Sectional and a Subsequent Longitudinal Pilot Study. ISRN Pharmacology, 2014, 2014, 1-9. | 1.6 | 6 |
| 88 | Alexithymia, suicidal ideation, and serum lipid levels among drug-na \tilde{A} -ve outpatients with obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2014, 36, 125-130. | 1.7 | 50 |
| 89 | The Glucocorticoid Analog Dexamethasone Alters the Expression and the Distribution of Dopamine Receptors and Enkephalin within Cortico-Subcortical Regions. Current Molecular Pharmacology, 2014, 6, 149-155. | 1.5 | 8 |
| 90 | Glutamatergic Postsynaptic Density Protein Dysfunctions in Synaptic Plasticity and Dendritic Spines Morphology: Relevance to Schizophrenia and Other Behavioral Disorders Pathophysiology, and Implications for Novel Therapeutic Approaches. Molecular Neurobiology, 2014, 49, 484-511. | 4.0 | 116 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The emerging role of dopamine–glutamate interaction and of the postsynaptic density in bipolar disorder pathophysiology: Implications for treatment. Journal of Psychopharmacology, 2014, 28, 505-526. | 4.0 | 38 |
| 92 | P.3.c.008 Immediate early and constitutive genes expression in antipsychotic switching paradigm: from clinical practice to animal model. European Neuropsychopharmacology, 2014, 24, S519. | 0.7 | 0 |
| 93 | Regulation of postsynaptic plasticity genes' expression and topography by sustained dopamine perturbation and modulation by acute memantine: Relevance to schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 54, 299-314. | 4.8 | 17 |
| 94 | Duloxetine-bupropion combination for treatment-resistant atypical depression: A double-blind, randomized, placebo-controlled trial. European Neuropsychopharmacology, 2014, 24, 1269-1278. | 0.7 | 14 |
| 95 | Clozapine-Related Pericarditis During Titration Phase in a Patient With Resistant Schizophrenia and Concomitant Valproate Treatment. Journal of Clinical Psychopharmacology, 2014, 34, 649-651. | 1.4 | 8 |
| 96 | Treatment adherence towards prescribed medications in bipolar-II acute depressed patients: Relationship with cyclothymic temperament and "therapeutic sensation seeking―in response towards subjective intolerance to pain. Journal of Affective Disorders, 2013, 151, 596-604. | 4.1 | 39 |
| 97 | Intracellular pathways of antipsychotic combined therapies: Implication for psychiatric disorders treatment. European Journal of Pharmacology, 2013, 718, 502-523. | 3.5 | 15 |
| 98 | Different effects of the NMDA receptor antagonists ketamine, MK-801, and memantine on postsynaptic density transcripts and their topography: Role of Homer signaling, and implications for novel antipsychotic and pro-cognitive targets in psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 46, 1-12. | 4.8 | 61 |
| 99 | Scaffolding Proteins of the Post-synaptic Density Contribute to Synaptic Plasticity by Regulating Receptor Localization and Distribution: Relevance for Neuropsychiatric Diseases. Neurochemical Research, 2013, 38, 1-22. | 3.3 | 70 |
| 100 | Affective temperaments are associated with specific clusters of symptoms and psychopathology: A cross-sectional study on bipolar disorder inpatients in acute manic, mixed, or depressive relapse. Journal of Affective Disorders, 2013, 151, 540-550. | 4.1 | 46 |
| 101 | Differential cognitive performances between schizophrenic responders and non-responders to antipsychotics: Correlation with course of the illness, psychopathology, attitude to the treatment and antipsychotics doses. Psychiatry Research, 2013, 210, 387-395. | 3.3 | 69 |
| 102 | Imaging brain gene expression profiles by antipsychotics: Region-specific action of amisulpride on postsynaptic density transcripts compared to haloperidol. European Neuropsychopharmacology, 2013, 23, 1516-1529. | 0.7 | 34 |
| 103 | The Melatonergic System in Mood and Anxiety Disorders and the Role of Agomelatine: Implications for Clinical Practice. International Journal of Molecular Sciences, 2013, 14, 12458-12483. | 4.1 | 66 |
| 104 | Tobacco smoking in treatment-resistant schizophrenia patients is associated with impaired cognitive functioning, more severe negative symptoms, and poorer social adjustment. Neuropsychiatric Disease and Treatment, 2013, 9, 1113. | 2.2 | 43 |
| 105 | S-Adenosyl-L-Methionine Augmentation in Patients with Stage II Treatment-Resistant Major Depressive Disorder: An Open Label, Fixed Dose, Single-Blind Study. Scientific World Journal, The, 2013, 2013, 1-5. | 2.1 | 20 |
| 106 | The Potential of Pregabalin in Neurology, Psychiatry and Addiction: A Qualitative Overview. Current Pharmaceutical Design, 2013, 19, 6367-6374. | 1.9 | 57 |
| 107 | Efficacy and Safety of Long Acting Injectable Atypical Antipsychotics: A Review. Current Clinical Pharmacology, 2013, 8, 256-264. | 0.6 | 25 |
| 108 | The Role of Intranasal Oxytocin in the Treatment of Patients with Schizophrenia: A Systematic Review. CNS and Neurological Disorders - Drug Targets, 2013, 12, 252-264. | 1.4 | 32 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Differential Adaptive Changes in Dopaminergic System by Acute vs. Subchronic Ketamine: Relevance for Psychosis Pathophysiology and Treatment. Current Signal Transduction Therapy, 2013, 8, 119-128. | 0.5 | 0 |
| 110 | Poster #110 USING A TRANSLATIONAL APPROACH TO STUDY BEHAVIORAL DISORDERS' PATHOPHYSIOLOGY: DOPAMINE SYSTEM IS AFFECTED IN A GLUTAMATERGIC ANIMAL MODEL OF PSYCHOSIS. Schizophrenia Research, 2012, 136, S131. | 2.0 | 0 |
| 111 | Poster #9 ANTAGONISTS AT N-METHYL-D-ASPARTATE RECEPTOR (NMDA-R) WITH DIFFERENT CLINICAL PROFILE AFFECT DIFFERENTLY THE TRANSCRIPTS OF CONSTITUTIVE AND INDUCIBLE EARLY GENES AT POSTSYNAPTIC DENSITY. Schizophrenia Research, 2012, 136, S188. | 2.0 | O |
| 112 | The expression of genes involved in glucose metabolism is affected by Nâ€methylâ€Dâ€aspartate receptor antagonism: A putative link between metabolism and an animal model of psychosis. Journal of Neuroscience Research, 2012, 90, 1756-1767. | 2.9 | 7 |
| 113 | Targeting glutamate system for novel antipsychotic approaches: Relevance for residual psychotic symptoms and treatment resistant schizophrenia. European Journal of Pharmacology, 2012, 682, 1-11. | 3.5 | 60 |
| 114 | Striatal expression of Homer1a is affected by genotype but not dystonic phenotype of tottering mice: A model of spontaneously occurring motor disturbances. Neuroscience Letters, 2011, 503, 176-180. | 2.1 | 2 |
| 115 | The acute and chronic effects of combined antipsychotic–mood stabilizing treatment on the expression of cortical and striatal postsynaptic density genes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 184-197. | 4.8 | 44 |
| 116 | Pattern of acute induction of <i>Homerla</i> gene is preserved after chronic treatment with first- and second-generation antipsychotics: effect of short-term drug discontinuation and comparison with Homerla-interacting genes. Journal of Psychopharmacology, 2011, 25, 875-887. | 4.0 | 40 |
| 117 | Divergent acute and chronic modulation of glutamatergic postsynaptic density genes expression by the antipsychotics haloperidol and sertindole. Psychopharmacology, 2010, 212, 329-344. | 3.1 | 43 |
| 118 | Haloperidol induces higher Homer1a expression than risperidone, olanzapine and sulpiride in striatal sub-regions. Psychiatry Research, 2010, 177, 255-260. | 3.3 | 38 |
| 119 | Antipsychotic and antidepressant co-treatment: Effects on transcripts of inducible postsynaptic density genes possibly implicated in behavioural disorders. Brain Research Bulletin, 2009, 79, 123-129. | 3.0 | 31 |
| 120 | Dopamine receptor subtypes contribution to Homer1a induction: Insights into antipsychotic molecular action. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 813-821. | 4.8 | 42 |
| 121 | Ketamine-related expression of glutamatergic postsynaptic density genes: Possible implications in psychosis. Neuroscience Letters, 2007, 416, 1-5. | 2.1 | 39 |
| 122 | The Homer family and the signal transduction system at glutamatergic postsynaptic density: potential role in behavior and pharmacotherapy. Psychopharmacology Bulletin, 2003, 37, 51-83. | 0.0 | 75 |
| 123 | The role of melatonin in mood disorders. ChronoPhysiology and Therapy, 0, , 65. | 0.5 | 11 |
| 124 | Psychological Impact of COVID-19 national lockdown meAsures on tRansgenDer people in Italy: The PICARD study. Endocrine Abstracts, 0, , . | 0.0 | 1 |
| 125 | Psychological distress in patients with hypocortisolism during mass quarantine for Covid-19 epidemic in Italy. Endocrine Abstracts, 0, , . | 0.0 | O |