List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5770541/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | E-consensus on telemedicine in colorectal surgery: a RAND/UCLA-modified study. Updates in Surgery, 2022, 74, 163-170. | 0.9 | 17 |
| 2 | A worldwide survey on proctological practice during COVIDâ€19 lockdown (ProctoLock 2020): a crossâ€sectional analysis. Colorectal Disease, 2021, 23, 246-264. | 0.7 | 10 |
| 3 | E-consensus on telemedicine in proctology: A RAND/UCLA-modified study. Surgery, 2021, 170, 405-411. | 1.0 | 27 |
| 4 | Consensus statement of the Italian society of colorectal surgery (SICCR): management and treatment of pilonidal disease. Techniques in Coloproctology, 2021, 25, 1269-1280. | 0.8 | 32 |
| 5 | FISSIT (Fistula Surgery in Italy) study: A retrospective survey on the surgical management of anal fistulas in Italy over the last 15 years. Surgery, 2021, 170, 689-695. | 1.0 | 7 |
| 6 | Sphinkeeperâ"¢ for faecal incontinence: a preliminary report. Colorectal Disease, 2020, 22, 80-85. | 0.7 | 19 |
| 7 | Differences between computed tomoghaphy and surgical findings in acute complicated diverticulitis. Asian Journal of Surgery, 2020, 43, 476-481. | 0.2 | 5 |
| 8 | Deadlock of proctologic practice in Italy during COVID-19 pandemic: a national report from ProctoLock2020. Updates in Surgery, 2020, 72, 1255-1261. | 0.9 | 9 |
| 9 | Lift and VAAFT for high trans-sphincteric anal fistula: a single center retrospective analysis. International Journal of Colorectal Disease, 2020, 35, 1149-1153. | 1.0 | 10 |
| 10 | Italian society of colorectal surgery recommendations for good clinical practice in colorectal surgery during the novel coronavirus pandemic. Techniques in Coloproctology, 2020, 24, 501-505. | 0.8 | 41 |
| 11 | Delayed benign surgery during the COVID-19 pandemic: the other side of the coin. British Journal of Surgery, 2020, 107, e258-e258. | 0.1 | 8 |
| 12 | Standard versus Limited Colon Resection for High Risk T1 Colon Cancer. A Matched Case-Control Study. Journal of Gastrointestinal and Liver Diseases, 2020, 23, 285-290. | 0.5 | 7 |
| 13 | Endoscopic pilonidal sinus treatment (EPSiT) in recurrent pilonidal disease: a prospective international multicenter study. International Journal of Colorectal Disease, 2019, 34, 741-746. | 1.0 | 35 |
| 14 | Clinical outcomes of patients with hollow viscous injuries after a blunt abdominal trauma: the influence of diagnostic and therapeutic delay and the predictive role of BIPS. European Journal of Trauma and Emergency Surgery, 2019, 45, 939-940. | 0.8 | 0 |
| 15 | T1 colon cancer in the era of screening: risk factors and treatment. Techniques in Coloproctology, 2017, 21, 139-147. | 0.8 | 8 |
| 16 | 5-Fluorouracil degradation rate could predict toxicity in stages Il–III colorectal cancer patients undergoing adjuvant FOLFOX. Anti-Cancer Drugs, 2017, 28, 322-326. | 0.7 | 10 |
| 17 | Operative and nonoperative management for renal trauma: comparison of outcomes. A systematic review and meta-analysis. Therapeutics and Clinical Risk Management, 2017, Volume 13, 1127-1138. | 0.9 | 33 |
| 18 | Hollow viscus injuries: predictors of outcome and role of diagnostic delay. Therapeutics and Clinical Risk Management, 2017, Volume 13, 1069-1076. | 0.9 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Primary Leiomyosarcoma of the Inferior Vena Cava. , 2017, , 41-59. | | 1 |
| 20 | An Alternative Surgery for an Atypical Kind of Grade C Postoperative Pancreatic Fistula Following Pancreaticoduodenectomy. Anticancer Research, 2017, 37, 3265-3269. | 0.5 | 0 |
| 21 | Transanal Minimally Invasive Surgery for Rectal Lesions. Journal of the Society of Laparoendoscopic Surgeons, 2016, 20, e2016.00032. | 0.5 | 31 |
| 22 | Pre-treatment evaluation of 5-fluorouracil degradation rate: association of poor and ultra-rapid metabolism with severe toxicity in a colorectal cancer patients cohort. Oncotarget, 2016, 7, 20612-20620. | 0.8 | 21 |
| 23 | Endoscopic pilonidal sinus treatment: a prospective multicentre trial. Colorectal Disease, 2016, 18, O164-70. | 0.7 | 83 |
| 24 | Repair of transperineal rectoâ€urethral fistula using a fibrin sealant haemostatic patch. Colorectal Disease, 2016, 18, O432-O435. | 0.7 | 5 |
| 25 | Artificial Bowel Sphincter. , 2016, , 107-111. | | Ο |
| 26 | Being positive despite illness: The contribution of positivity to the quality of life of cancer patients. Psychology and Health, 2016, 31, 524-534. | 1.2 | 32 |
| 27 | CYP19A1 Genetic Polymorphisms rs4646 and Osteoporosis in Patients Treated with Aromatase Inhibitor-Based Adjuvant Therapy. Eurasian Journal of Medicine, 2016, 48, 10-14. | 0.2 | 9 |
| 28 | Impact of Sarcopenia on Outcomes after Pancreatectomy for Malignancy: Preliminary Results. Journal of the American College of Surgeons, 2015, 221, S91. | 0.2 | 0 |
| 29 | Positive impact of elastography in breast cancer diagnosis: an institutional experience. Journal of Ultrasound, 2015, 18, 321-327. | 0.7 | 7 |
| 30 | Long-term evaluation of bulking agents for the treatment of fecal incontinence: clinical outcomes and ultrasound evidence. Techniques in Coloproctology, 2015, 19, 23-27. | 0.8 | 25 |
| 31 | Early onset pancreatic cancer: Risk factors, presentation and outcome. Pancreatology, 2015, 15, 151-155. | 0.5 | 60 |
| 32 | Robotic right colectomy: A worthwhile procedure? Results of a meta-analysis of trials comparing robotic versus laparoscopic right colectomy. Journal of Minimal Access Surgery, 2015, 11, 22. | 0.4 | 54 |
| 33 | Neoadjuvant chemotherapy for resectable colorectal liver metastases: What is the evidence? Results of a systematic review of comparative studies. Journal of the Royal College of Surgeons of Edinburgh, 2015, 13, 83-90. | 0.8 | 29 |
| 34 | FCGRs Polymorphisms and Response to Trastuzumab in Patients With HER2-Positive Breast Cancer: Far From Predictive Value?. World Journal of Oncology, 2015, 6, 437-440. | 0.6 | 5 |
| 35 | Gastrointestinal Metastases of Cutaneous Melanoma. American Surgeon, 2014, 80, 45-46. | 0.4 | 2 |
| 36 | Transitional Cell Carcinoma of the Retrorectal Space Arisen in Tailgut Cyst. International Journal of Surgical Pathology, 2014, 22, 280-285. | 0.4 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Lymph-Node Ratio Classification Strongly Correlates with Cancer Survivals of Patients Who Underwent R0 Resection for Gastric Cancer with More than 15 Nodes Harvested. European Surgical Research, 2014, 53, 1-10. | 0.6 | 24 |
| 38 | Changes in the Surgical Approach to Colonic Emergencies during a 15-Year Period. Digestive Surgery, 2014, 31, 197-203. | 0.6 | 6 |
| 39 | Duodenopancreatectomy: Open or minimally invasive approach?. Journal of the Royal College of Surgeons of Edinburgh, 2014, 12, 227-234. | 0.8 | 37 |
| 40 | Prognostic assessment of different lymph node staging methods for pancreatic cancer with RO resection: pN staging, lymph node ratio, log odds of positive lymph nodes. Pancreatology, 2014, 14, 289-294. | 0.5 | 74 |
| 41 | Log Odds of Positive Lymph Nodes (LODDS): What Are Their Role in the Prognostic Assessment of Gastric Adenocarcinoma?. Journal of Gastrointestinal Surgery, 2014, 18, 1254-1260. | 0.9 | 42 |
| 42 | Elevated neutrophil/lymphocyte ratio is a major predictor of survival in advanced pancreatic ductal adenocarcinoma patients. Pancreatology, 2014, 14, S84-S85. | 0.5 | 1 |
| 43 | Evidence based medicine and surgical approaches for colon cancer: Evidences, benefits and limitations of the laparoscopic <i>vs</i> open resection. World Journal of Gastroenterology, 2014, 20, 3680. | 1.4 | 38 |
| 44 | Is a Preoperative Assessment of the Early Recurrence of Pancreatic Cancer Possible after Complete Surgical Resection?. Gut and Liver, 2014, 8, 102-108. | 1.4 | 34 |
| 45 | Gastrointestinal metastases of cutaneous melanoma. American Surgeon, 2014, 80, E45-6. | 0.4 | 1 |
| 46 | Post-operative morbidity and mortality in pancreatic surgery. The role of surgical Apgar score. Pancreatology, 2013, 13, 175-179. | 0.5 | 29 |
| 47 | Lymph node ratio is a stronger prognotic factor than microsatellite instability in colorectal cancer patients: Results from a 7 years follow-up study. International Journal of Surgery, 2013, 11, 1016-1021. | 1.1 | 17 |
| 48 | Malnutrition and pancreatic surgery: Prevalence and outcomes. Journal of Surgical Oncology, 2013, 107, 702-708. | 0.8 | 139 |
| 49 | The importance of lymph node retrieval and lymph node ratio following preoperative chemoradiation of rectal cancer. Colorectal Disease, 2013, 15, e382-8. | 0.7 | 28 |
| 50 | The Animal Model in Advanced Laparoscopy Resident Training. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2013, 23, 271-275. | 0.4 | 21 |
| 51 | Profiling the Prognosis of Gastric Cancer Patients: Is It Worth Correlating the Survival with the Clinical/Pathological and Molecular Features of Gastric Cancers?. Scientific World Journal, The, 2013, 2013, 1-9. | 0.8 | 3 |
| 52 | The strange case of Dr Jekyll and Mr Hyde (about surgery and basic research). A perspective for a new approach for pursuing an academic career (also in Italy). International Journal of Surgery, 2012, 10, 275-276. | 1.1 | 2 |
| 53 | The Glasgow Prognostic Score as a Predictor of Survival in Patients with Potentially Resectable Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2012, 19, 2917-2923. | 0.7 | 119 |
| 54 | Resident Training in Laparoscopic Colorectal Surgery: Role of the Porcine Model. World Journal of Surgery, 2012, 36, 2015-2020. | 0.8 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Impact and prognostic implications of colon cancers stage II sub-classification through the years. International Journal of Colorectal Disease, 2012, 27, 1311-1318. | 1.0 | 10 |
| 56 | Hospital Volume, Margin Status, and Long-Term Survival after Pancreaticoduodenectomy for Pancreatic Adenocarcinoma. American Surgeon, 2012, 78, 225-229. | 0.4 | 59 |
| 57 | Number of harvested lymph nodes is the main prognostic factor in Stage IIa colorectal cancer patients. Journal of Surgical Oncology, 2012, 106, 469-474. | 0.8 | 27 |
| 58 | Promptness of diagnosis is the main prognostic factor after colonoscopic perforation. Colorectal Disease, 2012, 14, e23-6. | 0.7 | 32 |
| 59 | Preoperative Brain Natriuretic Peptide (BNP) Is a Better Predictor of Adverse Cardiac Events Compared to Preoperative Scoring System in Patients Who Underwent Abdominal Surgery. World Journal of Surgery, 2012, 36, 24-30. | 0.8 | 22 |
| 60 | Hospital volume, margin status, and long-term survival after pancreaticoduodenectomy for pancreatic adenocarcinoma. American Surgeon, 2012, 78, 225-9. | 0.4 | 33 |
| 61 | Role of the Lymph node ratio in pancreatic ductal adenocarcinoma. Impact on patient stratification and prognosis. Journal of Surgical Oncology, 2011, 104, 629-633. | 0.8 | 46 |
| 62 | Is Laparoscopy Safe and Effective in Nontraumatic Acute Abdomen?. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2011, 21, 589-593. | 0.5 | 6 |
| 63 | Peritoneal washing cytology in gastric cancer. How, when and who will get a benefit? A review. Minerva Gastroenterologica E Dietologica, 2011, 57, 43-51. | 2.2 | 8 |
| 64 | Esophageal Small Cell Carcinoma. American Surgeon, 2010, 76, 28-30. | 0.4 | 3 |
| 65 | A Novel Approach in Surgical Palliation for Unresectable Pancreatic Cancer with Untreatable Chronic Pain: Radiofrequency Ablation of Pancreatic Mass and Celiac Plexus. American Surgeon, 2010, 76, 108-109. | 0.4 | 6 |
| 66 | Common hepatic artery aneurysm successfully treated with a celiac axis stent graft. Two years of follow up. European Journal of Radiology Extra, 2010, 75, e125-e128. | 0.1 | 4 |
| 67 | Peritoneal wash cytology in gastric carcinoma. Prognostic significance and therapeutic consequences. European Journal of Surgical Oncology, 2010, 36, 982-986. | 0.5 | 49 |
| 68 | A novel approach in surgical palliation for unresectable pancreatic cancer with untreatable chronic pain: radiofrequency ablation of pancreatic mass and celiac plexus. American Surgeon, 2010, 76, E108-9. | 0.4 | 5 |
| 69 | Value of sacral nerve stimulation in the treatment of severe faecal incontinence: a comparison to the artificial bowel sphincter. Colorectal Disease, 2009, 11, 631-635. | 0.7 | 33 |
| 70 | Is laparoscopic adrenalectomy safe and effective for adrenal masses larger than 7 cm?. Surgical Endoscopy and Other Interventional Techniques, 2008, 22, 516-521. | 1.3 | 83 |
| 71 | The STARR Procedure for Internal Rectal Prolapse. , 2008, , 71-80. | | 0 |
| 72 | UNUSUAL CASE OF ACUTE ABDOMEN: GIANT COLONIC DIVERTICULUM. ANZ Journal of Surgery, 2007, 77, 490-492. | 0.3 | 4 |