

Nadja Maric

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5770669/publications.pdf>

Version: 2024-02-01

100
papers

3,632
citations

218381

26
h-index

138251

58
g-index

112
all docs

112
docs citations

112
times ranked

4367
citing authors

#	ARTICLE	IF	CITATIONS
1	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 388-404.	0.1	390
2	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.1	318
3	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
4	Hypopituitarism as a consequence of traumatic brain injury (TBI) and its possible relation with cognitive disabilities and mental distress. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 1048-1054.	1.8	168
5	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	4.8	127
6	Therapeutic Strategies for Treatment of Inflammation-related Depression. <i>Current Neuropharmacology</i> , 2018, 16, 176-209.	1.4	107
7	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003, 63, 89-95.	1.1	103
8	Pathways to psychiatric care in Eastern Europe. <i>British Journal of Psychiatry</i> , 2005, 186, 529-535.	1.7	84
9	Why schizophrenia genetics needs epigenetics: a review. <i>Psychiatria Danubina</i> , 2012, 24, 2-18.	0.2	82
10	Psychiatric and neuropsychological changes in growth hormone-deficient patients after traumatic brain injury in response to growth hormone therapy. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 770-775.	1.8	70
11	Autophagy inhibition uncovers the neurotoxic action of the antipsychotic drug olanzapine. <i>Autophagy</i> , 2014, 10, 2362-2378.	4.3	66
12	Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020, 14, 741-750.	0.9	58
13	Changes in Neuroendocrine and Metabolic Hormones Induced by Atypical Antipsychotics in Normal-Weight Patients with Schizophrenia. <i>Neuroendocrinology</i> , 2007, 85, 249-256.	1.2	50
14	Improving Current Treatments for Schizophrenia. <i>Drug Development Research</i> , 2016, 77, 357-367.	1.4	46
15	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	2.3	46
16	Pharmacological modulation of HPA axis in depression - new avenues for potential therapeutic benefits. <i>Psychiatria Danubina</i> , 2013, 25, 299-305.	0.2	40
17	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	1.6	38
18	Prenatal stress during the 1999 bombing associated with lower birth weight—a study of 3,815 births from Belgrade. <i>Archives of Women's Mental Health</i> , 2010, 13, 83-89.	1.2	38

#	ARTICLE	IF	CITATIONS
19	Bone Remodeling, Bone Mass and Weight Gain in Patients with Stabilized Schizophrenia in Real-Life Conditions Treated with Long-Acting Injectable Risperidone. <i>Neuroendocrinology</i> , 2011, 94, 246-254.	1.2	38
20	Mechanisms and therapeutic significance of autophagy modulation by antipsychotic drugs. <i>Cell Stress</i> , 2018, 2, 282-291.	1.4	38
21	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	1.8	36
22	Gait characteristics in patients with major depression performing cognitive and motor tasks while walking. <i>Psychiatry Research</i> , 2014, 217, 39-46.	1.7	32
23	Stigmatization of "psychiatric label"™ by medical and non-medical students. <i>International Journal of Social Psychiatry</i> , 2012, 58, 455-462.	1.6	30
24	Do depressive symptoms on hospital admission impact early functional outcome in elderly patients with hip fracture?. <i>Psychogeriatrics</i> , 2014, 14, 118-123.	0.6	29
25	Lymphocyte Levels of Redox-Sensitive Transcription Factors and Antioxidative Enzymes as Indicators of Pro-Oxidative State in Depressive Patients. <i>Neuropsychobiology</i> , 2014, 70, 1-9.	0.9	29
26	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	2.7	28
27	Cumulative exposure to estrogen and psychosis: a peak bone mass, case-control study in first-episode psychosis. <i>Schizophrenia Research</i> , 2005, 73, 351-355.	1.1	27
28	Phosphorylation of leukocyte glucocorticoid receptor in patients with current episode of major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 40, 281-285.	2.5	25
29	The acute and medium-term effects of treatment with electroconvulsive therapy on memory in patients with major depressive disorder. <i>Psychological Medicine</i> , 2016, 46, 797-806.	2.7	23
30	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
31	Accumulation of Cytoplasmic Glucocorticoid Receptor Is Related to Elevation of FKBP5 in Lymphocytes of Depressed Patients. <i>Journal of Molecular Neuroscience</i> , 2015, 55, 951-958.	1.1	21
32	The emerging role of the FKBP5 gene polymorphisms in vulnerability-stress model of schizophrenia: further evidence from a Serbian population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 527-539.	1.8	20
33	Prescribing practices in Southeastern Europe - focus on benzodiazepine prescription at discharge from nine university psychiatric hospitals. <i>Psychiatry Research</i> , 2017, 258, 59-65.	1.7	19
34	Prescribing practices in psychiatric hospitals in Eastern Europe. <i>European Psychiatry</i> , 2011, 26, 414-418.	0.1	18
35	Familial covariation of facial emotion recognition and IQ in schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 52-57.	1.7	18
36	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.1	18

#	ARTICLE	IF	CITATIONS
37	Neuroticism and facial emotion recognition in healthy adults. <i>Microbial Biotechnology</i> , 2016, 10, 160-164.	0.9	17
38	Implementing a psychosocial intervention DIALOG+ for patients with psychotic disorders in low and middle income countries in South Eastern Europe: protocol for a hybrid effectiveness-implementation cluster randomized clinical trial (IMPULSE). <i>Global Psychiatry</i> , 2020, 3, 83-96.	2.0	17
39	A preliminary evaluation of leukocyte phospho-glucocorticoid receptor as a potential biomarker of depressogenic vulnerability in healthy adults. <i>Psychiatry Research</i> , 2013, 209, 658-664.	1.7	16
40	Retinal structural abnormalities in young adults with psychosis spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 98, 109825.	2.5	16
41	Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 646-655.	1.5	15
42	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	2.7	14
43	Metabolic issues in psychotic disorders with the focus on first-episode patients: a review. <i>Psychiatria Danubina</i> , 2013, 25, 410-5.	0.2	14
44	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 853-858.	0.9	11
45	On the origin of schizophrenia: Testing evolutionary theories in the post-genomic era. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 723-730.	1.0	11
46	Sex differences in facial emotion recognition in health and psychotic disorders. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 108-122.	0.7	11
47	Modulation of c-Jun N-terminal kinase signaling and specific glucocorticoid receptor phosphorylation in the treatment of major depression. <i>Medical Hypotheses</i> , 2015, 85, 291-294.	0.8	10
48	European status and perspectives on early detection and intervention in at-risk mental state and first episode psychosis: Viewpoint from the EPA section for prevention of mental disorders. <i>European Psychiatry</i> , 2017, 46, 48-50.	0.1	10
49	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	2.7	10
50	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	2.5	10
51	Covid-19-related stressors, mental disorders, depressive and anxiety symptoms: a cross-sectional, nationally-representative, face-to-face survey in Serbia. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, .	1.8	10
52	Postgraduate training for young psychiatrists' experience of the Berlin Summer School. <i>European Psychiatry</i> , 2006, 21, 509-515.	0.1	9
53	The role of glucocorticoid receptor phosphorylation in the model of negative affective states. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 301-311.	1.3	8
54	How medical students in their pre-clinical year perceive psychiatry as a career: the study from Belgrade. <i>Psychiatria Danubina</i> , 2009, 21, 206-12.	0.2	8

#	ARTICLE	IF	CITATIONS
55	Electroconvulsive therapy practice in Serbia today. <i>Psychiatria Danubina</i> , 2014, 26, 66-9.	0.2	8
56	Factors influencing the choice of antidepressants: A study of antidepressant prescribing practice at University psychiatric clinic in Belgrade. <i>Vojnosanitetski Pregled</i> , 2012, 69, 308-313.	0.1	7
57	Chronic risperidone exposure does not show any evidence of bone mass deterioration in animal model of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 58-63.	2.5	7
58	»Treatment Resistance« Enigma Resolved by Pharmacogenomics » A Case Study of Clozapine Therapy in Schizophrenia / Enigma »Terapo-Rezistence« Razrešena Uz Pomoć Farmakogenomike - Prikaz Slučaja Terapije Klozapinom U Shizofreniji. <i>Journal of Medical Biochemistry</i> , 2015, 34, 223-227.	0.7	7
59	Structural imaging of the retina in psychosis spectrum disorders. <i>Current Opinion in Psychiatry</i> , 2020, Publish Ahead of Print, 476-483.	3.1	7
60	The FKBP5 genotype and childhood trauma effects on FKBP5 DNA methylation in patients with psychosis, their unaffected siblings, and healthy controls. <i>Psychoneuroendocrinology</i> , 2021, 128, 105205.	1.3	7
61	Use or underuse of therapeutic guidelines in psychiatry?. <i>Psychiatria Danubina</i> , 2009, 21, 224-9.	0.2	7
62	Effective assessment of psychotropic medication side effects using PsyLOG mobile application. <i>Schizophrenia Research</i> , 2018, 192, 211-212.	1.1	6
63	Long-Term Benzodiazepine Prescription During Maintenance Therapy of Individuals With Psychosis Spectrum Disorders» Associations With Cognition and Global Functioning. <i>Clinical Neuropharmacology</i> , 2021, 44, 89-93.	0.2	6
64	Sex differences in macular thickness of the retina in patients with psychosis spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110280.	2.5	6
65	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	1.3	5
66	Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , 2019, 13, 1283-1288.	0.9	5
67	Efficacy, tolerability and safety of tianeptine in special populations of depressive patients. <i>Psychiatria Danubina</i> , 2009, 21, 194-8.	0.2	5
68	Change of students interest in psychiatry over the years at school of medicine, University of Belgrade, Serbia. <i>Israel Journal of Psychiatry</i> , 2011, 48, 42-8.	0.2	5
69	Non-pharmacological interventions for schizophrenia» analysis of treatment guidelines and implementation in 12 Southeast European countries. <i>NPJ Schizophrenia</i> , 2022, 8, 10.	2.0	5
70	Glucocorticoid receptor alpha translational isoforms as mediators of early adversities and negative emotional states. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 90, 288-299.	2.5	4
71	Mental health in the second year of the COVID-19 pandemic: protocol for a nationally representative multilevel survey in Serbia. <i>BMJ Open</i> , 2021, 11, e053835.	0.8	4
72	Mental health and COVID-19 pandemic: The literature review. <i>Medicinski Podmladak</i> , 2021, 72, 78-86.	0.2	4

#	ARTICLE	IF	CITATIONS
73	Changes in antipsychotic prescription practice at University Hospital in Belgrade, Serbia: 2009 vs. 2004. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 495-495.	2.2	3
74	Population-based differences in immune system response contribute to an increased risk of schizophrenia in African migrants?. <i>Reviews in the Neurosciences</i> , 2018, 29, 347-353.	1.4	3
75	Non-pharmacological treatments for schizophrenia in Southeast Europe: An expert survey. <i>International Journal of Social Psychiatry</i> , 2021, , 002076402110230.	1.6	3
76	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 201-219.	1.0	3
77	Factors influencing the choice of antidepressants: a study of antidepressant prescribing practice at University Psychiatric Clinic in Belgrade. <i>Vojnosanitetski Pregled</i> , 2012, 69, 308-13.	0.1	3
78	Probable depression and anxiety in seven European countries during the COVID-19: Probable overestimation of the problem due to sampling method. <i>Journal of Affective Disorders</i> , 2022, 311, 554-555.	2.0	3
79	Psychological morbidity during pregnancy and low birth weight. <i>British Journal of Psychiatry</i> , 2006, 188, 586-586.	1.7	2
80	Executive function in treatment-resistant depression before and after electroconvulsive therapy. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 624-632.	1.3	2
81	Openness to experience shortens duration of untreated psychosis in Serbian clinical population. <i>Microbial Biotechnology</i> , 2018, 12, 91-95.	0.9	2
82	Determinants of quality of life among individuals seeking mental health care after termination of state of emergency due to the coronavirus disease 2019 pandemic. <i>Medicine (United States)</i> , 2021, 100, e26854.	0.4	2
83	The research team of the CoV2Soul.RS project, reports the preliminary results on depressiveness in Serbia, on the occasion of the world mental health day. <i>Srpski Medicinski Åasopis Lekarske Komore</i> , 2021, 2, 337-341.	0.1	2
84	Parricide in the region of Belgrade: Descriptive analysis. <i>European Psychiatry</i> , 2008, 23, S336.	0.1	1
85	Frequency and correlates of depression at the primary health care level in Belgrade. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2020, 148, 185-190.	0.1	1
86	The classification of psychotic disorders: Trending topics. <i>Engrami</i> , 2019, 41, 85-100.	0.1	1
87	Community attitudes towards the mentally ill in Serbia. <i>Engrami</i> , 2019, 41, 50-67.	0.1	1
88	Risperidone liquid in psychotic disorders--efficacy and attitudes. <i>Psychiatria Danubina</i> , 2005, 17, 191-6.	0.2	1
89	Depression following Traumatic Brain Injury Associated with Isolated Growth Hormone Deficiency: Two Case Reports. <i>Hormone Research in Paediatrics</i> , 2007, 67, 177-179.	0.8	0
90	P.4.a.003 Sex differences in susceptibility to adverse effects of prenatal stress on birth weight: study of 2516 Belgrade newborns. <i>European Neuropsychopharmacology</i> , 2009, 19, S587.	0.3	0

#	ARTICLE	IF	CITATIONS
91	P.2.b.003 Assessment of impaired glucocorticoid signaling in negative affective states via FKBP51 and glucocorticoid receptor phosphorylation. <i>European Neuropsychopharmacology</i> , 2014, 24, S379.	0.3	0
92	SU94. Allele-Specific and Trauma-Related Epigenetic Changes in the FKBP5 Gene: Differences Between Psychotic Patients and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2017, 43, S195-S195.	2.3	0
93	Facial emotion recognition in schizophrenia spectrum disorders – how polypharmacy impacts processing speed. <i>European Neuropsychopharmacology</i> , 2019, 29, S123.	0.3	0
94	S211. LONG-TERM BENZODIAZEPINE USE DURING MAINTENANCE THERAPY OF PSYCHOSIS - ASSOCIATION WITH SYMPTOMS, COGNITION AND FUNCTIONALITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S119-S119.	2.3	0
95	Recognition and treatment of hyponatremia in psychiatric practice: Analysis of the frequency and report of case series. <i>Engrami</i> , 2019, 41, 112-125.	0.1	0
96	Schizotypy: Current concepts and future research implications. <i>Medicinski Podmladak</i> , 2019, 70, 27-33.	0.2	0
97	Duration of psychiatric appointments for patients with Psychosis spectrum disorders in Serbia: Is it significantly prolonged by DIALOG+ psychosocial intervention?. <i>Psihijatrija Danas</i> , 2020, 52, 13-24.	0.1	0
98	Risperidon vs. Other antipsychotics in schizophrenia: the assessment of patients' attitudes. <i>Psychiatria Danubina</i> , 2004, 16, 127-31.	0.2	0
99	Maintenance Therapy of Psychosis Spectrum Disorders in a Real-World Setting: Antipsychotics Prescription Patterns and Long-Term Benzodiazepine Use. <i>Frontiers in Psychiatry</i> , 2022, 13, 796719.	1.3	0
100	Recovering quality of life in outpatients with psychosis spectrum disorders and its association with the symptom domains. , 2022, 55, 43-49.		0