Nadja Maric

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5770669/nadja-maric-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95	2,818 citations	23	52
papers		h-index	g-index
112	3,349 ext. citations	4	4.78
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
95	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 201	-2:19	
94	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 113, 110440	5.5	О
93	Non-pharmacological interventions for schizophrenia-analysis of treatment guidelines and implementation in 12 Southeast European countries <i>NPJ Schizophrenia</i> , 2022 , 8, 10	5.5	O
92	Maintenance Therapy of Psychosis Spectrum Disorders in a Real-World Setting: Antipsychotics Prescription Patterns and Long-Term Benzodiazepine Use <i>Frontiers in Psychiatry</i> , 2022 , 13, 796719	5	
91	Probable depression and anxiety in seven European countries during the COVID-19: Probable overestimation of the problem due to sampling method. <i>Journal of Affective Disorders</i> , 2022 , 311, 554-5	556 555	
90	The research team of the CoV2Soul.RS project, reports the preliminary results on depressiveness in Serbia, on the occasion of the world mental health day. <i>Srpski Medicinski dsopis Lekarske Komore</i> , 2021 , 2, 337-341	0.1	1
89	Mental health and COVID-19 pandemic: The literature review. <i>Medicinski Podmladak</i> , 2021 , 72, 78-86	0	O
88	The FKBP5 genotype and childhood trauma effects on FKBP5 DNA methylation in patients with psychosis, their unaffected siblings, and healthy controls. <i>Psychoneuroendocrinology</i> , 2021 , 128, 105205	; 5	2
87	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021 , 64, e25	6	6
86	Long-Term Benzodiazepine Prescription During Maintenance Therapy of Individuals With Psychosis Spectrum Disorders-Associations With Cognition and Global Functioning. <i>Clinical Neuropharmacology</i> , 2021 , 44, 89-93	1.4	1
85	Determinants of quality of life among individuals seeking mental health care after termination of state of emergency due to the coronavirus disease 2019 pandemic. <i>Medicine (United States)</i> , 2021 , 100, e26854	1.8	1
84	Sex differences in macular thickness of the retina in patients with psychosis spectrum disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021 , 110, 110280	5.5	1
83	Non-pharmacological treatments for schizophrenia in Southeast Europe: An expert survey. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211023072	8.5	O
82	Mental health in the second year of the COVID-19 pandemic: protocol for a nationally representative multilevel survey in Serbia. <i>BMJ Open</i> , 2021 , 11, e053835	3	2
81	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
80	Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020 , 14, 741-750	3.3	35
79	Frequency and correlates of depression at the primary health care level in Belgrade. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2020 , 148, 185-190	0.2	1

(2019-2020)

78	Implementing a psychosocial intervention DIALOG+ for patients with psychotic disorders in low and middle income countries in South Eastern Europe: protocol for a hybrid effectiveness-implementation cluster randomized clinical trial (IMPULSE). <i>Global Psychiatry</i> , 2020 ,	2.5	7
77	3, 83-96 Duration of psychiatric appointments for patients with Psychosis spectrum disorders in Serbia: Is it significantly prolonged by DIALOG+ psychosocial intervention?. <i>Psihijatrija Danas</i> , 2020 , 52, 13-24	0.1	
76	Retinal structural abnormalities in young adults with psychosis spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 98, 109825	5.5	10
75	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2020 , 1-7	6.9	3
74	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e182	5.1	11
73	Structural imaging of the retina in psychosis spectrum disorders: current status and perspectives. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 476-483	4.9	2
72	S211. LONG-TERM BENZODIAZEPINE USE DURING MAINTENANCE THERAPY OF PSYCHOSIS - ASSOCIATION WITH SYMPTOMS, COGNITION AND FUNCTIONALITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S119-S119	1.3	78
71	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	2
70	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020 , 50, 1884-1897	6.9	17
69	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 676	5	1
68	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019 , 18, 173-182	14.4	73
67	Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , 2019 , 13, 1283-1288	3.3	3
66	Sex differences in facial emotion recognition in health and psychotic disorders. <i>Cognitive Neuropsychiatry</i> , 2019 , 24, 108-122	2	5
65	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 853-858	3.3	7
64	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 960-965	1.3	20
63	On the origin of schizophrenia: Testing evolutionary theories in the post-genomic era. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 723-730	6.2	3
62	The classification of psychotic disorders: Trending topics. <i>Engrami</i> , 2019 , 41, 85-100	0.1	O
61	Recognition and treatment of hyponatremia in psychiatric practice: Analysis of the frequency and report of case series. <i>Engrami</i> , 2019 , 41, 112-125	0.1	

60	Community attitudes towards the mentally ill in Serbia. <i>Engrami</i> , 2019 , 41, 50-67	0.1	
59	Facial emotion recognition in schizophrenia spectrum disorders how polypharmacy impacts processing speed. <i>European Neuropsychopharmacology</i> , 2019 , 29, S123	1.2	
58	Glucocorticoid receptor alpha translational isoforms as mediators of early adversities and negative emotional states. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 288-299	5.5	O
57	Openness to experience shortens duration of untreated psychosis in Serbian clinical population. <i>Microbial Biotechnology</i> , 2018 , 12, 91-95	3.3	O
56	Effective assessment of psychotropic medication side effects using PsyLOG mobile application. <i>Schizophrenia Research</i> , 2018 , 192, 211-212	3.6	5
55	Mechanisms and therapeutic significance of autophagy modulation by antipsychotic drugs. <i>Cell Stress</i> , 2018 , 2, 282-291	5.5	17
54	Therapeutic Strategies for Treatment of Inflammation-related Depression. <i>Current Neuropharmacology</i> , 2018 , 16, 176-209	7.6	56
53	Population-based differences in immune system response contribute to an increased risk of schizophrenia in African migrants?. <i>Reviews in the Neurosciences</i> , 2018 , 29, 347-353	4.7	1
52	Executive function in treatment-resistant depression before and after electroconvulsive therapy. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 624-632	3.8	1
51	Prescribing practices in Southeastern Europe - focus on benzodiazepine prescription at discharge from nine university psychiatric hospitals. <i>Psychiatry Research</i> , 2017 , 258, 59-65	9.9	10
50	The emerging role of the FKBP5 gene polymorphisms in vulnerability-stress model of schizophrenia: further evidence from a Serbian population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 527-539	5.1	13
49	SU94. Allele-Specific and Trauma-Related Epigenetic Changes in the FKBP5 Gene: Differences Between Psychotic Patients and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2017 , 43, S195-S195	1.3	78
48	Neuroticism and facial emotion recognition in healthy adults. <i>Microbial Biotechnology</i> , 2016 , 10, 160-4	3.3	11
47	Improving Current Treatments for Schizophrenia. <i>Drug Development Research</i> , 2016 , 77, 357-367	5.1	24
46	The acute and medium-term effects of treatment with electroconvulsive therapy on memory in patients with major depressive disorder. <i>Psychological Medicine</i> , 2016 , 46, 797-806	6.9	18
45	Familial covariation of facial emotion recognition and IQ in schizophrenia. <i>Psychiatry Research</i> , 2016 , 246, 52-57	9.9	11
44	The role of glucocorticoid receptor phosphorylation in the model of negative affective states. World Journal of Biological Psychiatry, 2015 , 16, 301-11	3.8	7
43	Accumulation of cytoplasmic glucocorticoid receptor is related to elevation of FKBP5 in lymphocytes of depressed patients. <i>Journal of Molecular Neuroscience</i> , 2015 , 55, 951-8	3.3	18

(2012-2015)

42	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 405-16	6	235
41	Modulation of c-Jun N-terminal kinase signaling and specific glucocorticoid receptor phosphorylation in the treatment of major depression. <i>Medical Hypotheses</i> , 2015 , 85, 291-4	3.8	6
40	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 388-404	6	233
39	☑Treatment Resistance☑ Enigma Resolved by Pharmacogenomics - A Case Study of Clozapine Therapy in Schizophrenia. <i>Journal of Medical Biochemistry</i> , 2015 , 34, 223-227	1.9	7
38	P.2.b.003 Assessment of impaired glucocorticoid signaling in negative affective states via FKBP51 and glucocorticoid receptor phosphorylation. <i>European Neuropsychopharmacology</i> , 2014 , 24, S379	1.2	
37	Gait characteristics in patients with major depression performing cognitive and motor tasks while walking. <i>Psychiatry Research</i> , 2014 , 217, 39-46	9.9	23
36	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
35	Autophagy inhibition uncovers the neurotoxic action of the antipsychotic drug olanzapine. <i>Autophagy</i> , 2014 , 10, 2362-78	10.2	51
34	Do depressive symptoms on hospital admission impact early functional outcome in elderly patients with hip fracture?. <i>Psychogeriatrics</i> , 2014 , 14, 118-23	1.8	18
33	Lymphocyte levels of redox-sensitive transcription factors and antioxidative enzymes as indicators of pro-oxidative state in depressive patients. <i>Neuropsychobiology</i> , 2014 , 70, 1-9	4	25
32	Electroconvulsive therapy practice in Serbia today. <i>Psychiatria Danubina</i> , 2014 , 26, 66-9	1.8	7
31	Chronic risperidone exposure does not show any evidence of bone mass deterioration in animal model of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 58-63	3 ^{5.5}	6
30	A preliminary evaluation of leukocyte phospho-glucocorticoid receptor as a potential biomarker of depressogenic vulnerability in healthy adults. <i>Psychiatry Research</i> , 2013 , 209, 658-64	9.9	15
29	Phosphorylation of leukocyte glucocorticoid receptor in patients with current episode of major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 40, 281-5	5.5	23
28	Pharmacological modulation of HPA axis in depression - new avenues for potential therapeutic benefits. <i>Psychiatria Danubina</i> , 2013 , 25, 299-305	1.8	37
27	Metabolic issues in psychotic disorders with the focus on first-episode patients: a review. <i>Psychiatria Danubina</i> , 2013 , 25, 410-5	1.8	14
26	Factors influencing the choice of antidepressants: A study of antidepressant prescribing practice at University psychiatric clinic in Belgrade. <i>Vojnosanitetski Pregled</i> , 2012 , 69, 308-313	0.1	5
25	Stigmatization of Posychiatric labelPoy medical and non-medical students. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 455-62	8.5	21

24	Why schizophrenia genetics needs epigenetics: a review. <i>Psychiatria Danubina</i> , 2012 , 24, 2-18	1.8	38
23	Factors influencing the choice of antidepressants: a study of antidepressant prescribing practice at University Psychiatric Clinic in Belgrade. <i>Vojnosanitetski Pregled</i> , 2012 , 69, 308-13	0.1	2
22	Bone remodeling, bone mass and weight gain in patients with stabilized schizophrenia in real-life conditions treated with long-acting injectable risperidone. <i>Neuroendocrinology</i> , 2011 , 94, 246-54	5.6	33
21	Prescribing practices in psychiatric hospitals in Eastern Europe. European Psychiatry, 2011 , 26, 414-8	6	14
20	Changes in antipsychotic prescription practice at University Hospital in Belgrade, Serbia: 2009 vs. 2004. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 495; author reply 495	6.5	3
19	Change of students interest in psychiatry over the years at school of medicine, University of Belgrade, Serbia. <i>Israel Journal of Psychiatry</i> , 2011 , 48, 42-8		5
18	Psychiatric and neuropsychological changes in growth hormone-deficient patients after traumatic brain injury in response to growth hormone therapy. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 770-5	5.2	59
17	Prenatal stress during the 1999 bombing associated with lower birth weight-a study of 3,815 births from Belgrade. <i>Archives of Womenks Mental Health</i> , 2010 , 13, 83-9	5	35
16	P.4.a.003 Sex differences in susceptibility to adverse effects of prenatal stress on birth weight: study of 2516 Belgrade newborns. <i>European Neuropsychopharmacology</i> , 2009 , 19, S587	1.2	
15	Efficacy, tolerability and safety of tianeptine in special populations of depressive patients. <i>Psychiatria Danubina</i> , 2009 , 21, 194-8	1.8	3
14	How medical students in their pre-clinical year perceive psychiatry as a career: the study from Belgrade. <i>Psychiatria Danubina</i> , 2009 , 21, 206-12	1.8	7
13	Use or underuse of therapeutic guidelines in psychiatry?. <i>Psychiatria Danubina</i> , 2009 , 21, 224-9	1.8	7
12	Changes in neuroendocrine and metabolic hormones induced by atypical antipsychotics in normal-weight patients with schizophrenia. <i>Neuroendocrinology</i> , 2007 , 85, 249-56	5.6	44
11	Depression following Traumatic Brain Injury Associated with Isolated Growth Hormone Deficiency: Two Case Reports. <i>Hormone Research in Paediatrics</i> , 2007 , 67, 177-179	3.3	
10	Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006 , 40, 646-55	5.2	10
9	Postgraduate training for young psychiatristsexperience of the Berlin Summer School. <i>European Psychiatry</i> , 2006 , 21, 509-15	6	5
8	Psychological morbidity during pregnancy and low birth weight. <i>British Journal of Psychiatry</i> , 2006 , 188, 586	5.4	1
7	Cumulative exposure to estrogen and psychosis: a peak bone mass, case-control study in first-episode psychosis. <i>Schizophrenia Research</i> , 2005 , 73, 351-5	3.6	26

LIST OF PUBLICATIONS

6	Pathways to psychiatric care in Eastern Europe. British Journal of Psychiatry, 2005, 186, 529-35	5.4	73
5	Risperidone liquid in psychotic disordersefficacy and attitudes. <i>Psychiatria Danubina</i> , 2005 , 17, 191-6	1.8	1
4	Is our concept of schizophrenia influenced by Berksonß bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 600-5	4.5	33
3	Hypopituitarism as a consequence of traumatic brain injury (TBI) and its possible relation with cognitive disabilities and mental distress. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 1048-54	5.2	152
2	Risperidon vs. Other antipsychotics in schizophrenia: the assessment of patientsRattitudes. <i>Psychiatria Danubina</i> , 2004 , 16, 127-31	1.8	
1	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003 , 63, 89-95	3.6	96