Gertrudis I J M Kempen

List of Publications by Citations

Source: https://exaly.com/author-pdf/5771307/gertrudis-i-j-m-kempen-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

256 papers

13,837 citations

59 h-index 109 g-index

276 ext. papers

15,679 ext. citations

3.7 avg, IF

6.19 L-index

#	Paper	IF	Citations
256	A validation study of the Hospital Anxiety and Depression Scale (HADS) in different groups of Dutch subjects. <i>Psychological Medicine</i> , 1997 , 27, 363-70	6.9	1482
255	Development and initial validation of the Falls Efficacy Scale-International (FES-I). <i>Age and Ageing</i> , 2005 , 34, 614-9	3	1074
254	Which chronic conditions are associated with better or poorer quality of life?. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 895-907	5.7	442
253	The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. <i>Age and Ageing</i> , 2008 , 37, 45-50	3	417
252	Prevalence and correlates of fear of falling, and associated avoidance of activity in the general population of community-living older people. <i>Age and Ageing</i> , 2007 , 36, 304-9	3	407
251	The assessment of disability with the Groningen Activity Restriction Scale. Conceptual framework and psychometric properties. <i>Social Science and Medicine</i> , 1996 , 43, 1601-10	5.1	302
250	Interventions to reduce fear of falling in community-living older people: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 603-15	5.6	266
249	A systematic review of Internet-based supportive interventions for caregivers of patients with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 331-44	3.9	256
248	Temporal and reciprocal relationship between IADL/ADL disability and depressive symptoms in late life. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002 , 57, P338-47	4.6	233
247	The development of a hierarchical polychotomous ADL-IADL scale for noninstitutionalized elders. <i>Gerontologist, The</i> , 1990 , 30, 497-502	5	202
246	Interventions to prevent disability in frail community-dwelling elderly: a systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 278	2.9	200
245	Older people's views of falls-prevention interventions in six European countries. <i>Gerontologist, The</i> , 2006 , 46, 650-60	5	196
244	Functioning, well-being, and health perception in late middle-aged and older people: comparing the effects of depressive symptoms and chronic medical conditions. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 39-48	5.6	175
243	Adaptive responses among Dutch elderly: the impact of eight chronic medical conditions on health-related quality of life. <i>American Journal of Public Health</i> , 1997 , 87, 38-44	5.1	160
242	Small, homelike care environments for older people with dementia: a literature review. <i>International Psychogeriatrics</i> , 2009 , 21, 252-64	3.4	152
241	Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003 , 32, 81-7	3	146
240	Effects of a multicomponent cognitive behavioral group intervention on fear of falling and activity avoidance in community-dwelling older adults: results of a randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2020-8	5.6	142

(2008-1997)

239	Personality, chronic medical morbidity, and health-related quality of life among older persons Health Psychology, 1997 , 16, 539-546	5	142
238	Do Self-Management Interventions Work in Patients With Heart Failure? An Individual Patient Data Meta-Analysis. <i>Circulation</i> , 2016 , 133, 1189-98	16.7	139
237	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: results from Germany, the Netherlands and the UK were satisfactory. <i>Disability and Rehabilitation</i> , 2007 , 29, 155-62	2.4	139
236	Chronic medical conditions and mental health in older people: disability and psychosocial resources mediate specific mental health effects. <i>Psychological Medicine</i> , 1997 , 27, 1065-77	6.9	133
235	Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 24-32		132
234	Socioeconomic differences in incident depression in older adults: the role of psychosocial factors, physical health status, and behavioral factors. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 619-27	4.1	118
233	Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. <i>BMC Public Health</i> , 2009 , 9, 170	4.1	112
232	The impact of low vision on activities of daily living, symptoms of depression, feelings of anxiety and social support in community-living older adults seeking vision rehabilitation services. <i>Quality of Life Research</i> , 2012 , 21, 1405-11	3.7	111
231	Effectiveness of interdisciplinary primary care approach to reduce disability in community dwelling frail older people: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f5264	5.9	110
230	Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1390-7	5.6	110
229	Feelings of anxiety and symptoms of depression in community-living older persons who avoid activity for fear of falling. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 186-93	6.5	108
228	The psychometric properties of three self-report screening instruments for identifying frail older people in the community. <i>BMC Public Health</i> , 2010 , 10, 176	4.1	106
227	Validation of the Falls Efficacy Scale and Falls Efficacy Scale International in geriatric patients with and without cognitive impairment: results of self-report and interview-based questionnaires. Gerontology, 2010 , 56, 190-9	5.5	102
226	Attitude and help-seeking for hearing impairment. International Journal of Audiology, 1996, 30, 313-24		101
225	The development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): a large-scale data sharing initiative. <i>PLoS ONE</i> , 2013 , 8, e81673	3.7	101
224	Association of inflammatory markers with socioeconomic status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 284-90	6.4	95
223	Changes in health-related quality of life in older patients with acute myocardial infarction or congestive heart failure: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1052-8	35.6	88
222	Effects of intensive home visiting programs for older people with poor health status: a systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 74	2.9	87

221	Factors affecting contrasting results between self-reported and performance-based levels of physical limitation. <i>Age and Ageing</i> , 1996 , 25, 458-64	3	87
220	Validity and sensitivity to change of the falls efficacy scales international to assess fear of falling in older adults with and without cognitive impairment. <i>Gerontology</i> , 2011 , 57, 462-72	5.5	83
219	The relative contribution of domains of quality of life to overall quality of life for different chronic diseases. <i>Quality of Life Research</i> , 2004 , 13, 883-96	3.7	82
218	The psychometric properties of the SSL12-I, a short scale for measuring social support in the elderly. <i>Social Indicators Research</i> , 1995 , 35, 303-312	2.7	82
217	Nurse-led self-management group programme for patients with congestive heart failure: randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2010 , 66, 1487-99	3.1	81
216	Psychometric properties and feasibility of instruments for the detection of delirium in older hospitalized patients: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 974-89	3.9	81
215	Dementia care redesigned: Effects of small-scale living facilities on residents, their family caregivers, and staff. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 662-70	5.9	80
214	Hierarchical structure in ADL and IADL: analytical assumptions and applications for clinicians and researchers. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 1299-305	5.7	78
213	DEPENDENCY IN ACTIVITIES OF DAILY LIVING: THE ROLE OF MULTIDIMENSIONAL FRAILTY AND PROTECTIVE FACTORS. <i>Innovation in Aging</i> , 2019 , 3, S635-S636	0.1	78
212	Qualitative study on needs and wishes of early-stage dementia caregivers: the paradox between needing and accepting help. <i>International Psychogeriatrics</i> , 2015 , 27, 927-36	3.4	77
211	The relationship of functional limitations to disability and the moderating effects of psychological attributes in community-dwelling older persons. <i>Social Science and Medicine</i> , 1999 , 48, 1161-72	5.1	77
210	Associations between lifestyle and depressed mood: longitudinal results from the Maastricht Aging Study. <i>American Journal of Public Health</i> , 2007 , 97, 887-94	5.1	75
209	Socioeconomic differences in cognitive decline and the role of biomedical factors. <i>Annals of Epidemiology</i> , 2005 , 15, 564-71	6.4	75
208	Lifestyle factors and incident mobility limitation in obese and non-obese older adults. <i>Obesity</i> , 2007 , 15, 3122-32	8	72
207	Cross-cultural comparison between academic and lay views of healthy ageing: a literature review. <i>Ageing and Society</i> , 2010 , 30, 1373-1391	1.7	71
206	Fried phenotype of frailty: cross-sectional comparison of three frailty stages on various health domains. <i>BMC Geriatrics</i> , 2015 , 15, 77	4.1	67
205	Impact of fatigue on overall quality of life in lung and breast cancer patients selected for high-dose radiotherapy. <i>Annals of Oncology</i> , 2007 , 18, 940-4	10.3	67
204	Explanations of socioeconomic differences in changes in physical function in older adults: results from the Longitudinal Aging Study Amsterdam. <i>BMC Public Health</i> , 2006 , 6, 244	4.1	64

203	A minimal psychological intervention in chronically ill elderly patients with depression: a randomized trial. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 217-26	9.4	61
202	Low control beliefs, classical coronary risk factors, and socio-economic differences in heart disease in older persons. <i>Social Science and Medicine</i> , 2005 , 60, 737-45	5.1	61
201	Psychological attributes and changes in disability among low-functioning older persons: does attrition affect the outcomes?. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 224-9	5.7	61
200	Chronic disease in elderly couples: are women more responsive to their spouses' health condition than men?. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 693-6	4.1	61
199	Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005 , 60, 25-36	5.1	60
198	Validity, Reliability and Feasibility of Tools to Identify Frail Older Patients in Inpatient Hospital Care: A Systematic Review. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 218-30	5.2	59
197	Factors influencing home discharge after inpatient rehabilitation of older patients: a systematic review. <i>BMC Geriatrics</i> , 2016 , 16, 5	4.1	59
196	Differences between participants and non-participants in an RCT on physical activity and psychological interventions for older persons. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 236-45	5 ^{4.8}	59
195	A nurse-led interdisciplinary primary care approach to prevent disability among community-dwelling frail older people: a large-scale process evaluation. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1184-96	5.8	57
194	Limitations in Activities of Daily Living in Community-Dwelling People Aged 75 and Over: A Systematic Literature Review of Risk and Protective Factors. <i>PLoS ONE</i> , 2016 , 11, e0165127	3.7	57
193	Physical fitness related to age and physical activity in older persons. <i>Medicine and Science in Sports and Exercise</i> , 1998 , 30, 434-41	1.2	56
192	Is there a biomedical explanation for socioeconomic differences in incident mobility limitation?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1022-7	6.4	54
191	Relationship of domain-specific measures of health to perceived overall health among older subjects. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 11-8	5.7	51
190	Gender-specific changes in quality of life following cardiovascular disease: a prospective study. Journal of Clinical Epidemiology, 2002 , 55, 1105-12	5.7	51
189	Depression in older people after fall-related injuries: a prospective study. <i>Age and Ageing</i> , 2003 , 32, 88-9	9 4	50
188	Morbidity and quality of life and the moderating effects of level of education in the elderly. <i>Social Science and Medicine</i> , 1999 , 49, 143-9	5.1	50
187	What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. <i>Journal of Cardiac Failure</i> , 2016 , 22, 861-871	3.3	50
186	Four screening instruments for frailty in older patients with and without cancer: a diagnostic study. <i>BMC Geriatrics</i> , 2014 , 14, 26	4.1	49

185	Epidemiology of heart failure in a community-based study of subjects aged > or = 57 years: incidence and long-term survival. <i>European Journal of Heart Failure</i> , 2006 , 8, 23-30	12.3	49
184	Models of health-related quality of life in a population of community-dwelling Dutch elderly. <i>Quality of Life Research</i> , 2000 , 9, 801-10	3.7	49
183	Patients' self-report and family caregivers' perception of quality of life in patients with advanced cancer: how do they compare?. <i>European Journal of Cancer Care</i> , 2006 , 15, 125-32	2.4	46
182	Physical fitness related to disability in older persons. <i>Gerontology</i> , 2000 , 46, 333-41	5.5	46
181	Small-scale, homelike facilities in dementia care: a process evaluation into the experiences of family caregivers and nursing staff. <i>International Journal of Nursing Studies</i> , 2012 , 49, 21-9	5.8	41
180	Fall determinants in older long-term care residents with dementia: a systematic review. <i>International Psychogeriatrics</i> , 2013 , 25, 549-63	3.4	41
179	The impact of a self-management group programme on health behaviour and healthcare utilization among congestive heart failure patients. <i>European Journal of Heart Failure</i> , 2009 , 11, 609-16	12.3	41
178	Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. <i>Psychosomatics</i> , 2006 , 47, 33-42	2.6	41
177	The impact of multiple impairments on disability in community-dwelling older people. <i>Age and Ageing</i> , 1998 , 27, 595-604	3	41
176	Professional home care for the elderly: an application of the Andersen-Newman model in The Netherlands. <i>Social Science and Medicine</i> , 1991 , 33, 1081-9	5.1	41
175	Factors influencing professional home care utilization among the elderly. <i>Social Science and Medicine</i> , 1991 , 32, 77-81	5.1	41
174	Effects of a home visiting program for older people with poor health status: a randomized, clinical trial in The Netherlands. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 397-404	5.6	40
173	Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. Results from the arthritis, diet, and activity promotion trial. <i>Contemporary Clinical Trials</i> , 2006 , 27, 227-37	2.3	38
172	Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. <i>BMC Geriatrics</i> , 2016 , 16, 2	4.1	37
171	Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. <i>International Psychogeriatrics</i> , 2014 , 26, 657-68	3.4	37
170	Heart failure patients with a lower educational level and better cognitive status benefit most from a self-management group programme. <i>Patient Education and Counseling</i> , 2010 , 81, 214-21	3.1	37
169	Development and Initial Evaluation of the Web-Based Self-Management Program "Partner in Balance" for Family Caregivers of People With Early Stage Dementia: An Exploratory Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2016 , 5, e33	2	37
168	Reducing disability in community-dwelling frail older people: cost-effectiveness study alongside a cluster randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 390-6	3	36

(2012-2004)

167	Socioeconomic inequalities in mobility decline in chronic disease groups (asthma/COPD, heart disease, diabetes mellitus, low back pain): only a minor role for disease severity and comorbidity. Journal of Epidemiology and Community Health, 2004 , 58, 862-9	5.1	36	
166	Effectiveness of a Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10017	7.6	36	
165	The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2009 , 18, 1207-18	3.7	35	
164	Effects on health care use and associated cost of a home visiting program for older people with poor health status: a randomized clinical trial in the Netherlands. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 291-7	6.4	35	
163	Evaluating an intervention to reduce fear of falling and associated activity restriction in elderly persons: design of a randomised controlled trial [ISRCTN43792817]. <i>BMC Public Health</i> , 2005 , 5, 26	4.1	33	
162	Validation of the Care-Related Quality of Life Instrument in different study settings: findings from The Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS). <i>Quality of Life Research</i> , 2015 , 24, 1281-93	3.7	31	
161	Determinants of overall quality of life in preterminal cancer patients. <i>International Journal of Cancer</i> , 2008 , 123, 232-5	7.5	31	
160	Functional decline after congestive heart failure and acute myocardial infarction and the impact of psychological attributes. A prospective study. <i>Quality of Life Research</i> , 2000 , 9, 439-50	3.7	31	
159	Identifying frailty risk profiles of home-dwelling older people: focus on sociodemographic and socioeconomic characteristics. <i>Aging and Mental Health</i> , 2017 , 21, 1031-1039	3.5	30	
158	Risk and protective factors of different functional trajectories in older persons: are these the same?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006 , 61, P95-101	4.6	30	
157	The role of depressive symptoms in recovery from injuries to the extremities in older persons. A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 14-22	3.9	29	
156	Positive and negative outcomes of informal caregiving at home and in institutionalised long-term care: a cross-sectional study. <i>BMC Geriatrics</i> , 2017 , 17, 232	4.1	28	
155	Detection and management of hyperactive and hypoactive delirium in older patients during hospitalization: a retrospective cohort study evaluating daily practice. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1521-1529	3.9	28	
154	Caregiving to Older Adults: Determinants of Informal Caregivers' Subjective Well-being and Formal and Informal Support as Alleviating Conditions. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018 , 73, 1099-1111	4.6	28	
153	Material deprivation and health-related dysfunction in older Dutch people: findings from the SMILE study. <i>European Journal of Public Health</i> , 2008 , 18, 258-63	2.1	28	
152	Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 642-9	5.7	28	
151	Social predictors of recovery in late middle-aged and older persons after injury to the extremities: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2001 , 56, S229-36	4.6	28	
150	Racial differences in mortality in older adults: factors beyond socioeconomic status. <i>Annals of Behavioral Medicine</i> , 2012 , 43, 29-38	4.5	27	

149	'Doing with 🛘 rather than 'doing for 🖾 older adults: rationale and content of the 'Stay Active at Home' programme. <i>Clinical Rehabilitation</i> , 2017 , 31, 1419-1430	3.3	27
148	Effects of the implementation of an evidence-based program to manage concerns about falls in older adults. <i>Gerontologist, The</i> , 2013 , 53, 839-49	5	27
147	Small-scale, homelike facilities versus regular psychogeriatric nursing home wards: a cross-sectional study into residents' characteristics. <i>BMC Health Services Research</i> , 2010 , 10, 30	2.9	26
146	Chronic disease and lifestyle transitions: results from the Longitudinal Aging Study Amsterdam. <i>Journal of Aging and Health</i> , 2007 , 19, 416-38	2.6	26
145	Recovery of physical function after limb injuries in independent older people living at home. <i>Age and Ageing</i> , 2001 , 30, 213-9	3	26
144	Implementation of the Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Process Evaluation of a Randomized Controlled Trial. Journal of Medical Internet Research, 2017 , 19, e423	7.6	26
143	Validation of a frailty index from the older persons and informal caregivers survey minimum data set. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1625-7	5.6	25
142	The usefulness and feasibility of a screening instrument to identify psychosocial problems in patients receiving curative radiotherapy: a process evaluation. <i>BMC Cancer</i> , 2011 , 11, 479	4.8	25
141	The effects of small-scale, homelike facilities for older people with dementia on residents, family caregivers and staff: design of a longitudinal, quasi-experimental study. <i>BMC Geriatrics</i> , 2009 , 9, 3	4.1	25
140	Older people's preferences regarding programme formats for managing concerns about falls. <i>Age and Ageing</i> , 2012 , 41, 474-81	3	25
139	Process factors explaining the ineffectiveness of a multidisciplinary fall prevention programme: a process evaluation. <i>BMC Public Health</i> , 2008 , 8, 332	4.1	25
138	Feasibility of a cognitive behavioural group intervention to reduce fear of falling and associated avoidance of activity in community-living older people: a process evaluation. <i>BMC Health Services Research</i> , 2007 , 7, 156	2.9	25
137	Detecting frail, older adults and identifying their strengths: results of a mixed-methods study. <i>BMC Public Health</i> , 2018 , 18, 191	4.1	24
136	A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): protocol of a randomised controlled trial. <i>BMC Geriatrics</i> , 2017 , 17, 71	4.1	24
135	Effect of fall-related concerns on physical, mental, and social function in community-dwelling older adults: a prospective cohort study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2333-8	5.6	24
134	Reducing fear of falling and avoidance of activity in elderly persons: the development of a Dutch version of an American intervention. <i>Patient Education and Counseling</i> , 2006 , 62, 220-7	3.1	24
133	Evaluation of a self-management programme for congestive heart failure patients: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2006 , 6, 91	2.9	24
132	Development and feasibility of a nurse administered strategy on depression in community-dwelling patients with a chronic physical disease. <i>Patient Education and Counseling</i> , 2004 , 54, 87-94	3.1	24

(2018-2005)

131	The role of psychosocial factors in explaining socio-economic differences in mobility decline in a chronically ill population: results from the GLOBE study. <i>Social Science and Medicine</i> , 2005 , 61, 123-32	5.1	24
130	Beliefs concerning death, dying, and hastening death among older, functionally impaired Dutch adults: a one-year longitudinal study. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1251-7	5.6	24
129	Characteristics of social participation as defined by older adults with a chronic physical illness. <i>Disability and Rehabilitation</i> , 2008 , 30, 1298-308	2.4	23
128	Perceived control and long-term changes in disability in late middle-aged and older persons: An eight-year follow-up study. <i>Psychology and Health</i> , 2005 , 20, 193-206	2.9	23
127	Are physically frail older persons more at risk of adverse outcomes if they also suffer from cognitive, social, and psychological frailty?. <i>European Journal of Ageing</i> , 2014 , 11, 213-219	3.6	22
126	Home visiting programme for older people with health problems: process evaluation. <i>Journal of Advanced Nursing</i> , 2007 , 58, 425-35	3.1	22
125	Definitions, key themes and aspects of Egeing in placella scoping review. Ageing and Society, 2020, 1-34	1.7	21
124	Mediating effects of psychosocial factors on concerns about falling and daily activity in a multicomponent cognitive behavioral group intervention. <i>Aging and Mental Health</i> , 2011 , 15, 68-77	3.5	21
123	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. <i>Patient Education and Counseling</i> , 2007 , 68, 252-7	3.1	21
122	The reduction of disability in community-dwelling frail older people: design of a two-arm cluster randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 511	4.1	20
121	Self-Reported Physical Fitness of Older Persons: A Substitute for Performance-Based Measures of Physical Fitness?. <i>Journal of Aging and Physical Activity</i> , 1997 , 5, 298-310	1.6	20
120	The role of perceived control in the process of older peoples' recovery of physical functions after fall-related injuries: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003 , 58, P35-41	4.6	20
119	The role of premorbid psychological attributes in short- and long-term adjustment after cardiac disease. A prospective study in the elderly in The Netherlands. <i>Social Science and Medicine</i> , 2005 , 60, 1035-45	5.1	20
118	Effects and feasibility of a standardised orientation and mobility training in using an identification cane for older adults with low vision: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2009 , 9, 153	2.9	19
117	Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. <i>BMC Health Services Research</i> , 2004 , 4, 35	2.9	19
116	Psychosocial screening effects on health-related outcomes in patients receiving radiotherapy. A cluster randomised controlled trial. <i>Psycho-Oncology</i> , 2013 , 22, 2736-46	3.9	18
115	Feasibility of a group-based self-management program among congestive heart failure patients. Heart and Lung: Journal of Acute and Critical Care, 2009 , 38, 499-512	2.6	18
114	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 110-119	5.7	17

113	Clinically relevant symptoms of anxiety and depression in low-vision community-living older adults. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 309-13	6.5	17
112	Cognitive hostility predicts all-cause mortality irrespective of behavioural risk at late middle and older age. <i>European Journal of Public Health</i> , 2013 , 23, 701-5	2.1	17
111	Late-life depressed mood and weight change contribute to the risk of each other. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 236-44	6.5	17
110	The impact of physical performance and cognitive status on subsequent ADL disability in low-functioning older adults. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 480-3	3.9	17
109	Do psychological factors influence pain following a fracture of the extremities?. <i>Injury</i> , 1999 , 30, 323-5	2.5	17
108	The ability of four frailty screening instruments to predict mortality, hospitalization and dependency in (instrumental) activities of daily living. <i>European Journal of Ageing</i> , 2019 , 16, 387-394	3.6	16
107	Does routine psychosocial screening improve referral to psychosocial care providers and patient-radiotherapist communication? A cluster randomized controlled trial. <i>Patient Education and Counseling</i> , 2013 , 93, 289-97	3.1	16
106	Measurement properties of the EQ-5D across four major geriatric conditions: Findings from TOPICS-MDS. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 45	3	16
105	Cost-effectiveness of an intervention to reduce fear of falling. <i>International Journal of Technology Assessment in Health Care</i> , 2013 , 29, 219-26	1.8	16
104	Socioeconomic status and the course of quality of life in older patients with coronary heart disease. <i>International Journal of Behavioral Medicine</i> , 2009 , 16, 197-204	2.6	16
103	Material vs. psychosocial explanations of old-age educational differences in physical and mental functioning. <i>European Journal of Public Health</i> , 2012 , 22, 587-92	2.1	16
102	The benefit of a geriatric nurse practitioner in a multidisciplinary diagnostic service for people with cognitive disorders. <i>BMC Research Notes</i> , 2015 , 8, 217	2.3	15
101	An economic evaluation of an integrated care pathway in geriatric rehabilitation for older patients with complex health problems. <i>PLoS ONE</i> , 2018 , 13, e0191851	3.7	15
100	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. <i>BMC Health Services Research</i> , 2011 , 11, 228	2.9	15
99	Orientation and mobility training for partially-sighted older adults using an identification cane: a systematic review. <i>Clinical Rehabilitation</i> , 2011 , 25, 880-91	3.3	15
98	Conceptualizing autonomy in the context of chronic physical illness: relating philosophical theories to social scientific perspectives. <i>Health (United Kingdom)</i> , 2008 , 12, 333-48	1.9	15
97	How do people with COPD or diabetes type 2 experience autonomy? An exploratory study. <i>Disability and Rehabilitation</i> , 2007 , 29, 485-93	2.4	15
96	Gender differences in recovery from injuries to the extremities in older persons. A prospective study. <i>Disability and Rehabilitation</i> , 2003 , 25, 827-32	2.4	15

95	Substitution of Fried's performance-based physical frailty criteria with self-report questions. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 75, 91-95	4	15
94	Socioeconomic factors from midlife predict mobility limitation and depressed mood three decades later; findings from the AGES-Reykjavik Study. <i>BMC Public Health</i> , 2013 , 13, 101	4.1	14
93	Effectiveness of rehabilitation interventions in improving emotional and functional status in hearing or visually impaired older adults: a systematic review with meta-analyses. <i>Clinical Rehabilitation</i> , 2015 , 29, 107-19	3.3	14
92	Orientation and mobility training for adults with low vision: a new standardized approach. <i>Clinical Rehabilitation</i> , 2013 , 27, 3-18	3.3	14
91	The effectiveness of an integrated care pathway in geriatric rehabilitation among older patients with complex health problems and their informal caregivers: a prospective cohort study. <i>BMC Geriatrics</i> , 2018 , 18, 285	4.1	14
90	Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. <i>Age and Ageing</i> , 2018 , 47, 705-714	3	14
89	Feasibility of a nurse-led in-home cognitive behavioral program to manage concerns about falls in frail older people: a process evaluation. <i>Research in Nursing and Health</i> , 2013 , 36, 257-70	2	13
88	Measuring rebelliousness and predicting health behaviour and outcomes: an investigation of the construct validity of the Social Reactivity Scale. <i>Journal of Health Psychology</i> , 2009 , 14, 771-9	3.1	13
87	The effectiveness of the Screening Inventory of Psychosocial Problems (SIPP) in cancer patients treated with radiotherapy: design of a cluster randomised controlled trial. <i>BMC Cancer</i> , 2009 , 9, 177	4.8	13
86	Psychometric properties of the Dutch version of the Mental Adjustment to Cancer scale in Dutch cancer patients. <i>Psycho-Oncology</i> , 2010 , 19, 742-9	3.9	13
85	Psychological well-being in older adults suffering from chronic headache. <i>Headache</i> , 1998 , 38, 292-4	4.2	13
84	Nurse- and peer-led self-management programme for patients with an implantable cardioverter defibrillator; a feasibility study. <i>BMC Nursing</i> , 2007 , 6, 6	3.2	13
83	To what extent does IQ 'explain' socio-economic variations in function?. BMC Public Health, 2007, 7, 179	4.1	13
82	Gender-specific risk factors for mortality associated with incident coronary heart diseasea prospective community-based study. <i>Preventive Medicine</i> , 2006 , 43, 361-7	4.3	13
81	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Gerontologist, The</i> , 2021 , 61, e269-e282	5	12
80	Explaining discrepancies in self-reported quality of life in frail older people: a mixed-methods study. <i>BMC Geriatrics</i> , 2017 , 17, 251	4.1	12
79	Rasch analysis reveals comparative analyses of activities of daily living/instrumental activities of daily living summary scores from different residential settings is inappropriate. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 207-17	5.7	12
78	Screening for hearing, visual and dual sensory impairment in older adults using behavioural cues: a validation study. <i>International Journal of Nursing Studies</i> , 2014 , 51, 1434-40	5.8	12

77	Unhealthy lifestyles do not mediate the relationship between socioeconomic status and incident depressive symptoms: the Health ABC study. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 664-74	6.5	12
76	Process evaluation of an integrated care pathway in geriatric rehabilitation for people with complex health problems. <i>BMC Health Services Research</i> , 2017 , 17, 34	2.9	12
75	Measuring health status with the Dartmouth COOP charts in low-functioning elderly. Do the illustrations affect the outcomes?. <i>Quality of Life Research</i> , 1997 , 6, 323-8	3.7	12
74	Experiences of home-care workers with the 'Stay Active at Home' programme targeting reablement of community-living older adults: An exploratory study. <i>Health and Social Care in the Community</i> , 2020 , 28, 291-299	2.6	12
73	Promising behavior change techniques in a multicomponent intervention to reduce concerns about falls in old age: a Delphi study. <i>Health Education Research</i> , 2015 , 30, 309-22	1.8	11
72	Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients. <i>BMC Geriatrics</i> , 2020 , 20, 25	4.1	11
71	Can resources moderate the impact of levels of frailty on adverse outcomes among (pre-) frail older people? A longitudinal study. <i>BMC Geriatrics</i> , 2017 , 17, 185	4.1	11
70	The mediating role of disability and social support in the association between low vision and depressive symptoms in older adults. <i>Quality of Life Research</i> , 2014 , 23, 1039-43	3.7	11
69	The mediating role of perceived control on the relationship between socioeconomic status and functional changes in older patients with coronary heart disease. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2008 , 63, P353-61	4.6	11
68	Health related quality of life assessment instruments: a prospective study on preference and acceptability among cancer patients referred for radiotherapy. <i>European Journal of Cancer</i> , 2005 , 41, 2250-6	7.5	11
67	The impact of multidimensional frailty on dependency in activities of daily living and the moderating effects of protective factors. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 78, 255-260	4	10
66	Psychometric properties of the Screening Inventory of Psychosocial Problems (SIPP) in Dutch cancer patients treated with radiotherapy. <i>European Journal of Cancer Care</i> , 2011 , 20, 305-14	2.4	10
65	The relative contributions of hostility and depressive symptoms to the income gradient in hospital-based incidence of ischaemic heart disease: 12-Year follow-up findings from the GLOBE study. <i>Social Science and Medicine</i> , 2009 , 69, 1272-80	5.1	10
64	Disablement process and the utilization of home care among non-institutionalized elderly people: contrasting results between cross-sectional and panel data. <i>Disability and Rehabilitation</i> , 2003 , 25, 845-	5 3 ·4	10
63	Effects of the FIT-HIP Intervention for Fear of Falling After Hip Fracture: A Cluster-Randomized Controlled Trial in Geriatric Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 857-865.e2	5.9	9
62	Effects of a Medication Review on Delirium in Older Hospitalised Patients: A Comparative Retrospective Cohort Study. <i>Drugs and Aging</i> , 2018 , 35, 153-161	4.7	9
61	Can education improve clinical practice concerning delirium in older hospitalised patients? Results of a pre-test post-test study on an educational intervention for nursing staff. <i>BMC Medical Education</i> , 2018 , 18, 59	3.3	9
60	Effectiveness of the blended care self-management program "Partner in Balance" for early-stage dementia caregivers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 231	2.8	9

(2018-2016)

59	optimize and maintain functional activity among nursing home residents: a mixed-methods approach. <i>BMC Health Services Research</i> , 2016 , 16, 38	2.9	9
58	Resources as a protective factor for negative outcomes of frailty in elderly people. <i>Gerontology</i> , 2012 , 58, 391-7	5.5	9
57	Evaluation of nurses' changing perceptions when trained to implement a self-management programme for dual sensory impaired older adults in long-term care: a qualitative study. <i>BMJ Open</i> , 2016 , 6, e013122	3	9
56	Effects, costs and feasibility of the 'Stay Active at Home' Reablement training programme for home care professionals: study protocol of a cluster randomised controlled trial. <i>BMC Geriatrics</i> , 2018 , 18, 276	5 ^{4.1}	9
55	Depressive symptoms in elderly patients predict poor adjustment after somatic events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64	6.5	9
54	Problems identified by dual sensory impaired older adults in long-term care when using a self-management program: A qualitative study. <i>PLoS ONE</i> , 2017 , 12, e0173601	3.7	8
53	The Maastricht Frailty Screening Tool for Hospitalised Patients (MFST-HP) to Identify Non-Frail Patients. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13003	2.9	8
52	Social networks, social participation and self-perceived health among older people in transitional Kosovo. <i>European Journal of Public Health</i> , 2014 , 24, 333-7	2.1	8
51	Effectiveness of a self-management program for dual sensory impaired seniors in aged care settings: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2013 , 14, 321	2.8	8
50	Lack of basic and luxury goods and health-related dysfunction in older persons; findings from the longitudinal SMILE study. <i>BMC Public Health</i> , 2008 , 8, 242	4.1	8
49	Screening for Frailty in Hospitalized Older Adults: Reliability and Feasibility of the Maastricht Frailty Screening Tool for Hospitalized Patients (MFST-HP). <i>Research in Gerontological Nursing</i> , 2016 , 9, 243-51	1.6	8
48	Do nursing staff encourage functional activity among nursing home residents? A cross-sectional study of nursing staff perceived behaviors and associated factors. <i>BMC Geriatrics</i> , 2017 , 17, 18	4.1	7
47	Do psychosocial profiles predict self-rated health, morbidity and mortality in late middle-aged and older people?. <i>Journal of Behavioral Medicine</i> , 2014 , 37, 357-68	3.6	7
46	Usefulness and acceptability of a standardised orientation and mobility training for partially-sighted older adults using an identification cane. <i>BMC Health Services Research</i> , 2012 , 12, 141	2.9	7
45	Cognitive function in community-dwelling elderly with chronic medical conditions. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 1039-41	3.9	7
44	EFFECT OF SELF-RATED HEALTH ON COGNITIVE PERFORMANCE IN COMMUNITY DWELLING ELDERLY. <i>Educational Gerontology</i> , 1999 , 25, 13-17	1.2	7
43	Short report chronic medical conditions and life satisfaction in the elderly. <i>Psychology and Health</i> , 1999 , 14, 65-70	2.9	7
42	Effectiveness of a nurse-supported self-management programme for dual sensory impaired older adults in long-term care: a cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e016674	3	6

41	Differences in Physical-Fitness Test Scores between Actively and Passively Recruited Older Adults: Consequences for Norm-Based Classification. <i>Journal of Aging and Physical Activity</i> , 2002 , 10, 143-159	1.6	6
40	Effectiveness of a reablement training program for homecare staff on older adults' sedentary behavior: A cluster randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 256	56 ⁵ 257	8 ⁶
39	Process evaluation of a reablement training program for homecare staff to encourage independence in community-dwelling older adults. <i>BMC Geriatrics</i> , 2021 , 21, 5	4.1	6
38	Randomized controlled trial to evaluate a prevention program for frail community-dwelling older adults: a D-SCOPE protocol. <i>BMC Geriatrics</i> , 2018 , 18, 194	4.1	6
37	Demographic, health-related and psychosocial predictors of changes in depressive symptoms and anxiety in late middle-aged and older persons with fall-related injuries. <i>Psychology and Health</i> , 2004 , 19, 103-115	2.9	5
36	Relational aspects of mastery for frail, older adults: The role of informal caregivers in the care process. <i>Health and Social Care in the Community</i> , 2019 , 27, 632-641	2.6	5
35	A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: findings from the AGES-Reykjavik study. <i>Social Science and Medicine</i> , 2015 , 127, 143-9	5.1	4
34	Long-term effect on mortality of a multicomponent cognitive behavioural group intervention to reduce fear of falling in older adults: a randomised controlled trial. <i>Age and Ageing</i> , 2011 , 40, 519-23	3	4
33	The comprehensive frailty assessment instrument enables to detect multidimensional frailty in community dwelling older people. <i>Healthy Aging Research</i> , 2018 , 07,	1	4
32	Validation of replacement questions for slowness and weakness to assess the Fried Phenotype: a cross-sectional study. <i>European Geriatric Medicine</i> , 2020 , 11, 793-801	3	3
31	Promoting Functional Activity Among Nursing Home Residents: A Cross-Sectional Study on Barriers Experienced by Nursing Staff. <i>Journal of Aging and Health</i> , 2018 , 30, 605-623	2.6	3
30	The educational patterning of health-related adversities in individuals with major depression. <i>Journal of Affective Disorders</i> , 2010 , 126, 96-102	6.6	3
29	Measuring expected outcomes of falls. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1300-1	5.6	3
28	Frailty screening in hospitalised older adults: How does the brief Dutch National Safety Management Program perform compared to a more extensive approach?. <i>Journal of Clinical Nursing</i> , 2020 , 29, 1064-1073	3.2	3
27	The conceptualisation of vital communities related to ageing in place: a scoping review. <i>European Journal of Ageing</i> , 2021 , 1-14	3.6	3
26	Can proxy assessments serve as a first screener for identifying people at risk for multidimensional frailty?. <i>European Geriatric Medicine</i> , 2018 , 9, 501-507	3	3
25	Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2419-21	5.6	2
24	Better health reports when the grass is greener on your side of the fence?: a cross-sectional study in older persons. <i>International Journal of Public Health</i> , 2011 , 56, 449-53	4	2

(2021-2009)

23	Personality and health as predictors of income decrease in old age: findings from the longitudinal SMILE study. <i>European Journal of Public Health</i> , 2009 , 19, 418-23	2.1	2
22	Risk factors for developing cardiac disease in late middle-aged and older men and women: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1575-7	5.6	2
21	Concordances and differences between a unidimensional and multidimensional assessment of frailty: a cross-sectional study. <i>BMC Geriatrics</i> , 2019 , 19, 346	4.1	2
20	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. <i>Disability and Rehabilitation</i> , 2021 , 1-11	2.4	2
19	Cognitive function in community-dwelling elderly with chronic medical conditions 1997 , 12, 1039		2
18	Feasibility of the Translating Innovations into Practice-toolbox (TIP-toolbox): A mixed-methods study for implementing activity innovations in nursing homes. <i>Geriatric Nursing</i> , 2017 , 38, 498-504	2.1	1
17	Development and psychometric properties of the Maastricht Personal Autonomy Questionnaire (MPAQ) in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2014 , 23, 1777-87	3.7	1
16	No decline in cognitive function in older patients two months after a fracture of the extremities. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1177-8	5.6	1
15	The concept of disability and its causal mechanisms in older people over time from a theoretical perspective: a literature review. <i>European Journal of Ageing</i> ,1	3.6	1
14	Effectiveness of a reablement training program on self-efficacy and outcome expectations regarding client activation in homecare staff: A cluster randomized controlled trial. <i>Geriatric Nursing</i> , 2021 , 43, 104-112	2.1	1
13	Senior Friendly Communities: Designing an approach for cross-border exchange of public health policy. <i>Health Policy</i> , 2020 , 124, 1129-1136	3.2	1
12	Economic evaluation of a home-based programme to reduce concerns about falls in frail, independently-living older people. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020 , 20, 641-651	2.2	1
11	Psychometric properties of the client activation self-efficacy and outcome expectation scales for nurses (CA-SE-n and CA-OE-n) and domestic support workers (CA-SE-d and CA-OE-d): A cross-sectional study. <i>Geriatric Nursing</i> , 2021 , 42, 309-316	2.1	1
10	Working in small-scale, homelike dementia care: effects on staff burnout symptoms and job characteristics. A quasi-experimental, longitudinal study. <i>Journal of Research in Nursing</i> , 2018 , 23, 109-1	1 22 9	1
9	The opinions and experiences of nurses on frailty screening among older hospitalized patients. An exploratory study. <i>BMC Geriatrics</i> , 2021 , 21, 624	4.1	О
8	Building Consensus on an Integrated Care Pathway in Geriatric Rehabilitation: A Modified Delphi Study Among Professional Experts. <i>Journal of Applied Gerontology</i> , 2020 , 39, 423-434	3.3	O
7	Kempen and Ormel Respond. American Journal of Public Health, 1998, 88, 838-838	5.1	
6	Feasibility of a multicomponent cognitive behavioral intervention for fear of falling after hip fracture: process evaluation of the FIT-HIP intervention. <i>BMC Geriatrics</i> , 2021 , 21, 224	4.1	

5 Screen kwetsbare ouderen niet met standaard vragenlijsten. *Huisarts En Wetenschap*, **2021**, 64, 32-33 o.1

4	The relation between age of retirement and frailty in later life? A cross-sectional study in Flemish older adults. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 96, 104473	4
3	Assessing avoidance behavior due to concerns about falling: Psychometric properties of the FES-IAB in a sample of older adults of an online panel. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 97, 104469	4
2	Economic Evaluation of a Reablement Training Program for Homecare Staff Targeting Sedentary Behavior in Community-Dwelling Older Adults Compared to Usual Care: A Cluster Randomized Controlled Trial <i>Clinical Interventions in Aging</i> , 2021 , 16, 2095-2109	4
1	Effects on clients' daily functioning and common features of reablement interventions: a systematic literature review. <i>European Journal of Ageing</i> ,1	3.6