

Gertrudis I J M Kempen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5771307/gertrudis-i-j-m-kempen-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

256
papers

13,837
citations

59
h-index

109
g-index

276
ext. papers

15,679
ext. citations

3.7
avg, IF

6.19
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 256 | Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Gerontologist, The</i> , 2021 , 61, e269-e282 | 5 | 12 |
| 255 | The opinions and experiences of nurses on frailty screening among older hospitalized patients. An exploratory study. <i>BMC Geriatrics</i> , 2021 , 21, 624 | 4.1 | 0 |
| 254 | Effectiveness of a reablement training program on self-efficacy and outcome expectations regarding client activation in homecare staff: A cluster randomized controlled trial. <i>Geriatric Nursing</i> , 2021 , 43, 104-112 | 2.1 | 1 |
| 253 | Feasibility of a multicomponent cognitive behavioral intervention for fear of falling after hip fracture: process evaluation of the FIT-HIP intervention. <i>BMC Geriatrics</i> , 2021 , 21, 224 | 4.1 | |
| 252 | The conceptualisation of vital communities related to ageing in place: a scoping review. <i>European Journal of Ageing</i> , 2021 , 1-14 | 3.6 | 3 |
| 251 | Effectiveness of a reablement training program for homecare staff on older adults' sedentary behavior: A cluster randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2566-2578 | 5.6 | 6 |
| 250 | Process evaluation of a reablement training program for homecare staff to encourage independence in community-dwelling older adults. <i>BMC Geriatrics</i> , 2021 , 21, 5 | 4.1 | 6 |
| 249 | Psychometric properties of the client activation self-efficacy and outcome expectation scales for nurses (CA-SE-n and CA-OE-n) and domestic support workers (CA-SE-d and CA-OE-d): A cross-sectional study. <i>Geriatric Nursing</i> , 2021 , 42, 309-316 | 2.1 | 1 |
| 248 | Screen kwetsbare ouderen niet met standaard vragenlijsten. <i>Huisarts En Wetenschap</i> , 2021 , 64, 32-33 | 0.1 | |
| 247 | Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. <i>Disability and Rehabilitation</i> , 2021 , 1-11 | 2.4 | 2 |
| 246 | The relation between age of retirement and frailty in later life? A cross-sectional study in Flemish older adults. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 96, 104473 | 4 | |
| 245 | Assessing avoidance behavior due to concerns about falling: Psychometric properties of the FES-IAB in a sample of older adults of an online panel. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 97, 104469 | 4 | |
| 244 | Economic Evaluation of a Reablement Training Program for Homecare Staff Targeting Sedentary Behavior in Community-Dwelling Older Adults Compared to Usual Care: A Cluster Randomized Controlled Trial.. <i>Clinical Interventions in Aging</i> , 2021 , 16, 2095-2109 | 4 | |
| 243 | Validation of replacement questions for slowness and weakness to assess the Fried Phenotype: a cross-sectional study. <i>European Geriatric Medicine</i> , 2020 , 11, 793-801 | 3 | 3 |
| 242 | Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients. <i>BMC Geriatrics</i> , 2020 , 20, 25 | 4.1 | 11 |
| 241 | Definitions, key themes and aspects of 'Ageing in place' a scoping review. <i>Ageing and Society</i> , 2020 , 1-34 | 1.7 | 21 |
| 240 | Experiences of home-care workers with the 'Stay Active at Home' programme targeting reablement of community-living older adults: An exploratory study. <i>Health and Social Care in the Community</i> , 2020 , 28, 291-299 | 2.6 | 12 |

| | | | |
|-----|--|-----|----|
| 239 | Frailty screening in hospitalised older adults: How does the brief Dutch National Safety Management Program perform compared to a more extensive approach?. <i>Journal of Clinical Nursing</i> , 2020 , 29, 1064-1073 | 3.2 | 3 |
| 238 | Senior Friendly Communities: Designing an approach for cross-border exchange of public health policy. <i>Health Policy</i> , 2020 , 124, 1129-1136 | 3.2 | 1 |
| 237 | Building Consensus on an Integrated Care Pathway in Geriatric Rehabilitation: A Modified Delphi Study Among Professional Experts. <i>Journal of Applied Gerontology</i> , 2020 , 39, 423-434 | 3.3 | 0 |
| 236 | Economic evaluation of a home-based programme to reduce concerns about falls in frail, independently-living older people. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020 , 20, 641-651 | 2.2 | 1 |
| 235 | Effects of the FIT-HIP Intervention for Fear of Falling After Hip Fracture: A Cluster-Randomized Controlled Trial in Geriatric Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 857-865.e2 | 5.9 | 9 |
| 234 | The ability of four frailty screening instruments to predict mortality, hospitalization and dependency in (instrumental) activities of daily living. <i>European Journal of Ageing</i> , 2019 , 16, 387-394 | 3.6 | 16 |
| 233 | DEPENDENCY IN ACTIVITIES OF DAILY LIVING: THE ROLE OF MULTIDIMENSIONAL FRAILTY AND PROTECTIVE FACTORS. <i>Innovation in Aging</i> , 2019 , 3, S635-S636 | 0.1 | 78 |
| 232 | Concordances and differences between a unidimensional and multidimensional assessment of frailty: a cross-sectional study. <i>BMC Geriatrics</i> , 2019 , 19, 346 | 4.1 | 2 |
| 231 | Relational aspects of mastery for frail, older adults: The role of informal caregivers in the care process. <i>Health and Social Care in the Community</i> , 2019 , 27, 632-641 | 2.6 | 5 |
| 230 | Effects of a Medication Review on Delirium in Older Hospitalised Patients: A Comparative Retrospective Cohort Study. <i>Drugs and Aging</i> , 2018 , 35, 153-161 | 4.7 | 9 |
| 229 | Effectiveness of a nurse-supported self-management programme for dual sensory impaired older adults in long-term care: a cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e016674 | 3 | 6 |
| 228 | Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 110-119 | 5.7 | 17 |
| 227 | Can education improve clinical practice concerning delirium in older hospitalised patients? Results of a pre-test post-test study on an educational intervention for nursing staff. <i>BMC Medical Education</i> , 2018 , 18, 59 | 3.3 | 9 |
| 226 | Promoting Functional Activity Among Nursing Home Residents: A Cross-Sectional Study on Barriers Experienced by Nursing Staff. <i>Journal of Aging and Health</i> , 2018 , 30, 605-623 | 2.6 | 3 |
| 225 | Detection and management of hyperactive and hypoactive delirium in older patients during hospitalization: a retrospective cohort study evaluating daily practice. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1521-1529 | 3.9 | 28 |
| 224 | Caregiving to Older Adults: Determinants of Informal Caregivers' Subjective Well-being and Formal and Informal Support as Alleviating Conditions. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018 , 73, 1099-1111 | 4.6 | 28 |
| 223 | The impact of multidimensional frailty on dependency in activities of daily living and the moderating effects of protective factors. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 78, 255-260 | 4 | 10 |
| 222 | Detecting frail, older adults and identifying their strengths: results of a mixed-methods study. <i>BMC Public Health</i> , 2018 , 18, 191 | 4.1 | 24 |

| | | | |
|-----|---|-----|----|
| 221 | An economic evaluation of an integrated care pathway in geriatric rehabilitation for older patients with complex health problems. <i>PLoS ONE</i> , 2018 , 13, e0191851 | 3.7 | 15 |
| 220 | The comprehensive frailty assessment instrument enables to detect multidimensional frailty in community dwelling older people. <i>Healthy Aging Research</i> , 2018 , 07, | 1 | 4 |
| 219 | Effectiveness of a Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10017 | 7.6 | 36 |
| 218 | Substitution of Fried's performance-based physical frailty criteria with self-report questions. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 75, 91-95 | 4 | 15 |
| 217 | The effectiveness of an integrated care pathway in geriatric rehabilitation among older patients with complex health problems and their informal caregivers: a prospective cohort study. <i>BMC Geriatrics</i> , 2018 , 18, 285 | 4.1 | 14 |
| 216 | Effects, costs and feasibility of the 'Stay Active at Home' Reablement training programme for home care professionals: study protocol of a cluster randomised controlled trial. <i>BMC Geriatrics</i> , 2018 , 18, 276 | 4.1 | 9 |
| 215 | Can proxy assessments serve as a first screener for identifying people at risk for multidimensional frailty?. <i>European Geriatric Medicine</i> , 2018 , 9, 501-507 | 3 | 3 |
| 214 | Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. <i>Age and Ageing</i> , 2018 , 47, 705-714 | 3 | 14 |
| 213 | Randomized controlled trial to evaluate a prevention program for frail community-dwelling older adults: a D-SCOPE protocol. <i>BMC Geriatrics</i> , 2018 , 18, 194 | 4.1 | 6 |
| 212 | Working in small-scale, homelike dementia care: effects on staff burnout symptoms and job characteristics. A quasi-experimental, longitudinal study. <i>Journal of Research in Nursing</i> , 2018 , 23, 109-122 | 0.9 | 1 |
| 211 | Identifying frailty risk profiles of home-dwelling older people: focus on sociodemographic and socioeconomic characteristics. <i>Aging and Mental Health</i> , 2017 , 21, 1031-1039 | 3.5 | 30 |
| 210 | Feasibility of the Translating Innovations into Practice-toolbox (TIP-toolbox): A mixed-methods study for implementing activity innovations in nursing homes. <i>Geriatric Nursing</i> , 2017 , 38, 498-504 | 2.1 | 1 |
| 209 | Do nursing staff encourage functional activity among nursing home residents? A cross-sectional study of nursing staff perceived behaviors and associated factors. <i>BMC Geriatrics</i> , 2017 , 17, 18 | 4.1 | 7 |
| 208 | Problems identified by dual sensory impaired older adults in long-term care when using a self-management program: A qualitative study. <i>PLoS ONE</i> , 2017 , 12, e0173601 | 3.7 | 8 |
| 207 | Can resources moderate the impact of levels of frailty on adverse outcomes among (pre-) frail older people? A longitudinal study. <i>BMC Geriatrics</i> , 2017 , 17, 185 | 4.1 | 11 |
| 206 | Positive and negative outcomes of informal caregiving at home and in institutionalised long-term care: a cross-sectional study. <i>BMC Geriatrics</i> , 2017 , 17, 232 | 4.1 | 28 |
| 205 | Explaining discrepancies in self-reported quality of life in frail older people: a mixed-methods study. <i>BMC Geriatrics</i> , 2017 , 17, 251 | 4.1 | 12 |
| 204 | The Maastricht Frailty Screening Tool for Hospitalised Patients (MFST-HP) to Identify Non-Frail Patients. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13003 | 2.9 | 8 |

| | | | |
|-----|---|------|-----|
| 203 | 'Doing with 'rather than 'doing for 'older adults: rationale and content of the 'Stay Active at Home' programme. <i>Clinical Rehabilitation</i> , 2017 , 31, 1419-1430 | 3.3 | 27 |
| 202 | A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): protocol of a randomised controlled trial. <i>BMC Geriatrics</i> , 2017 , 17, 71 | 4.1 | 24 |
| 201 | Process evaluation of an integrated care pathway in geriatric rehabilitation for people with complex health problems. <i>BMC Health Services Research</i> , 2017 , 17, 34 | 2.9 | 12 |
| 200 | Measurement properties of the EQ-5D across four major geriatric conditions: Findings from TOPICS-MDS. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 45 | 3 | 16 |
| 199 | Implementation of the Blended Care Self-Management Program for Caregivers of People With Early-Stage Dementia (Partner in Balance): Process Evaluation of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e423 | 7.6 | 26 |
| 198 | Validity, Reliability and Feasibility of Tools to Identify Frail Older Patients in Inpatient Hospital Care: A Systematic Review. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 218-30 | 5.2 | 59 |
| 197 | Effectiveness of the blended care self-management program "Partner in Balance" for early-stage dementia caregivers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 231 | 2.8 | 9 |
| 196 | Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. <i>BMC Geriatrics</i> , 2016 , 16, 2 | 4.1 | 37 |
| 195 | Factors influencing home discharge after inpatient rehabilitation of older patients: a systematic review. <i>BMC Geriatrics</i> , 2016 , 16, 5 | 4.1 | 59 |
| 194 | Do Self-Management Interventions Work in Patients With Heart Failure? An Individual Patient Data Meta-Analysis. <i>Circulation</i> , 2016 , 133, 1189-98 | 16.7 | 139 |
| 193 | Rasch analysis reveals comparative analyses of activities of daily living/instrumental activities of daily living summary scores from different residential settings is inappropriate. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 207-17 | 5.7 | 12 |
| 192 | Development and usability of the MAINTAIN, an inventory assessing nursing staff behavior to optimize and maintain functional activity among nursing home residents: a mixed-methods approach. <i>BMC Health Services Research</i> , 2016 , 16, 38 | 2.9 | 9 |
| 191 | Limitations in Activities of Daily Living in Community-Dwelling People Aged 75 and Over: A Systematic Literature Review of Risk and Protective Factors. <i>PLoS ONE</i> , 2016 , 11, e0165127 | 3.7 | 57 |
| 190 | Development and Initial Evaluation of the Web-Based Self-Management Program "Partner in Balance" for Family Caregivers of People With Early Stage Dementia: An Exploratory Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2016 , 5, e33 | 2 | 37 |
| 189 | Screening for Frailty in Hospitalized Older Adults: Reliability and Feasibility of the Maastricht Frailty Screening Tool for Hospitalized Patients (MFST-HP). <i>Research in Gerontological Nursing</i> , 2016 , 9, 243-51 | 1.6 | 8 |
| 188 | Psychometric properties and feasibility of instruments for the detection of delirium in older hospitalized patients: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 974-89 | 3.9 | 81 |
| 187 | What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. <i>Journal of Cardiac Failure</i> , 2016 , 22, 861-871 | 3.3 | 50 |
| 186 | Evaluation of nurses' changing perceptions when trained to implement a self-management programme for dual sensory impaired older adults in long-term care: a qualitative study. <i>BMJ Open</i> , 2016 , 6, e013122 | 3 | 9 |

| | | | |
|-----|---|-----|-----|
| 185 | Validation of the Care-Related Quality of Life Instrument in different study settings: findings from The Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS). <i>Quality of Life Research</i> , 2015 , 24, 1281-93 | 3.7 | 31 |
| 184 | Reducing disability in community-dwelling frail older people: cost-effectiveness study alongside a cluster randomised controlled trial. <i>Age and Ageing</i> , 2015 , 44, 390-6 | 3 | 36 |
| 183 | Fried phenotype of frailty: cross-sectional comparison of three frailty stages on various health domains. <i>BMC Geriatrics</i> , 2015 , 15, 77 | 4.1 | 67 |
| 182 | The benefit of a geriatric nurse practitioner in a multidisciplinary diagnostic service for people with cognitive disorders. <i>BMC Research Notes</i> , 2015 , 8, 217 | 2.3 | 15 |
| 181 | Promising behavior change techniques in a multicomponent intervention to reduce concerns about falls in old age: a Delphi study. <i>Health Education Research</i> , 2015 , 30, 309-22 | 1.8 | 11 |
| 180 | Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2419-21 | 5.6 | 2 |
| 179 | Qualitative study on needs and wishes of early-stage dementia caregivers: the paradox between needing and accepting help. <i>International Psychogeriatrics</i> , 2015 , 27, 927-36 | 3.4 | 77 |
| 178 | Effectiveness of rehabilitation interventions in improving emotional and functional status in hearing or visually impaired older adults: a systematic review with meta-analyses. <i>Clinical Rehabilitation</i> , 2015 , 29, 107-19 | 3.3 | 14 |
| 177 | A blunted diurnal cortisol response in the lower educated does not explain educational differences in coronary heart disease: findings from the AGES-Reykjavik study. <i>Social Science and Medicine</i> , 2015 , 127, 143-9 | 5.1 | 4 |
| 176 | Are physically frail older persons more at risk of adverse outcomes if they also suffer from cognitive, social, and psychological frailty?. <i>European Journal of Ageing</i> , 2014 , 11, 213-219 | 3.6 | 22 |
| 175 | Clinically relevant symptoms of anxiety and depression in low-vision community-living older adults. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 309-13 | 6.5 | 17 |
| 174 | Development and psychometric properties of the Maastricht Personal Autonomy Questionnaire (MPAQ) in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2014 , 23, 1777-87 | 3.7 | 1 |
| 173 | The mediating role of disability and social support in the association between low vision and depressive symptoms in older adults. <i>Quality of Life Research</i> , 2014 , 23, 1039-43 | 3.7 | 11 |
| 172 | Four screening instruments for frailty in older patients with and without cancer: a diagnostic study. <i>BMC Geriatrics</i> , 2014 , 14, 26 | 4.1 | 49 |
| 171 | Screening for hearing, visual and dual sensory impairment in older adults using behavioural cues: a validation study. <i>International Journal of Nursing Studies</i> , 2014 , 51, 1434-40 | 5.8 | 12 |
| 170 | A systematic review of Internet-based supportive interventions for caregivers of patients with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 331-44 | 3.9 | 256 |
| 169 | Do psychosocial profiles predict self-rated health, morbidity and mortality in late middle-aged and older people?. <i>Journal of Behavioral Medicine</i> , 2014 , 37, 357-68 | 3.6 | 7 |
| 168 | Effect of fall-related concerns on physical, mental, and social function in community-dwelling older adults: a prospective cohort study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2333-8 | 5.6 | 24 |

| | | | |
|-----|---|-----|-----|
| 167 | Social networks, social participation and self-perceived health among older people in transitional Kosovo. <i>European Journal of Public Health</i> , 2014 , 24, 333-7 | 2.1 | 8 |
| 166 | Effects of small-scale, home-like facilities in dementia care on residents' behavior, and use of physical restraints and psychotropic drugs: a quasi-experimental study. <i>International Psychogeriatrics</i> , 2014 , 26, 657-68 | 3.4 | 37 |
| 165 | Socioeconomic factors from midlife predict mobility limitation and depressed mood three decades later; findings from the AGES-Reykjavik Study. <i>BMC Public Health</i> , 2013 , 13, 101 | 4.1 | 14 |
| 164 | Unhealthy lifestyles do not mediate the relationship between socioeconomic status and incident depressive symptoms: the Health ABC study. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 664-74 | 6.5 | 12 |
| 163 | A nurse-led interdisciplinary primary care approach to prevent disability among community-dwelling frail older people: a large-scale process evaluation. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1184-96 | 5.8 | 57 |
| 162 | Does routine psychosocial screening improve referral to psychosocial care providers and patient-radiotherapist communication? A cluster randomized controlled trial. <i>Patient Education and Counseling</i> , 2013 , 93, 289-97 | 3.1 | 16 |
| 161 | Cognitive hostility predicts all-cause mortality irrespective of behavioural risk at late middle and older age. <i>European Journal of Public Health</i> , 2013 , 23, 701-5 | 2.1 | 17 |
| 160 | Effects of the implementation of an evidence-based program to manage concerns about falls in older adults. <i>Gerontologist, The</i> , 2013 , 53, 839-49 | 5 | 27 |
| 159 | Cost-effectiveness of an intervention to reduce fear of falling. <i>International Journal of Technology Assessment in Health Care</i> , 2013 , 29, 219-26 | 1.8 | 16 |
| 158 | Validation of a frailty index from the older persons and informal caregivers survey minimum data set. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1625-7 | 5.6 | 25 |
| 157 | Feasibility of a nurse-led in-home cognitive behavioral program to manage concerns about falls in frail older people: a process evaluation. <i>Research in Nursing and Health</i> , 2013 , 36, 257-70 | 2 | 13 |
| 156 | Psychosocial screening effects on health-related outcomes in patients receiving radiotherapy. A cluster randomised controlled trial. <i>Psycho-Oncology</i> , 2013 , 22, 2736-46 | 3.9 | 18 |
| 155 | Orientation and mobility training for adults with low vision: a new standardized approach. <i>Clinical Rehabilitation</i> , 2013 , 27, 3-18 | 3.3 | 14 |
| 154 | Effectiveness of interdisciplinary primary care approach to reduce disability in community dwelling frail older people: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f5264 | 5.9 | 110 |
| 153 | Fall determinants in older long-term care residents with dementia: a systematic review. <i>International Psychogeriatrics</i> , 2013 , 25, 549-63 | 3.4 | 41 |
| 152 | Effectiveness of a self-management program for dual sensory impaired seniors in aged care settings: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2013 , 14, 321 | 2.8 | 8 |
| 151 | The development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): a large-scale data sharing initiative. <i>PLoS ONE</i> , 2013 , 8, e81673 | 3.7 | 101 |
| 150 | Small-scale, homelike facilities in dementia care: a process evaluation into the experiences of family caregivers and nursing staff. <i>International Journal of Nursing Studies</i> , 2012 , 49, 21-9 | 5.8 | 41 |

| | | | |
|-----|---|-----|-----|
| 149 | Racial differences in mortality in older adults: factors beyond socioeconomic status. <i>Annals of Behavioral Medicine</i> , 2012 , 43, 29-38 | 4.5 | 27 |
| 148 | The impact of low vision on activities of daily living, symptoms of depression, feelings of anxiety and social support in community-living older adults seeking vision rehabilitation services. <i>Quality of Life Research</i> , 2012 , 21, 1405-11 | 3.7 | 111 |
| 147 | Usefulness and acceptability of a standardised orientation and mobility training for partially-sighted older adults using an identification cane. <i>BMC Health Services Research</i> , 2012 , 12, 141 | 2.9 | 7 |
| 146 | Resources as a protective factor for negative outcomes of frailty in elderly people. <i>Gerontology</i> , 2012 , 58, 391-7 | 5.5 | 9 |
| 145 | Older people's preferences regarding programme formats for managing concerns about falls. <i>Age and Ageing</i> , 2012 , 41, 474-81 | 3 | 25 |
| 144 | Material vs. psychosocial explanations of old-age educational differences in physical and mental functioning. <i>European Journal of Public Health</i> , 2012 , 22, 587-92 | 2.1 | 16 |
| 143 | Psychometric properties of the Screening Inventory of Psychosocial Problems (SIPP) in Dutch cancer patients treated with radiotherapy. <i>European Journal of Cancer Care</i> , 2011 , 20, 305-14 | 2.4 | 10 |
| 142 | Better health reports when the grass is greener on your side of the fence?: a cross-sectional study in older persons. <i>International Journal of Public Health</i> , 2011 , 56, 449-53 | 4 | 2 |
| 141 | The usefulness and feasibility of a screening instrument to identify psychosocial problems in patients receiving curative radiotherapy: a process evaluation. <i>BMC Cancer</i> , 2011 , 11, 479 | 4.8 | 25 |
| 140 | Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. <i>BMC Health Services Research</i> , 2011 , 11, 228 | 2.9 | 15 |
| 139 | Validity and sensitivity to change of the falls efficacy scales international to assess fear of falling in older adults with and without cognitive impairment. <i>Gerontology</i> , 2011 , 57, 462-72 | 5.5 | 83 |
| 138 | Long-term effect on mortality of a multicomponent cognitive behavioural group intervention to reduce fear of falling in older adults: a randomised controlled trial. <i>Age and Ageing</i> , 2011 , 40, 519-23 | 3 | 4 |
| 137 | Mediating effects of psychosocial factors on concerns about falling and daily activity in a multicomponent cognitive behavioral group intervention. <i>Aging and Mental Health</i> , 2011 , 15, 68-77 | 3.5 | 21 |
| 136 | Orientation and mobility training for partially-sighted older adults using an identification cane: a systematic review. <i>Clinical Rehabilitation</i> , 2011 , 25, 880-91 | 3.3 | 15 |
| 135 | Nurse-led self-management group programme for patients with congestive heart failure: randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2010 , 66, 1487-99 | 3.1 | 81 |
| 134 | Validation of the Falls Efficacy Scale and Falls Efficacy Scale International in geriatric patients with and without cognitive impairment: results of self-report and interview-based questionnaires. <i>Gerontology</i> , 2010 , 56, 190-9 | 5.5 | 102 |
| 133 | A minimal psychological intervention in chronically ill elderly patients with depression: a randomized trial. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 217-26 | 9.4 | 61 |
| 132 | Late-life depressed mood and weight change contribute to the risk of each other. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 236-44 | 6.5 | 17 |

| | | | |
|-----|--|------|-----|
| 131 | Cross-cultural comparison between academic and lay views of healthy ageing: a literature review. <i>Ageing and Society</i> , 2010 , 30, 1373-1391 | 1.7 | 71 |
| 130 | Dementia care redesigned: Effects of small-scale living facilities on residents, their family caregivers, and staff. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 662-70 | 5.9 | 80 |
| 129 | Heart failure patients with a lower educational level and better cognitive status benefit most from a self-management group programme. <i>Patient Education and Counseling</i> , 2010 , 81, 214-21 | 3.1 | 37 |
| 128 | The psychometric properties of three self-report screening instruments for identifying frail older people in the community. <i>BMC Public Health</i> , 2010 , 10, 176 | 4.1 | 106 |
| 127 | The reduction of disability in community-dwelling frail older people: design of a two-arm cluster randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 511 | 4.1 | 20 |
| 126 | Small-scale, homelike facilities versus regular psychogeriatric nursing home wards: a cross-sectional study into residents' characteristics. <i>BMC Health Services Research</i> , 2010 , 10, 30 | 2.9 | 26 |
| 125 | The educational patterning of health-related adversities in individuals with major depression. <i>Journal of Affective Disorders</i> , 2010 , 126, 96-102 | 6.6 | 3 |
| 124 | Psychometric properties of the Dutch version of the Mental Adjustment to Cancer scale in Dutch cancer patients. <i>Psycho-Oncology</i> , 2010 , 19, 742-9 | 3.9 | 13 |
| 123 | Measuring rebelliousness and predicting health behaviour and outcomes: an investigation of the construct validity of the Social Reactivity Scale. <i>Journal of Health Psychology</i> , 2009 , 14, 771-9 | 3.1 | 13 |
| 122 | Small, homelike care environments for older people with dementia: a literature review. <i>International Psychogeriatrics</i> , 2009 , 21, 252-64 | 3.4 | 152 |
| 121 | Personality and health as predictors of income decrease in old age: findings from the longitudinal SMILE study. <i>European Journal of Public Health</i> , 2009 , 19, 418-23 | 2.1 | 2 |
| 120 | The impact of a self-management group programme on health behaviour and healthcare utilization among congestive heart failure patients. <i>European Journal of Heart Failure</i> , 2009 , 11, 609-16 | 12.3 | 41 |
| 119 | The relative contributions of hostility and depressive symptoms to the income gradient in hospital-based incidence of ischaemic heart disease: 12-Year follow-up findings from the GLOBE study. <i>Social Science and Medicine</i> , 2009 , 69, 1272-80 | 5.1 | 10 |
| 118 | The effectiveness of the Screening Inventory of Psychosocial Problems (SIPP) in cancer patients treated with radiotherapy: design of a cluster randomised controlled trial. <i>BMC Cancer</i> , 2009 , 9, 177 | 4.8 | 13 |
| 117 | Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. <i>BMC Public Health</i> , 2009 , 9, 170 | 4.1 | 112 |
| 116 | Effects and feasibility of a standardised orientation and mobility training in using an identification cane for older adults with low vision: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2009 , 9, 153 | 2.9 | 19 |
| 115 | The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2009 , 18, 1207-18 | 3.7 | 35 |
| 114 | Socioeconomic status and the course of quality of life in older patients with coronary heart disease. <i>International Journal of Behavioral Medicine</i> , 2009 , 16, 197-204 | 2.6 | 16 |

| | | | |
|-----|--|-----|-----|
| 113 | The effects of small-scale, homelike facilities for older people with dementia on residents, family caregivers and staff: design of a longitudinal, quasi-experimental study. <i>BMC Geriatrics</i> , 2009 , 9, 3 | 4.1 | 25 |
| 112 | Effects of a multicomponent cognitive behavioral group intervention on fear of falling and activity avoidance in community-dwelling older adults: results of a randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2020-8 | 5.6 | 142 |
| 111 | Feasibility of a group-based self-management program among congestive heart failure patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2009 , 38, 499-512 | 2.6 | 18 |
| 110 | Effects of a home visiting program for older people with poor health status: a randomized, clinical trial in The Netherlands. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 397-404 | 5.6 | 40 |
| 109 | Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1390-7 | 5.6 | 110 |
| 108 | Lack of basic and luxury goods and health-related dysfunction in older persons; findings from the longitudinal SMILE study. <i>BMC Public Health</i> , 2008 , 8, 242 | 4.1 | 8 |
| 107 | Process factors explaining the ineffectiveness of a multidisciplinary fall prevention programme: a process evaluation. <i>BMC Public Health</i> , 2008 , 8, 332 | 4.1 | 25 |
| 106 | Interventions to prevent disability in frail community-dwelling elderly: a systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 278 | 2.9 | 200 |
| 105 | Effects of intensive home visiting programs for older people with poor health status: a systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 74 | 2.9 | 87 |
| 104 | Feelings of anxiety and symptoms of depression in community-living older persons who avoid activity for fear of falling. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 186-93 | 6.5 | 108 |
| 103 | Characteristics of social participation as defined by older adults with a chronic physical illness. <i>Disability and Rehabilitation</i> , 2008 , 30, 1298-308 | 2.4 | 23 |
| 102 | Effects on health care use and associated cost of a home visiting program for older people with poor health status: a randomized clinical trial in the Netherlands. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 291-7 | 6.4 | 35 |
| 101 | Conceptualizing autonomy in the context of chronic physical illness: relating philosophical theories to social scientific perspectives. <i>Health (United Kingdom)</i> , 2008 , 12, 333-48 | 1.9 | 15 |
| 100 | Material deprivation and health-related dysfunction in older Dutch people: findings from the SMILE study. <i>European Journal of Public Health</i> , 2008 , 18, 258-63 | 2.1 | 28 |
| 99 | The mediating role of perceived control on the relationship between socioeconomic status and functional changes in older patients with coronary heart disease. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2008 , 63, P353-61 | 4.6 | 11 |
| 98 | The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. <i>Age and Ageing</i> , 2008 , 37, 45-50 | 3 | 417 |
| 97 | Determinants of overall quality of life in preterminal cancer patients. <i>International Journal of Cancer</i> , 2008 , 123, 232-5 | 7.5 | 31 |
| 96 | How do people with COPD or diabetes type 2 experience autonomy? An exploratory study. <i>Disability and Rehabilitation</i> , 2007 , 29, 485-93 | 2.4 | 15 |

| | | | |
|----|---|------|-----|
| 95 | Prevalence and correlates of fear of falling, and associated avoidance of activity in the general population of community-living older people. <i>Age and Ageing</i> , 2007 , 36, 304-9 | 3 | 407 |
| 94 | Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. <i>Patient Education and Counseling</i> , 2007 , 68, 252-7 | 3.1 | 21 |
| 93 | Nurse- and peer-led self-management programme for patients with an implantable cardioverter defibrillator; a feasibility study. <i>BMC Nursing</i> , 2007 , 6, 6 | 3.2 | 13 |
| 92 | Lifestyle factors and incident mobility limitation in obese and non-obese older adults. <i>Obesity</i> , 2007 , 15, 3122-32 | 8 | 72 |
| 91 | Home visiting programme for older people with health problems: process evaluation. <i>Journal of Advanced Nursing</i> , 2007 , 58, 425-35 | 3.1 | 22 |
| 90 | Interventions to reduce fear of falling in community-living older people: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 603-15 | 5.6 | 266 |
| 89 | To what extent does IQ 'explain' socio-economic variations in function?. <i>BMC Public Health</i> , 2007 , 7, 179 | 4.1 | 13 |
| 88 | Feasibility of a cognitive behavioural group intervention to reduce fear of falling and associated avoidance of activity in community-living older people: a process evaluation. <i>BMC Health Services Research</i> , 2007 , 7, 156 | 2.9 | 25 |
| 87 | Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: results from Germany, the Netherlands and the UK were satisfactory. <i>Disability and Rehabilitation</i> , 2007 , 29, 155-62 | 2.4 | 139 |
| 86 | Chronic disease and lifestyle transitions: results from the Longitudinal Aging Study Amsterdam. <i>Journal of Aging and Health</i> , 2007 , 19, 416-38 | 2.6 | 26 |
| 85 | Impact of fatigue on overall quality of life in lung and breast cancer patients selected for high-dose radiotherapy. <i>Annals of Oncology</i> , 2007 , 18, 940-4 | 10.3 | 67 |
| 84 | Associations between lifestyle and depressed mood: longitudinal results from the Maastricht Aging Study. <i>American Journal of Public Health</i> , 2007 , 97, 887-94 | 5.1 | 75 |
| 83 | Reducing fear of falling and avoidance of activity in elderly persons: the development of a Dutch version of an American intervention. <i>Patient Education and Counseling</i> , 2006 , 62, 220-7 | 3.1 | 24 |
| 82 | Explanations of socioeconomic differences in changes in physical function in older adults: results from the Longitudinal Aging Study Amsterdam. <i>BMC Public Health</i> , 2006 , 6, 244 | 4.1 | 64 |
| 81 | Evaluation of a self-management programme for congestive heart failure patients: design of a randomised controlled trial. <i>BMC Health Services Research</i> , 2006 , 6, 91 | 2.9 | 24 |
| 80 | Older people's views of falls-prevention interventions in six European countries. <i>Gerontologist</i> , 2006 , 46, 650-60 | 5 | 196 |
| 79 | Epidemiology of heart failure in a community-based study of subjects aged > or = 57 years: incidence and long-term survival. <i>European Journal of Heart Failure</i> , 2006 , 8, 23-30 | 12.3 | 49 |
| 78 | Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. <i>Psychosomatics</i> , 2006 , 47, 33-42 | 2.6 | 41 |

| | | | |
|----|--|-----|-----|
| 77 | Determinants of high and low attendance to diet and exercise interventions among overweight and obese older adults. Results from the arthritis, diet, and activity promotion trial. <i>Contemporary Clinical Trials</i> , 2006 , 27, 227-37 | 2.3 | 38 |
| 76 | Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 642-9 | 5.7 | 28 |
| 75 | Socioeconomic differences in incident depression in older adults: the role of psychosocial factors, physical health status, and behavioral factors. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 619-27 | 4.1 | 118 |
| 74 | Gender-specific risk factors for mortality associated with incident coronary heart disease--a prospective community-based study. <i>Preventive Medicine</i> , 2006 , 43, 361-7 | 4.3 | 13 |
| 73 | Association of inflammatory markers with socioeconomic status. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 284-90 | 6.4 | 95 |
| 72 | Risk and protective factors of different functional trajectories in older persons: are these the same?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2006 , 61, P95-101 | 4.6 | 30 |
| 71 | Measuring expected outcomes of falls. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1300-1 | 5.6 | 3 |
| 70 | Patients' self-report and family caregivers' perception of quality of life in patients with advanced cancer: how do they compare?. <i>European Journal of Cancer Care</i> , 2006 , 15, 125-32 | 2.4 | 46 |
| 69 | Differences between participants and non-participants in an RCT on physical activity and psychological interventions for older persons. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 236-45 ^{4.8} | | 59 |
| 68 | Health related quality of life assessment instruments: a prospective study on preference and acceptability among cancer patients referred for radiotherapy. <i>European Journal of Cancer</i> , 2005 , 41, 2250-6 | 7.5 | 11 |
| 67 | Socioeconomic differences in cognitive decline and the role of biomedical factors. <i>Annals of Epidemiology</i> , 2005 , 15, 564-71 | 6.4 | 75 |
| 66 | Perceived control and long-term changes in disability in late middle-aged and older persons: An eight-year follow-up study. <i>Psychology and Health</i> , 2005 , 20, 193-206 | 2.9 | 23 |
| 65 | Impact of depression on disablement in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Social Science and Medicine</i> , 2005 , 60, 25-36 | 5.1 | 60 |
| 64 | Low control beliefs, classical coronary risk factors, and socio-economic differences in heart disease in older persons. <i>Social Science and Medicine</i> , 2005 , 60, 737-45 | 5.1 | 61 |
| 63 | The role of premorbid psychological attributes in short- and long-term adjustment after cardiac disease. A prospective study in the elderly in The Netherlands. <i>Social Science and Medicine</i> , 2005 , 60, 1035-45 | 5.1 | 20 |
| 62 | The role of psychosocial factors in explaining socio-economic differences in mobility decline in a chronically ill population: results from the GLOBE study. <i>Social Science and Medicine</i> , 2005 , 61, 123-32 | 5.1 | 24 |
| 61 | Evaluating an intervention to reduce fear of falling and associated activity restriction in elderly persons: design of a randomised controlled trial [ISRCTN43792817]. <i>BMC Public Health</i> , 2005 , 5, 26 | 4.1 | 33 |
| 60 | Effects of exercise adherence on physical function among overweight older adults with knee osteoarthritis. <i>Arthritis and Rheumatism</i> , 2005 , 53, 24-32 | | 132 |

| | | | |
|----|--|-----|------|
| 59 | Is there a biomedical explanation for socioeconomic differences in incident mobility limitation?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 1022-7 | 6.4 | 54 |
| 58 | Development and initial validation of the Falls Efficacy Scale-International (FES-I). <i>Age and Ageing</i> , 2005 , 34, 614-9 | 3 | 1074 |
| 57 | Demographic, health-related and psychosocial predictors of changes in depressive symptoms and anxiety in late middle-aged and older persons with fall-related injuries. <i>Psychology and Health</i> , 2004 , 19, 103-115 | 2.9 | 5 |
| 56 | Socioeconomic inequalities in mobility decline in chronic disease groups (asthma/COPD, heart disease, diabetes mellitus, low back pain): only a minor role for disease severity and comorbidity. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 862-9 | 5.1 | 36 |
| 55 | Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. <i>BMC Health Services Research</i> , 2004 , 4, 35 | 2.9 | 19 |
| 54 | The relative contribution of domains of quality of life to overall quality of life for different chronic diseases. <i>Quality of Life Research</i> , 2004 , 13, 883-96 | 3.7 | 82 |
| 53 | Development and feasibility of a nurse administered strategy on depression in community-dwelling patients with a chronic physical disease. <i>Patient Education and Counseling</i> , 2004 , 54, 87-94 | 3.1 | 24 |
| 52 | Depressive symptoms in elderly patients predict poor adjustment after somatic events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64 | 6.5 | 9 |
| 51 | Relationship between changes in depressive symptoms and unhealthy lifestyles in late middle aged and older persons: results from the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2003 , 32, 81-7 | 3 | 146 |
| 50 | The role of perceived control in the process of older peoples' recovery of physical functions after fall-related injuries: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003 , 58, P35-41 | 4.6 | 20 |
| 49 | The role of depressive symptoms in recovery from injuries to the extremities in older persons. A prospective study. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 14-22 | 3.9 | 29 |
| 48 | Disablement process and the utilization of home care among non-institutionalized elderly people: contrasting results between cross-sectional and panel data. <i>Disability and Rehabilitation</i> , 2003 , 25, 845-55 | 2.4 | 10 |
| 47 | Gender differences in recovery from injuries to the extremities in older persons. A prospective study. <i>Disability and Rehabilitation</i> , 2003 , 25, 827-32 | 2.4 | 15 |
| 46 | Depression in older people after fall-related injuries: a prospective study. <i>Age and Ageing</i> , 2003 , 32, 88-94 | | 50 |
| 45 | Temporal and reciprocal relationship between IADL/ADL disability and depressive symptoms in late life. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2002 , 57, P338-47 | 4.6 | 233 |
| 44 | Differences in Physical-Fitness Test Scores between Actively and Passively Recruited Older Adults: Consequences for Norm-Based Classification. <i>Journal of Aging and Physical Activity</i> , 2002 , 10, 143-159 | 1.6 | 6 |
| 43 | Psychological attributes and changes in disability among low-functioning older persons: does attrition affect the outcomes?. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 224-9 | 5.7 | 61 |
| 42 | Gender-specific changes in quality of life following cardiovascular disease: a prospective study. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 1105-12 | 5.7 | 51 |

| | | | |
|----|--|-----|-----|
| 41 | Risk factors for developing cardiac disease in late middle-aged and older men and women: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1575-7 | 5.6 | 2 |
| 40 | Changes in health-related quality of life in older patients with acute myocardial infarction or congestive heart failure: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 1052-8 | 5.6 | 88 |
| 39 | Recovery of physical function after limb injuries in independent older people living at home. <i>Age and Ageing</i> , 2001 , 30, 213-9 | 3 | 26 |
| 38 | Social predictors of recovery in late middle-aged and older persons after injury to the extremities: a prospective study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2001 , 56, S229-36 | 4.6 | 28 |
| 37 | Chronic disease in elderly couples: are women more responsive to their spouses' health condition than men?. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 693-6 | 4.1 | 61 |
| 36 | Models of health-related quality of life in a population of community-dwelling Dutch elderly. <i>Quality of Life Research</i> , 2000 , 9, 801-10 | 3.7 | 49 |
| 35 | Functional decline after congestive heart failure and acute myocardial infarction and the impact of psychological attributes. A prospective study. <i>Quality of Life Research</i> , 2000 , 9, 439-50 | 3.7 | 31 |
| 34 | Physical fitness related to disability in older persons. <i>Gerontology</i> , 2000 , 46, 333-41 | 5.5 | 46 |
| 33 | Which chronic conditions are associated with better or poorer quality of life?. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 895-907 | 5.7 | 442 |
| 32 | EFFECT OF SELF-RATED HEALTH ON COGNITIVE PERFORMANCE IN COMMUNITY DWELLING ELDERLY. <i>Educational Gerontology</i> , 1999 , 25, 13-17 | 1.2 | 7 |
| 31 | Short report chronic medical conditions and life satisfaction in the elderly. <i>Psychology and Health</i> , 1999 , 14, 65-70 | 2.9 | 7 |
| 30 | Do psychological factors influence pain following a fracture of the extremities?. <i>Injury</i> , 1999 , 30, 323-5 | 2.5 | 17 |
| 29 | The relationship of functional limitations to disability and the moderating effects of psychological attributes in community-dwelling older persons. <i>Social Science and Medicine</i> , 1999 , 48, 1161-72 | 5.1 | 77 |
| 28 | Morbidity and quality of life and the moderating effects of level of education in the elderly. <i>Social Science and Medicine</i> , 1999 , 49, 143-9 | 5.1 | 50 |
| 27 | The impact of physical performance and cognitive status on subsequent ADL disability in low-functioning older adults. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 480-3 | 3.9 | 17 |
| 26 | Psychological well-being in older adults suffering from chronic headache. <i>Headache</i> , 1998 , 38, 292-4 | 4.2 | 13 |
| 25 | Relationship of domain-specific measures of health to perceived overall health among older subjects. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 11-8 | 5.7 | 51 |
| 24 | The impact of multiple impairments on disability in community-dwelling older people. <i>Age and Ageing</i> , 1998 , 27, 595-604 | 3 | 41 |

| | | | |
|----|---|-----|------|
| 23 | Kempen and Ormel Respond. <i>American Journal of Public Health</i> , 1998 , 88, 838-838 | 5.1 | |
| 22 | Beliefs concerning death, dying, and hastening death among older, functionally impaired Dutch adults: a one-year longitudinal study. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1251-7 | 5.6 | 24 |
| 21 | Functioning, well-being, and health perception in late middle-aged and older people: comparing the effects of depressive symptoms and chronic medical conditions. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 39-48 | 5.6 | 175 |
| 20 | No decline in cognitive function in older patients two months after a fracture of the extremities. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1177-8 | 5.6 | 1 |
| 19 | Physical fitness related to age and physical activity in older persons. <i>Medicine and Science in Sports and Exercise</i> , 1998 , 30, 434-41 | 1.2 | 56 |
| 18 | A validation study of the Hospital Anxiety and Depression Scale (HADS) in different groups of Dutch subjects. <i>Psychological Medicine</i> , 1997 , 27, 363-70 | 6.9 | 1482 |
| 17 | Adaptive responses among Dutch elderly: the impact of eight chronic medical conditions on health-related quality of life. <i>American Journal of Public Health</i> , 1997 , 87, 38-44 | 5.1 | 160 |
| 16 | Chronic medical conditions and mental health in older people: disability and psychosocial resources mediate specific mental health effects. <i>Psychological Medicine</i> , 1997 , 27, 1065-77 | 6.9 | 133 |
| 15 | Self-Reported Physical Fitness of Older Persons: A Substitute for Performance-Based Measures of Physical Fitness?. <i>Journal of Aging and Physical Activity</i> , 1997 , 5, 298-310 | 1.6 | 20 |
| 14 | Personality, chronic medical morbidity, and health-related quality of life among older persons.. <i>Health Psychology</i> , 1997 , 16, 539-546 | 5 | 142 |
| 13 | Measuring health status with the Dartmouth COOP charts in low-functioning elderly. Do the illustrations affect the outcomes?. <i>Quality of Life Research</i> , 1997 , 6, 323-8 | 3.7 | 12 |
| 12 | Cognitive function in community-dwelling elderly with chronic medical conditions. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 1039-41 | 3.9 | 7 |
| 11 | Cognitive function in community-dwelling elderly with chronic medical conditions 1997 , 12, 1039 | | 2 |
| 10 | Factors affecting contrasting results between self-reported and performance-based levels of physical limitation. <i>Age and Ageing</i> , 1996 , 25, 458-64 | 3 | 87 |
| 9 | The assessment of disability with the Groningen Activity Restriction Scale. Conceptual framework and psychometric properties. <i>Social Science and Medicine</i> , 1996 , 43, 1601-10 | 5.1 | 302 |
| 8 | Attitude and help-seeking for hearing impairment. <i>International Journal of Audiology</i> , 1996 , 30, 313-24 | | 101 |
| 7 | The psychometric properties of the SSL12-I, a short scale for measuring social support in the elderly. <i>Social Indicators Research</i> , 1995 , 35, 303-312 | 2.7 | 82 |
| 6 | Hierarchical structure in ADL and IADL: analytical assumptions and applications for clinicians and researchers. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 1299-305 | 5.7 | 78 |

| | | | |
|---|--|-----|-----|
| 5 | Professional home care for the elderly: an application of the Andersen-Newman model in The Netherlands. <i>Social Science and Medicine</i> , 1991 , 33, 1081-9 | 5.1 | 41 |
| 4 | Factors influencing professional home care utilization among the elderly. <i>Social Science and Medicine</i> , 1991 , 32, 77-81 | 5.1 | 41 |
| 3 | The development of a hierarchical polychotomous ADL-IADL scale for noninstitutionalized elders. <i>Gerontologist, The</i> , 1990 , 30, 497-502 | 5 | 202 |
| 2 | The concept of disability and its causal mechanisms in older people over time from a theoretical perspective: a literature review. <i>European Journal of Ageing</i> , 1 | 3.6 | 1 |
| 1 | Effects on clients' daily functioning and common features of reablement interventions: a systematic literature review. <i>European Journal of Ageing</i> , 1 | 3.6 | |