

Alexander A Khromykh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/577549/publications.pdf>

Version: 2024-02-01

149
papers

10,323
citations

23544

58
h-index

37183

96
g-index

156
all docs

156
docs citations

156
times ranked

7053
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutational analysis of <i>Aedes aegypti</i> Dicer 2 provides insights into the biogenesis of antiviral exogenous small interfering RNAs. <i>PLoS Pathogens</i> , 2022, 18, e1010202.	2.1	6
2	Synthetic Heparan Sulfate Mimetic Pixatimod (PG545) Potently Inhibits SARS-CoV-2 by Disrupting the Spike-ACE2 Interaction. <i>ACS Central Science</i> , 2022, 8, 527-545.	5.3	62
3	Structural analysis of 3'UTRs in insect flaviviruses reveals novel determinants of sfRNA biogenesis and provides new insights into flavivirus evolution. <i>Nature Communications</i> , 2022, 13, 1279.	5.8	13
4	Dermal Delivery of a SARS-CoV-2 Subunit Vaccine Induces Immunogenicity against Variants of Concern. <i>Vaccines</i> , 2022, 10, 578.	2.1	7
5	Peptide-Based Vaccine against SARS-CoV-2: Peptide Antigen Discovery and Screening of Adjuvant Systems. <i>Pharmaceutics</i> , 2022, 14, 856.	2.0	4
6	The distinguishing NS5-M114V mutation in American Zika virus isolates has negligible impacts on virus replication and transmission potential. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010426.	1.3	4
7	Reporter Flaviviruses as Tools to Demonstrate Homologous and Heterologous Superinfection Exclusion. <i>Viruses</i> , 2022, 14, 1501.	1.5	7
8	A broadly protective antibody that targets the flavivirus NS1 protein. <i>Science</i> , 2021, 371, 190-194.	6.0	66
9	Potent neutralization of clinical isolates of SARS-CoV-2 D614 and G614 variants by a monomeric, sub-nanomolar affinity nanobody. <i>Scientific Reports</i> , 2021, 11, 3318.	1.6	43
10	A paucigranulocytic asthma host environment promotes the emergence of virulent influenza viral variants. <i>ELife</i> , 2021, 10, .	2.8	5
11	An Optimized High-Throughput Immuno-Plaque Assay for SARS-CoV-2. <i>Frontiers in Microbiology</i> , 2021, 12, 625136.	1.5	41
12	Assessing the potential of unmanned aerial vehicle spraying of aqueous ozone as an outdoor disinfectant for SARS-CoV-2. <i>Environmental Research</i> , 2021, 196, 110944.	3.7	22
13	A versatile reverse genetics platform for SARS-CoV-2 and other positive-strand RNA viruses. <i>Nature Communications</i> , 2021, 12, 3431.	5.8	89
14	A 1958 Isolate of Kedougou Virus (KEDV) from Ndumu, South Africa, Expands the Geographic and Temporal Range of KEDV in Africa. <i>Viruses</i> , 2021, 13, 1368.	1.5	2
15	Neuroinvasiveness of the MR766 strain of Zika virus in IFNAR-1 mice maps to prM residues conserved amongst African genotype viruses. <i>PLoS Pathogens</i> , 2021, 17, e1009788.	2.1	18
16	No evidence of human genome integration of SARS-CoV-2 found by long-read DNA sequencing. <i>Cell Reports</i> , 2021, 36, 109530.	2.9	39
17	Preclinical development of a molecular clamp-stabilised subunit vaccine for severe acute respiratory syndrome coronavirus 2. <i>Clinical and Translational Immunology</i> , 2021, 10, e1269.	1.7	45
18	Complete protection by a single-dose skin patch-delivered SARS-CoV-2 spike vaccine. <i>Science Advances</i> , 2021, 7, eabj8065.	4.7	31

#	ARTICLE	IF	CITATIONS
19	Detection and Quantification of SARS-CoV-2 Receptor Binding Domain Neutralization by a Sensitive Competitive ELISA Assay. <i>Vaccines</i> , 2021, 9, 1493.	2.1	5
20	Zika Virus sfRNA Plays an Essential Role in the Infection of Insects and Mammals. <i>Proceedings (mdpi)</i> , 2020, 50, .	0.2	0
21	Sequencing of Historical Isolates, K-mer Mining and High Serological Cross-Reactivity with Ross River Virus Argue against the Presence of Getah Virus in Australia. <i>Pathogens</i> , 2020, 9, 848.	1.2	10
22	Zika virus noncoding RNA suppresses apoptosis and is required for virus transmission by mosquitoes. <i>Nature Communications</i> , 2020, 11, 2205.	5.8	50
23	Antigenic Characterization of New Lineage II Insect-Specific Flaviviruses in Australian Mosquitoes and Identification of Host Restriction Factors. <i>MSphere</i> , 2020, 5, .	1.3	31
24	West Nile virus infection and interferon alpha treatment alter the spectrum and the levels of coding and noncoding host RNAs secreted in extracellular vesicles. <i>BMC Genomics</i> , 2019, 20, 474.	1.2	23
25	Determinants of Zika virus host tropism uncovered by deep mutational scanning. <i>Nature Microbiology</i> , 2019, 4, 876-887.	5.9	50
26	A recombinant platform for flavivirus vaccines and diagnostics using chimeras of a new insect-specific virus. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	70
27	Contemporary Anti-Ebola Drug Discovery Approaches and Platforms. <i>ACS Infectious Diseases</i> , 2019, 5, 35-48.	1.8	3
28	Chimeric viruses of the insect-specific flavivirus Palm Creek with structural proteins of vertebrate-infecting flaviviruses identify barriers to replication of insect-specific flaviviruses in vertebrate cells. <i>Journal of General Virology</i> , 2019, 100, 1580-1586.	1.3	19
29	CCR2 Plays a Protective Role in Rocio Virus-Induced Encephalitis by Promoting Macrophage Infiltration Into the Brain. <i>Journal of Infectious Diseases</i> , 2019, 219, 2015-2025.	1.9	8
30	A vaccinia-based single-vector construct multi-pathogen vaccine protects against both Zika and chikungunya viruses. <i>Nature Communications</i> , 2018, 9, 1230.	5.8	71
31	Characterization of Recombinant Flaviviridae Viruses Possessing a Small Reporter Tag. <i>Journal of Virology</i> , 2018, 92, .	1.5	51
32	Full genome sequence of Rocio virus reveal substantial variations from the prototype Rocio virus SPH 34675 sequence. <i>Archives of Virology</i> , 2018, 163, 255-258.	0.9	10
33	Fetal Brain Infection Is Not a Unique Characteristic of Brazilian Zika Viruses. <i>Viruses</i> , 2018, 10, 541.	1.5	15
34	Subgenomic flaviviral RNAs: What do we know after the first decade of research. <i>Antiviral Research</i> , 2018, 159, 13-25.	1.9	82
35	Ilheus and Saint Louis encephalitis viruses elicit cross-protection against a lethal Rocio virus challenge in mice. <i>PLoS ONE</i> , 2018, 13, e0199071.	1.1	13
36	Genetic characterization of Cacipacor virus from ticks collected in So Paulo State, Brazil. <i>Archives of Virology</i> , 2017, 162, 1783-1786.	0.9	8

#	ARTICLE	IF	CITATIONS
37	Chimeric viruses between Rocio and West Nile: the role for Rocio prM-E proteins in virulence and inhibition of interferon- β / γ signaling. <i>Scientific Reports</i> , 2017, 7, 44642.	1.6	13
38	<i>De Novo</i> Generation and Characterization of New Zika Virus Isolate Using Sequence Data from a Microcephaly Case. <i>MSphere</i> , 2017, 2, .	1.3	47
39	Infectious DNAs derived from insect-specific flavivirus genomes enable identification of pre- and post-entry host restrictions in vertebrate cells. <i>Scientific Reports</i> , 2017, 7, 2940.	1.6	40
40	Successful post-exposure prophylaxis of Ebola infected non-human primates using Ebola glycoprotein-specific equine IgG. <i>Scientific Reports</i> , 2017, 7, 41537.	1.6	14
41	Differential Diagnosis of Flavivirus Infections in Horses Using Viral Envelope Protein Domain III Antigens in Enzyme-Linked Immunosorbent Assay. <i>Vector-Borne and Zoonotic Diseases</i> , 2017, 17, 825-835.	0.6	5
42	Cell fusing agent virus and dengue virus mutually interact in <i>Aedes aegypti</i> cell lines. <i>Scientific Reports</i> , 2017, 7, 6935.	1.6	63
43	Helicase Domain of West Nile Virus NS3 Protein Plays a Role in Inhibition of Type I Interferon Signalling. <i>Viruses</i> , 2017, 9, 326.	1.5	13
44	Virulence and Evolution of West Nile Virus, Australia, 1960â€“2012. <i>Emerging Infectious Diseases</i> , 2016, 22, 1353-1362.	2.0	26
45	The in vitro and in vivo antiviral properties of combined monoterpene alcohols against West Nile virus infection. <i>Virology</i> , 2016, 495, 18-32.	1.1	24
46	Human MicroRNA miR-532-5p Exhibits Antiviral Activity against West Nile Virus via Suppression of Host Genes SESTD1 and TAB3 Required for Virus Replication. <i>Journal of Virology</i> , 2016, 90, 2388-2402.	1.5	60
47	The I22V and L72S substitutions in West Nile virus prM protein promote enhanced prM/E heterodimerisation and nucleocapsid incorporation. <i>Virology Journal</i> , 2015, 12, 72.	1.4	3
48	A Kunjin Replicon Virus-like Particle Vaccine Provides Protection Against Ebola Virus Infection in Nonhuman Primates. <i>Journal of Infectious Diseases</i> , 2015, 212, S368-S371.	1.9	38
49	Comparison of attenuated and virulent West Nile virus strains in human monocyte-derived dendritic cells as a model of initial human infection. <i>Virology Journal</i> , 2015, 12, 46.	1.4	20
50	Functional non-coding RNAs derived from the flavivirus 3' untranslated region. <i>Virus Research</i> , 2015, 206, 53-61.	1.1	97
51	Last 20 aa of the West Nile virus NS1 protein are responsible for its retention in cells and the formation of unique heat-stable dimers. <i>Journal of General Virology</i> , 2015, 96, 1042-1054.	1.3	8
52	Systematic analysis of viral genes responsible for differential virulence between American and Australian West Nile virus strains. <i>Journal of General Virology</i> , 2015, 96, 1297-1308.	1.3	28
53	Post-translational regulation and modifications of flavivirus structural proteins. <i>Journal of General Virology</i> , 2015, 96, 1551-1569.	1.3	83
54	Viral RNA Intermediates as Targets for Detection and Discovery of Novel and Emerging Mosquito-Borne Viruses. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003629.	1.3	62

#	ARTICLE	IF	CITATIONS
55	Programmed Ribosomal Frameshift Alters Expression of West Nile Virus Genes and Facilitates Virus Replication in Birds and Mosquitoes. <i>PLoS Pathogens</i> , 2014, 10, e1004447.	2.1	33
56	Multiple Immune Factors Are Involved in Controlling Acute and Chronic Chikungunya Virus Infection. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3354.	1.3	145
57	The West Nile virus assembly process evades the conserved antiviral mechanism of the interferon-induced MxA protein. <i>Virology</i> , 2014, 448, 104-116.	1.1	20
58	Noncoding Subgenomic Flavivirus RNA: Multiple Functions in West Nile Virus Pathogenesis and Modulation of Host Responses. <i>Viruses</i> , 2014, 6, 404-427.	1.5	148
59	Internal Ribosome Entry Site-Based Attenuation of a Flavivirus Candidate Vaccine and Evaluation of the Effect of Beta Interferon Coexpression on Vaccine Properties. <i>Journal of Virology</i> , 2014, 88, 2056-2070.	1.5	6
60	Increased expression of capsid protein in trans enhances production of single-round infectious particles by West Nile virus DNA vaccine candidate. <i>Journal of General Virology</i> , 2014, 95, 2176-2191.	1.3	11
61	Loop de loop: viral RNA evades IFIT1 targeting. <i>Trends in Microbiology</i> , 2014, 22, 171-173.	3.5	1
62	Expression of Mosquito MicroRNA Aae-miR-2940-5p Is Downregulated in Response to West Nile Virus Infection To Restrict Viral Replication. <i>Journal of Virology</i> , 2014, 88, 8457-8467.	1.5	90
63	Wolbachia Infection Modifies the Profile, Shuttling and Structure of MicroRNAs in a Mosquito Cell Line. <i>PLoS ONE</i> , 2014, 9, e96107.	1.1	68
64	NS1 Colocalizes with NS1 and Can Substitute for NS1 in West Nile Virus Replication. <i>Journal of Virology</i> , 2013, 87, 9384-9390.	1.5	19
65	A Novel Bacterium-Free Method for Generation of Flavivirus Infectious DNA by Circular Polymerase Extension Reaction Allows Accurate Recapitulation of Viral Heterogeneity. <i>Journal of Virology</i> , 2013, 87, 2367-2372.	1.5	65
66	West Nile virus NS2A protein facilitates virus-induced apoptosis independently of interferon response. <i>Journal of General Virology</i> , 2013, 94, 308-313.	1.3	35
67	Effect of Wolbachia on Replication of West Nile Virus in a Mosquito Cell Line and Adult Mosquitoes. <i>Journal of Virology</i> , 2013, 87, 851-858.	1.5	110
68	An interaction between the methyltransferase and RNA dependent RNA polymerase domains of the West Nile virus NS5 protein. <i>Journal of General Virology</i> , 2013, 94, 1961-1971.	1.3	17
69	West Nile Virus Genome with Glycosylated Envelope Protein and Deletion of Alpha Helices 1, 2, and 4 in the Capsid Protein Is Noninfectious and Efficiently Secretes Subviral Particles. <i>Journal of Virology</i> , 2013, 87, 13063-13069.	1.5	6
70	A noncoding RNA produced by arthropod-borne flaviviruses inhibits the cellular exoribonuclease XRN1 and alters host mRNA stability. <i>Rna</i> , 2012, 18, 2029-2040.	1.6	177
71	West Nile virus encodes a microRNA-like small RNA in the 3' untranslated region which up-regulates GATA4 mRNA and facilitates virus replication in mosquito cells. <i>Nucleic Acids Research</i> , 2012, 40, 2210-2223.	6.5	194
72	Interferon Response Factors 3 and 7 Protect against Chikungunya Virus Hemorrhagic Fever and Shock. <i>Journal of Virology</i> , 2012, 86, 9888-9898.	1.5	157

#	ARTICLE	IF	CITATIONS
73	Noncoding Flavivirus RNA Displays RNA Interference Suppressor Activity in Insect and Mammalian Cells. <i>Journal of Virology</i> , 2012, 86, 13486-13500.	1.5	248
74	Identification of residues in West Nile virus pre-membrane protein that influence viral particle secretion and virulence. <i>Journal of General Virology</i> , 2012, 93, 1965-1975.	1.3	17
75	Characterization of Virulent West Nile Virus Kunjin Strain, Australia, 2011. <i>Emerging Infectious Diseases</i> , 2012, 18, 792-800.	2.0	121
76	West Nile Virus Noncoding Subgenomic RNA Contributes to Viral Evasion of the Type I Interferon-Mediated Antiviral Response. <i>Journal of Virology</i> , 2012, 86, 5708-5718.	1.5	170
77	pDNA-lipoplexes engrafted with flagellin-related peptide induce potent immunity and anti-tumour effects. <i>Vaccine</i> , 2011, 29, 6911-6919.	1.7	13
78	Prime-boost vaccinations using recombinant flavivirus replicon and vaccinia virus vaccines: an ELISPOT analysis. <i>Immunology and Cell Biology</i> , 2011, 89, 426-436.	1.0	4
79	Virulence determinants between New York 99 and Kunjin strains of West Nile virus. <i>Virology</i> , 2011, 414, 63-73.	1.1	44
80	Kunjin Virus Replicon-Based Vaccines Expressing Ebola Virus Glycoprotein GP Protect the Guinea Pig Against Lethal Ebola Virus Infection. <i>Journal of Infectious Diseases</i> , 2011, 204, S1060-S1065.	1.9	35
81	The Naturally Attenuated Kunjin Strain of West Nile Virus Shows Enhanced Sensitivity to the Host Type I Interferon Response. <i>Journal of Virology</i> , 2011, 85, 5664-5668.	1.5	55
82	Determinants of attenuation in the envelope protein of the flavivirus Alfuy. <i>Journal of General Virology</i> , 2011, 92, 2286-2296.	1.3	20
83	Nucleic Acid-Based Infectious and Pseudo-Infectious Flavivirus Vaccines. , 2011, , 299-320.		4
84	Viral determinants in the NS3 helicase and 2K peptide that promote West Nile virus resistance to antiviral action of 2'-5'-oligoadenylate synthetase 1b. <i>Virology</i> , 2010, 399, 176-185.	1.1	27
85	Nanopatch-Targeted Skin Vaccination against West Nile Virus and Chikungunya Virus in Mice. <i>Small</i> , 2010, 6, 1776-1784.	5.2	150
86	Vaccine delivery: Nanopatch-Targeted Skin Vaccination against West Nile Virus and Chikungunya Virus in Mice (Small 16/2010). <i>Small</i> , 2010, 6, n/a-n/a.	5.2	0
87	RNA Structures Required for Production of Subgenomic Flavivirus RNA. <i>Journal of Virology</i> , 2010, 84, 11407-11417.	1.5	190
88	The NS5 Protein of the Virulent West Nile Virus NY99 Strain Is a Potent Antagonist of Type I Interferon-Mediated JAK-STAT Signaling. <i>Journal of Virology</i> , 2010, 84, 3503-3515.	1.5	189
89	Chikungunya Virus Nonstructural Protein 2 Inhibits Type I/II Interferon-Stimulated JAK-STAT Signaling. <i>Journal of Virology</i> , 2010, 84, 10877-10887.	1.5	209
90	NS1 of Flaviviruses in the Japanese Encephalitis Virus Serogroup Is a Product of Ribosomal Frameshifting and Plays a Role in Viral Neuroinvasiveness. <i>Journal of Virology</i> , 2010, 84, 1641-1647.	1.5	150

#	ARTICLE	IF	CITATIONS
91	Generating flavivirus vaccine candidates by modulating interferon sensitivity. <i>Expert Review of Vaccines</i> , 2009, 8, 1157-1160.	2.0	1
92	Monoclonal antibodies to the West Nile virus NS5 protein map to linear and conformational epitopes in the methyltransferase and polymerase domains. <i>Journal of General Virology</i> , 2009, 90, 2912-2922.	1.3	20
93	A Kunjin replicon vector encoding granulocyte macrophage colony-stimulating factor for intra-tumoral gene therapy. <i>Gene Therapy</i> , 2009, 16, 190-199.	2.3	32
94	Vaccine Development Against West Nile Virus. , 2009, , 427-451.		0
95	Single-round infectious particles enhance immunogenicity of a DNA vaccine against West Nile virus. <i>Nature Biotechnology</i> , 2008, 26, 571-577.	9.4	62
96	Evaluation of recombinant Kunjin replicon SIV vaccines for protective efficacy in macaques. <i>Virology</i> , 2008, 374, 528-534.	1.1	21
97	Kunjin replicon-based simian immunodeficiency virus gag vaccines. <i>Vaccine</i> , 2008, 26, 3268-3276.	1.7	17
98	A Highly Structured, Nuclease-Resistant, Noncoding RNA Produced by Flaviviruses Is Required for Pathogenicity. <i>Cell Host and Microbe</i> , 2008, 4, 579-591.	5.1	420
99	Role of Nonstructural Protein NS2A in Flavivirus Assembly. <i>Journal of Virology</i> , 2008, 82, 4731-4741.	1.5	195
100	Crystal Structure of the RNA Polymerase Domain of the West Nile Virus Non-structural Protein 5. <i>Journal of Biological Chemistry</i> , 2007, 282, 10678-10689.	1.6	222
101	West Nile virus-induced cytoplasmic membrane structures provide partial protection against the interferon-induced antiviral MxA protein. <i>Journal of General Virology</i> , 2007, 88, 3013-3017.	1.3	51
102	Construction and biological characterization of artificial recombinants between a wild type flavivirus (Kunjin) and a live chimeric flavivirus vaccine (ChimeriVax-JE). <i>Vaccine</i> , 2007, 25, 6661-6671.	1.7	15
103	Cholesterol Manipulation by West Nile Virus Perturbs the Cellular Immune Response. <i>Cell Host and Microbe</i> , 2007, 2, 229-239.	5.1	255
104	Crystal Structure and Activity of Kunjin Virus NS3 Helicase; Protease and Helicase Domain Assembly in the Full Length NS3 Protein. <i>Journal of Molecular Biology</i> , 2007, 372, 444-455.	2.0	78
105	Using a bioaerosol personal sampler in combination with real-time PCR analysis for rapid detection of airborne viruses. <i>Environmental Microbiology</i> , 2007, 9, 992-1000.	1.8	58
106	ChimeriVax-West Nile vaccine. <i>Current Opinion in Molecular Therapeutics</i> , 2007, 9, 498-504.	2.8	9
107	Preliminary crystallographic characterization of an RNA helicase from Kunjin virus. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006, 62, 876-879.	0.7	5
108	Comparative mechanistic studies of de novo RNA synthesis by flavivirus RNA-dependent RNA polymerases. <i>Virology</i> , 2006, 351, 145-158.	1.1	106

#	ARTICLE	IF	CITATIONS
109	Ebola virus glycoprotein GP is not cytotoxic when expressed constitutively at a moderate level. <i>Journal of General Virology</i> , 2006, 87, 1247-1257.	1.3	74
110	Regulated Cleavages at the West Nile Virus NS4A-2K-NS4B Junctions Play a Major Role in Rearranging Cytoplasmic Membranes and Golgi Trafficking of the NS4A Protein. <i>Journal of Virology</i> , 2006, 80, 4623-4632.	1.5	200
111	Translation of the Flavivirus Kunjin NS3 Gene in cis but Not Its RNA Sequence or Secondary Structure Is Essential for Efficient RNA Packaging. <i>Journal of Virology</i> , 2006, 80, 11255-11264.	1.5	31
112	Kunjin virus replicons: an RNA-based, non-cytopathic viral vector system for protein production, vaccine and gene therapy applications. <i>Expert Opinion on Biological Therapy</i> , 2006, 6, 135-145.	1.4	70
113	A Single Amino Acid Substitution in the West Nile Virus Nonstructural Protein NS2A Disables Its Ability To Inhibit Alpha/Beta Interferon Induction and Attenuates Virus Virulence in Mice. <i>Journal of Virology</i> , 2006, 80, 2396-2404.	1.5	221
114	Inhibition of Interferon Signaling by the New York 99 Strain and Kunjin Subtype of West Nile Virus Involves Blockage of STAT1 and STAT2 Activation by Nonstructural Proteins. <i>Journal of Virology</i> , 2005, 79, 1934-1942.	1.5	274
115	Semliki Forest virus and Kunjin virus RNA replicons elicit comparable cellular immunity but distinct humoral immunity. <i>Vaccine</i> , 2005, 23, 4189-4194.	1.7	10
116	Tetracycline-Inducible Packaging Cell Line for Production of Flavivirus Replicon Particles. <i>Journal of Virology</i> , 2004, 78, 531-538.	1.5	66
117	Analysis of Adaptive Mutations in Kunjin Virus Replicon RNA Reveals a Novel Role for the Flavivirus Nonstructural Protein NS2A in Inhibition of Beta Interferon Promoter-Driven Transcription. <i>Journal of Virology</i> , 2004, 78, 12225-12235.	1.5	146
118	West Nile Virus Core Protein. <i>Structure</i> , 2004, 12, 1157-1163.	1.6	159
119	Recombinant Kunjin virus replicon vaccines induce protective T-cell immunity against human papillomavirus 16 E7-expressing tumour. <i>Virology</i> , 2004, 319, 237-248.	1.1	37
120	West Nile virus vaccines. <i>Expert Opinion on Biological Therapy</i> , 2004, 4, 1295-1305.	1.4	52
121	Generation of CTL responses using Kunjin replicon RNA. <i>Immunology and Cell Biology</i> , 2003, 81, 73-78.	1.0	3
122	Significance in Replication of the Terminal Nucleotides of the Flavivirus Genome. <i>Journal of Virology</i> , 2003, 77, 10623-10629.	1.5	70
123	DNA vaccine coding for the full-length infectious Kunjin virus RNA protects mice against the New York strain of West Nile virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10460-10464.	3.3	104
124	Molecular and Functional Analyses of Kunjin Virus Infectious cDNA Clones Demonstrate the Essential Roles for NS2A in Virus Assembly and for a Nonconservative Residue in NS3 in RNA Replication. <i>Journal of Virology</i> , 2003, 77, 7804-7813.	1.5	149
125	Kunjin RNA replication and applications of Kunjin replicons. <i>Advances in Virus Research</i> , 2003, 59, 99-140.	0.9	98
126	Kunjin Virus Replicon Vectors for Human Immunodeficiency Virus Vaccine Development. <i>Journal of Virology</i> , 2003, 77, 7796-7803.	1.5	45

#	ARTICLE	IF	CITATIONS
127	Complementation Analysis of the Flavivirus Kunjin NS3 and NS5 Proteins Defines the Minimal Regions Essential for Formation of a Replication Complex and Shows a Requirement of NS3 in cis for Virus Assembly. <i>Journal of Virology</i> , 2002, 76, 10766-10775.	1.5	84
128	Kunjin Virus Replicon Vaccine Vectors Induce Protective CD8 + T-Cell Immunity. <i>Journal of Virology</i> , 2002, 76, 3791-3799.	1.5	70
129	Stable Expression of Noncytopathic Kunjin Replicons Simulates Both Ultrastructural and Biochemical Characteristics Observed during Replication of Kunjin Virus. <i>Virology</i> , 2001, 279, 161-172.	1.1	41
130	Essential Role of Cyclization Sequences in Flavivirus RNA Replication. <i>Journal of Virology</i> , 2001, 75, 6719-6728.	1.5	336
131	Expression and purification of enzymatically active recombinant RNA-dependent RNA polymerase (NS5) of the flavivirus Kunjin. <i>Journal of Virological Methods</i> , 2001, 92, 37-44.	1.0	96
132	Coupling between Replication and Packaging of Flavivirus RNA: Evidence Derived from the Use of DNA-Based Full-Length cDNA Clones of Kunjin Virus. <i>Journal of Virology</i> , 2001, 75, 4633-4640.	1.5	153
133	Biological Significance of Glycosylation of the Envelope Protein of Kunjin Virus. <i>Annals of the New York Academy of Sciences</i> , 2001, 951, 361-363.	1.8	57
134	cis- and trans-Acting Elements in Flavivirus RNA Replication. <i>Journal of Virology</i> , 2000, 74, 3253-3263.	1.5	139
135	Stable High-Level Expression of Heterologous Genes In Vitro and In Vivo by Noncytopathic DNA-Based Kunjin Virus Replicon Vectors. <i>Journal of Virology</i> , 2000, 74, 4394-4403.	1.5	101
136	Nascent Flavivirus RNA Colocalized in Situ with Double-Stranded RNA in Stable Replication Complexes. <i>Virology</i> , 1999, 258, 108-117.	1.1	109
137	Loss of Dimerisation of the Nonstructural Protein NS1 of Kunjin Virus Delays Viral Replication and Reduces Virulence in Mice, but Still Allows Secretion of NS1. <i>Virology</i> , 1999, 264, 66-75.	1.1	60
138	Noncytopathic Flavivirus Replicon RNA-Based System for Expression and Delivery of Heterologous Genes. <i>Virology</i> , 1999, 255, 366-375.	1.1	72
139	trans-Complementation Analysis of the Flavivirus Kunjin ns5 Gene Reveals an Essential Role for Translation of Its N-Terminal Half in RNA Replication. <i>Journal of Virology</i> , 1999, 73, 9247-9255.	1.5	75
140	Efficient trans-Complementation of the Flavivirus Kunjin NS5 Protein but Not of the NS1 Protein Requires Its Coexpression with Other Components of the Viral Replicase. <i>Journal of Virology</i> , 1999, 73, 10272-10280.	1.5	100
141	Subcellular Localization and Some Biochemical Properties of the Flavivirus Kunjin Nonstructural Proteins NS2A and NS4A. <i>Virology</i> , 1998, 245, 203-215.	1.1	282
142	Cloning and Expression of the Ataxia-telangiectasia Gene in Baculovirus. <i>Biochemical and Biophysical Research Communications</i> , 1998, 245, 144-148.	1.0	18
143	Encapsidation of the Flavivirus Kunjin Replicon RNA by Using a Complementation System Providing Kunjin Virus Structural Proteins in trans. <i>Journal of Virology</i> , 1998, 72, 5967-5977.	1.5	128
144	trans-Complementation of Flavivirus RNA Polymerase Gene NS5 by Using Kunjin Virus Replicon-Expressing BHK Cells. <i>Journal of Virology</i> , 1998, 72, 7270-7279.	1.5	137

#	ARTICLE	IF	CITATIONS
145	Proteins C and NS4B of the Flavivirus Kunjin Translocate Independently into the Nucleus. <i>Virology</i> , 1997, 234, 31-41.	1.1	134
146	Immunization with recombinant vaccinia viruses expressing structural and part of the nonstructural region of tick-borne encephalitis virus cDNA protect mice against lethal encephalitis. <i>Journal of Biotechnology</i> , 1996, 44, 97-103.	1.9	9
147	Expression and purification of the seven nonstructural proteins of the flavivirus Kunjin in the <i>E. coli</i> and the baculovirus expression systems. <i>Journal of Virological Methods</i> , 1996, 61, 47-58.	1.0	22
148	RNA binding properties of core protein of the flavivirus Kunjin. <i>Archives of Virology</i> , 1996, 141, 685-699.	0.9	101
149	West Nile Virus Infection and Interferon Alpha Treatment Induce Incorporation of Common and Unique Host Antiviral RNAs Into Extracellular Vesicles. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0