

Changlei Xia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5776284/changlei-xia-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

2,612
citations

32
h-index

43
g-index

146
ext. papers

4,137
ext. citations

8.7
avg, IF

5.91
L-index

#	Paper	IF	Citations
140	Soy protein isolate-based films reinforced by surface modified cellulose nanocrystal. <i>Industrial Crops and Products</i> , 2016 , 80, 207-213	5.9	125
139	Development of natural fiber-reinforced composite with comparable mechanical properties and reduced energy consumption and environmental impacts for replacing automotive glass-fiber sheet molding compound. <i>Journal of Cleaner Production</i> , 2018 , 184, 92-100	10.3	100
138	Electrospun Core-Shell Nanofibrous Membranes with Nanocellulose-Stabilized Carbon Nanotubes for Use as High-Performance Flexible Supercapacitor Electrodes with Enhanced Water Resistance, Thermal Stability, and Mechanical Toughness. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44624-44635	9.5	99
137	Progress in microwave pyrolysis conversion of agricultural waste to value-added biofuels: A batch to continuous approach. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 135, 110148	16.2	96
136	Vacuum pyrolysis incorporating microwave heating and base mixture modification: An integrated approach to transform biowaste into eco-friendly bioenergy products. <i>Renewable and Sustainable Energy Reviews</i> , 2020 , 127, 109871	16.2	70
135	Self-activation for activated carbon from biomass: theory and parameters. <i>Green Chemistry</i> , 2016 , 18, 2063-2071	10	60
134	Effect of overliming and activated carbon detoxification on inhibitors removal and butanol fermentation of poplar prehydrolysates. <i>Biotechnology for Biofuels</i> , 2018 , 11, 178	7.8	58
133	Towards artificial photosynthesis: Sustainable hydrogen utilization for photocatalytic reduction of CO ₂ to high-value renewable fuels. <i>Chemical Engineering Journal</i> , 2020 , 402, 126184	14.7	55
132	Natural fiber and aluminum sheet hybrid composites for high electromagnetic interference shielding performance. <i>Composites Part B: Engineering</i> , 2017 , 114, 121-127	10	54
131	Vacuum-assisted resin infusion (VARI) and hot pressing for CaCO ₃ nanoparticle treated kenaf fiber reinforced composites. <i>Composites Part B: Engineering</i> , 2015 , 78, 138-143	10	52
130	Facile biomimetic self-coacervation of tannic acid and polycation: Tough and wide pH range of underwater adhesives. <i>Chemical Engineering Journal</i> , 2021 , 404, 127069	14.7	49
129	Enzymatic conversion of pretreated lignocellulosic biomass: A review on influence of structural changes of lignin. <i>Bioresource Technology</i> , 2021 , 324, 124631	11	47
128	Property enhancement of soy protein isolate-based films by introducing POSS. <i>International Journal of Biological Macromolecules</i> , 2016 , 82, 168-73	7.9	45
127	Hybrid boron nitride-natural fiber composites for enhanced thermal conductivity. <i>Scientific Reports</i> , 2016 , 6, 34726	4.9	44
126	A review on the modeling and validation of biomass pyrolysis with a focus on product yield and composition. <i>Biofuel Research Journal</i> , 2021 , 8, 1296-1315	13.9	44
125	Natural fiber composites with EMI shielding function fabricated using VARTM and Cu film magnetron sputtering. <i>Applied Surface Science</i> , 2016 , 362, 335-340	6.7	43
124	Lignin Alkylation Enhances Enzymatic Hydrolysis of Lignocellulosic Biomass. <i>Energy & Fuels</i> , 2017 , 31, 12317-12326	4.1	42

123	High capacity oil absorbent wood prepared through eco-friendly deep eutectic solvent delignification. <i>Chemical Engineering Journal</i> , 2020 , 401, 126150	14.7	40
122	Bio-based films with improved water resistance derived from soy protein isolate and stearic acid via bioconjugation. <i>Journal of Cleaner Production</i> , 2019 , 214, 125-131	10.3	40
121	Facile Fabrication of Self-Healable and Antibacterial Soy Protein-Based Films with High Mechanical Strength. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 16107-16116	9.5	39
120	Mainstream avenues for boosting graphitic carbon nitride efficiency: towards enhanced solar light-driven photocatalytic hydrogen production and environmental remediation. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 10571-10603	13	38
119	Improvement of water resistance, dimensional stability, and mechanical properties of poplar wood by rosin impregnation. <i>European Journal of Wood and Wood Products</i> , 2016 , 74, 177-184	2.1	38
118	Tough, strong, and biodegradable composite film with excellent UV barrier performance comprising soy protein isolate, hyperbranched polyester, and cardanol derivative. <i>Green Chemistry</i> , 2019 , 21, 3651-3665	10	37
117	Soy protein isolate-based films cross-linked by epoxidized soybean oil. <i>RSC Advances</i> , 2015 , 5, 82765-82774	3.1	37
116	Photocatalytic NO _x abatement: Recent advances and emerging trends in the development of photocatalysts. <i>Journal of Cleaner Production</i> , 2020 , 270, 121912	10.3	36
115	Three-dimensional carbon nanotubes for high capacity lithium-ion batteries. <i>Journal of Power Sources</i> , 2015 , 299, 465-471	8.9	35
114	Photo-responsive Azobenzene-dendron Monolayers. <i>Acta Agronomica Sinica(China)</i> , 2012 , 29, 161	1.4	35
113	Perovskite oxide-based photocatalysts for solar-driven hydrogen production: Progress and perspectives. <i>Solar Energy</i> , 2020 , 211, 584-599	6.8	35
112	Depolymerization and characterization of Acacia mangium tannin for the preparation of mussel-inspired fast-curing tannin-based phenolic resins. <i>Chemical Engineering Journal</i> , 2019 , 370, 420-431	14.7	34
111	Property enhancement of kenaf fiber reinforced composites by in situ aluminum hydroxide impregnation. <i>Industrial Crops and Products</i> , 2016 , 79, 131-136	5.9	33
110	High-pressure CO ₂ hydrothermal pretreatment of peanut shells for enzymatic hydrolysis conversion into glucose. <i>Chemical Engineering Journal</i> , 2020 , 385, 123949	14.7	33
109	Property enhancement of kenaf fiber composites by means of vacuum-assisted resin transfer molding (VARTM). <i>Holzforschung</i> , 2015 , 69, 307-312	2	32
108	Enhanced fracture toughness of ZrB ₂ SiC _w ceramics with graphene nano-platelets. <i>Ceramics International</i> , 2020 , 46, 24906-24915	5.1	32
107	In-Situ Chemosynthesis of ZnO Nanoparticles to Endow Wood with Antibacterial and UV-Resistance Properties. <i>Journal of Materials Science and Technology</i> , 2017 , 33, 266-270	9.1	31
106	Bioinspired design by gecko structure and mussel chemistry for bio-based adhesive system through incorporating natural fibers. <i>Journal of Cleaner Production</i> , 2019 , 236, 117591	10.3	30

105	Bioinspired and biomineralized magnesium oxychloride cement with enhanced compressive strength and water resistance. <i>Journal of Hazardous Materials</i> , 2020 , 383, 121099	12.8	28
104	Processing high-performance woody materials by means of vacuum-assisted resin infusion technology. <i>Journal of Cleaner Production</i> , 2019 , 241, 118340	10.3	25
103	TEMPO-oxidized cellulose nanofibers/polyacrylamide hybrid hydrogel with intrinsic self-recovery and shape memory properties. <i>Cellulose</i> , 2021 , 28, 1469-1488	5.5	25
102	Scalable Fabrication of Natural-Fiber Reinforced Composites with Electromagnetic Interference Shielding Properties by Incorporating Powdered Activated Carbon. <i>Materials</i> , 2015 , 9,	3.5	24
101	Enhancement of mechanical and thermal properties of Poplar through the treatment of glyoxal-urea/nano-SiO ₂ . <i>RSC Advances</i> , 2015 , 5, 54148-54155	3.7	23
100	High pressure-assisted magnesium carbonate impregnated natural fiber-reinforced composites. <i>Industrial Crops and Products</i> , 2016 , 86, 16-22	5.9	23
99	The emerging covalent organic frameworks (COFs) for solar-driven fuels production. <i>Coordination Chemistry Reviews</i> , 2021 , 446, 214117	23.2	23
98	Dual-functional natural-fiber reinforced composites by incorporating magnetite. <i>Composites Part B: Engineering</i> , 2016 , 93, 221-228	10	22
97	Self-healable and biodegradable soy protein-based protective functional film with low cytotoxicity and high mechanical strength. <i>Chemical Engineering Journal</i> , 2021 , 404, 126505	14.7	22
96	Piezoelectric PAN/BaTiO ₃ nanofiber membranes sensor for structural health monitoring of real-time damage detection in composite. <i>Composites Communications</i> , 2021 , 25, 100680	6.7	21
95	Hydrogen production and heavy metal immobilization using hyperaccumulators in supercritical water gasification. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123541	12.8	21
94	Effect of ultrasonic pretreatment on chain elongation of saccharified residue from food waste by anaerobic fermentation. <i>Environmental Pollution</i> , 2021 , 268, 115936	9.3	21
93	Increasing inorganic nanoparticle impregnation efficiency by external pressure for natural fibers. <i>Industrial Crops and Products</i> , 2015 , 69, 395-399	5.9	20
92	Dual-Network Nanocross-linking Strategy to Improve Bulk Mechanical and Water-Resistant Adhesion Properties of Biobased Wood Adhesives. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16430-16440	8.3	20
91	Advanced textile technology for fabrication of ramie fiber PLA composites with enhanced mechanical properties. <i>Industrial Crops and Products</i> , 2021 , 162, 113312	5.9	20
90	Application of intermittent ball milling to enzymatic hydrolysis for efficient conversion of lignocellulosic biomass into glucose. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 136, 110442	16.2	20
89	Water-resistant hemp fiber-reinforced composites: In-situ surface protection by polyethylene film. <i>Industrial Crops and Products</i> , 2018 , 112, 210-216	5.9	20
88	Sodium alginate-assisted route to antimicrobial biopolymer film combined with aminoclay for enhanced mechanical behaviors. <i>Industrial Crops and Products</i> , 2019 , 135, 271-282	5.9	19

87	Controlling pore size of activated carbon through self-activation process for removing contaminants of different molecular sizes. <i>Journal of Colloid and Interface Science</i> , 2018 , 518, 41-47	9.3	19
86	Enhanced degradation of bisphenol A by mixed ZIF derived CoZn oxide encapsulated N-doped carbon via peroxymonosulfate activation: The importance of N doping amount. <i>Journal of Hazardous Materials</i> , 2021 , 419, 126363	12.8	18
85	Effect of Fenton Pretreatment on C1 and C6 Oxidation of Cellulose and its Enzymatic Hydrolyzability. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 7071-7079	8.3	17
84	Development and evaluation of zinc oxide-blended kenaf fiber biocomposite for automotive applications. <i>Materials Today Communications</i> , 2020 , 24, 101008	2.5	16
83	Electron microscopy study of ZrB ₂ /SiC/AlN composites: Hot-pressing vs. pressureless sintering. <i>Ceramics International</i> , 2020 , 46, 29334-29338	5.1	16
82	Phase transitions of carbon-encapsulated iron oxide nanoparticles during the carbonization of cellulose at various pyrolysis temperatures. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015 , 115, 1-6	6	15
81	Production of magnetic sodium alginate polyelectrolyte nanospheres for lead ions removal from wastewater. <i>Journal of Environmental Management</i> , 2021 , 289, 112506	7.9	14
80	Ban unsustainable mink production. <i>Science</i> , 2020 , 370, 539	33.3	13
79	Integrated catalytic insights into methanol production: Sustainable framework for CO conversion. <i>Journal of Environmental Management</i> , 2021 , 289, 112468	7.9	13
78	Hyperbranched-upon-dendritic macromolecules as unimolecular hosts for controlled release. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 4013-4019	2.5	12
77	Nacre-Inspired Strong and Multifunctional Soy Protein-Based Nanocomposite Materials for Easy Heat-Dissipative Mobile Phone Shell. <i>Nano Letters</i> , 2021 , 21, 3254-3261	11.5	11
76	Soy meal adhesive with high strength and water resistance via carboxymethylated wood fiber-induced crosslinking. <i>Cellulose</i> , 2021 , 28, 3569-3584	5.5	11
75	Advances and recent trends in cobalt-based cocatalysts for solar-to-fuel conversion. <i>Applied Materials Today</i> , 2021 , 24, 101074	6.6	11
74	Using nucleophilic naphthol derivatives to suppress biomass lignin repolymerization in fermentable sugar production. <i>Chemical Engineering Journal</i> , 2021 , 420, 130258	14.7	11
73	Emerging cocatalysts in TiO ₂ -based photocatalysts for light-driven catalytic hydrogen evolution: Progress and perspectives. <i>Fuel</i> , 2022 , 307, 121745	7.1	11
72	Production of three-dimensional fiber needle-punching composites from denim waste for utilization as furniture materials. <i>Journal of Cleaner Production</i> , 2021 , 281, 125321	10.3	10
71	Tetracycline removal in granulation: Influence of extracellular polymers substances, structure, and metabolic function of microbial community. <i>Chemosphere</i> , 2021 , 288, 132510	8.4	9
70	Harnessing electrospun nanofibers to recapitulate hierarchical fibrous structures of meniscus. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2021 , 109, 201-213	3.5	9

69	Role of ZnO and Fe ₂ O ₃ nanoparticle on synthetic saline wastewater on growth, nutrient removal and lipid content of <i>Chlorella vulgaris</i> for sustainable production of biofuel. <i>Fuel</i> , 2021 , 300, 120924	7.1	9
68	Advanced nanocellulose-based gas barrier materials: Present status and prospects. <i>Chemosphere</i> , 2022 , 286, 131891	8.4	9
67	Magnesium oxide-incorporated electrospun membranes inhibit bacterial infections and promote the healing process of infected wounds. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 3727-3744	7.3	9
66	Using low carbon footprint high-pressure carbon dioxide in bioconversion of aspen branch waste for sustainable bioethanol production. <i>Bioresource Technology</i> , 2020 , 313, 123675	11	8
65	Pine Wood Extracted Activated Carbon through Self-Activation Process for High-Performance Lithium-Ion Battery. <i>ChemistrySelect</i> , 2016 , 1, 4000-4007	1.8	8
64	Urea Formaldehyde Resin Resultant Plywood with Rapid Formaldehyde Release Modified by Tunnel-Structured Sepiolite. <i>Polymers</i> , 2019 , 11,	4.5	8
63	Utilization of decayed wood for polyvinyl chloride/wood flour composites. <i>Journal of Materials Research and Technology</i> , 2021 , 12, 862-869	5.5	8
62	Recent advances in asphaltene transformation in heavy oil hydroprocessing: Progress, challenges, and future perspectives. <i>Fuel Processing Technology</i> , 2021 , 213, 106681	7.2	8
61	Thiol-branched graphene oxide and polydopamine-induced nanofibrillated cellulose to strengthen protein-based nanocomposite films. <i>Cellulose</i> , 2019 , 26, 7223-7236	5.5	7
60	How does biochar aging affect NH volatilization and GHGs emissions from agricultural soils?. <i>Environmental Pollution</i> , 2021 , 294, 118598	9.3	7
59	Nanofiber-reinforced structure for enhancing interfacial properties of basalt fiber-reinforced composites. <i>Composites Communications</i> , 2021 , 23, 100589	6.7	7
58	Production of medium-chain fatty acid caproate from Chinese liquor distillers grain using pit mud as the fermentation microbes. <i>Journal of Hazardous Materials</i> , 2021 , 417, 126037	12.8	7
57	Performance, combustion and emission analysis of castor oil biodiesel blends enriched with nanoadditives and hydrogen fuel using CI engine. <i>Fuel</i> , 2021 , 306, 121541	7.1	7
56	Enhancement of the combustion, performance and emission characteristics of spirulina microalgae biodiesel blends using nanoparticles. <i>Fuel</i> , 2022 , 308, 121822	7.1	7
55	Surface colour and chemical changes of furfurylated poplar wood and bamboo due to artificial weathering. <i>Wood Material Science and Engineering</i> , 2020 , 1-8	1.9	6
54	Hollow Mesoporous Microspheres Coating for Super-Hydrophobicity Wood with High Thermostability and Abrasion Performance. <i>Polymers</i> , 2020 , 12,	4.5	6
53	Novel Low-Temperature Chemical Vapor Deposition of Hydrothermal Delignified Wood for Hydrophobic Property. <i>Polymers</i> , 2020 , 12,	4.5	6
52	Tough thermosensitive hydrogel with excellent adhesion to low-energy surface developed via nanoparticle-induced dynamic crosslinking. <i>Applied Surface Science</i> , 2021 , 560, 149935	6.7	6

51	Egg shell catalyst and chicken waste biodiesel blends for improved performance, combustion and emission characteristics. <i>Fuel</i> , 2021 , 306, 121633	7.1	6
50	Assessment of hydrogen and nanoparticles blended biodiesel on the diesel engine performance and emission characteristics. <i>Fuel</i> , 2022 , 307, 121780	7.1	6
49	Design and build an elastic crosslinked network to strengthen and toughen soybean-meal based bioadhesive using organo-sepiolite and greener crosslinker triglycidylamine. <i>Polymer Testing</i> , 2020 , 89, 106648	4.5	5
48	Modification of Soy-based Adhesives to Enhance the Bonding Performance 2017 , 86-110		5
47	A mussel-inspired strategy toward antimicrobial and bacterially anti-adhesive soy protein surface. <i>Polymer Composites</i> , 2020 , 41, 633-644	3	5
46	Bamboo grid versus polyvinyl chloride as packing material in cooling tower: Energy efficiency and environmental impact assessment. <i>Journal of Environmental Management</i> , 2021 , 286, 112190	7.9	5
45	Photocatalytic degradation of surface-coated tourmaline-titanium dioxide for self-cleaning of formaldehyde emitted from furniture. <i>Journal of Hazardous Materials</i> , 2021 , 420, 126565	12.8	5
44	Twisting in improving processing of waste-derived yarn into high-performance reinforced composite. <i>Journal of Cleaner Production</i> , 2021 , 317, 128446	10.3	5
43	Progress in pyrolysis conversion of waste into value-added liquid pyro-oil, with focus on heating source and machine learning analysis. <i>Energy Conversion and Management</i> , 2021 , 245, 114638	10.6	5
42	Enzymatic lipase-based methyl esterified <i>Citrullus colocynthis</i> L. biodiesel for improved combustion, performance and emission characteristics. <i>Fuel</i> , 2022 , 307, 121899	7.1	5
41	Blending and emission characteristics of biogasoline produced using CaO/SBA-15 catalyst by cracking used cooking oil. <i>Fuel</i> , 2022 , 307, 121861	7.1	5
40	In vitro and in vivo efficacy of green synthesized AgNPs against Gram negative and Gram positive bacterial pathogens. <i>Process Biochemistry</i> , 2022 , 112, 241-247	4.8	4
39	Combined effect of CO concentration and low-cost urea repletion/starvation in <i>Chlorella vulgaris</i> for ameliorating growth metrics, total and non-polar lipid accumulation and fatty acid composition. <i>Science of the Total Environment</i> , 2021 , 808, 151969	10.2	4
38	Seize China's momentum to protect pangolins. <i>Science</i> , 2021 , 371, 1214	33.3	4
37	Phenol removal via activated carbon from co-pyrolysis of waste coal tar pitch and vinasse. <i>Korean Journal of Chemical Engineering</i> , 2021 , 38, 64-71	2.8	4
36	An assessment of agricultural waste cellulosic biofuel for improved combustion and emission characteristics.. <i>Science of the Total Environment</i> , 2021 , 813, 152418	10.2	3
35	Microwave assisted biodiesel production from chicken feather meal oil using Bio-Nano Calcium oxide derived from chicken egg shell. <i>Environmental Research</i> , 2021 , 112509	7.9	3
34	Bio-based composites fabricated from wood fibers through self-bonding technology. <i>Chemosphere</i> , 2022 , 287, 132436	8.4	3

33	Eco-friendly soy protein isolate-based films strengthened by water-soluble glycerin epoxy resin. <i>Progress in Organic Coatings</i> , 2022 , 162, 106566	4.8	3
32	Fabrication of activated carbon using two-step co-pyrolysis of used rubber and larch sawdust. <i>BioResources</i> , 2017 , 12, 8641-8652	1.3	3
31	Ancient oaks of Europe are archives - protect them. <i>Nature</i> , 2021 , 594, 495	50.4	3
30	MgO-incorporated porous nanofibrous scaffold promotes osteogenic differentiation of pre-osteoblasts. <i>Materials Letters</i> , 2021 , 299, 130098	3.3	3
29	Numerical modelling of the premixed compression ignition engine for superior combustion and emission characteristics. <i>Fuel</i> , 2021 , 306, 121540	7.1	3
28	PM emissions - assessment of combustion energy transfer with <i>Schizochytrium</i> sp. algal biodiesel and blends in IC engine. <i>Science of the Total Environment</i> , 2022 , 802, 149750	10.2	3
27	Effect of microwave/hydrothermal combined ionic liquid pretreatment on straw: Rumen anaerobic fermentation and enzyme hydrolysis. <i>Environmental Research</i> , 2021 , 112453	7.9	2
26	Comparative study of pyrolysis and hydrothermal liquefaction of microalgal species: Analysis of product yields with reaction temperature. <i>Fuel</i> , 2022 , 311, 121932	7.1	2
25	Microwave induced construction of multiple networks for multifunctional soy protein-based materials. <i>Progress in Organic Coatings</i> , 2021 , 158, 106390	4.8	2
24	Graphitic carbon nitride based immobilized and non-immobilized floating photocatalysts for environmental remediation.. <i>Chemosphere</i> , 2022 , 134229	8.4	2
23	Effects of waste-based pyrolysis as heating source: Meta-analyze of char yield and machine learning analysis. <i>Fuel</i> , 2022 , 318, 123578	7.1	2
22	Performance, combustion and emission characteristics of the CI engine fueled with <i>Botryococcus braunii</i> microalgae with addition of TiO ₂ nanoparticle. <i>Fuel</i> , 2022 , 317, 121898	7.1	2
21	Being applied at rice or wheat season impacts biochar's effect on gaseous nitrogen pollutants from the wheat growth cycle.. <i>Environmental Pollution</i> , 2022 , 306, 119409	9.3	2
20	Is engineered wood China's way to carbon neutrality?. <i>Journal of Bioresources and Bioproducts</i> , 2022 , 7, 83-84	18.7	2
19	The potential of <i>Pinus armandii</i> Franch for high-grade resource utilization. <i>Biomass and Bioenergy</i> , 2022 , 158, 106345	5.3	1
18	Pilot-scale co-processing of lignocellulosic biomass, algae, shellfish waste via thermochemical approach: Recent progress and future directions.. <i>Bioresource Technology</i> , 2022 , 347, 126687	11	1
17	Advanced catalysts and effect of operating parameters in ethanol dry reforming for hydrogen generation. A review. <i>Environmental Chemistry Letters</i> , 1	13.3	1
16	Role of soluble nano-catalyst and blends for improved combustion performance and reduced greenhouse gas emissions in internal combustion engines. <i>Fuel</i> , 2022 , 312, 122826	7.1	1

15	Preparation and Properties of Wood Plastic Composites with Desirable Features Using Poplar and Five Recyclable Plastic Wastes. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6838	2.6	1
14	Dual-Network Nanocross-linking Strategy to Improve Bulk Mechanical and Water-Resistant Adhesion Properties of Biobased Wood Adhesives. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16430-16440	8.3	1
13	Synthesis of ultra-high strength structured material from steam-modified delignification of wood. <i>Journal of Cleaner Production</i> , 2022 , 351, 131531	10.3	1
12	Mechano-chemical and biological energetics of immobilized enzymes onto functionalized polymers and their applications.. <i>Bioengineered</i> , 2022 , 13, 10518-10539	5.7	1
11	Machine learning based predictive modelling of micro gas turbine engine fuelled with microalgae blends on using LSTM networks: An experimental approach. <i>Fuel</i> , 2022 , 322, 124183	7.1	1
10	Recent progress in Biomass-derived nanoelectrocatalysts for the sustainable energy development. <i>Fuel</i> , 2022 , 323, 124349	7.1	1
9	Role of injection pressure on fuel atomization and spray penetration on the Thevetia peruviana and Jatropha curcas biodiesel blends with nanoparticle. <i>Fuel</i> , 2022 , 324, 124527	7.1	1
8	High strength composites of carbon fiber sheets-veneers sandwich-structure for electromagnetic interference shielding materials. <i>Progress in Organic Coatings</i> , 2022 , 165, 106736	4.8	0
7	Comparison of cracking activity of the core-shell composite MCM-41/HY & MCM-48/HY catalysts in the synthesis of organic liquid fuel from Mahua oil. <i>Environmental Research</i> , 2021 , 112474	7.9	0
6	Characterization of Cellulose Nanocrystal Suspension Rheological Properties Using a Rotational Viscometer. <i>Forest Products Journal</i> , 2021 , 71, 290-297	0.6	0
5	Evaluation performance of soybean meal and peanut meal blends-based wood adhesive. <i>Polymer Testing</i> , 2022 , 109, 107543	4.5	0
4	Phyto-mediated synthesis of nanoparticles and their applications on hydrogen generation on NaBH ₄ , biological activities and photodegradation on azo dyes: Development of machine learning model.. <i>Food and Chemical Toxicology</i> , 2022 , 163, 112972	4.7	0
3	The influence of 3-hydroxy-2-naphthoic acid on agricultural wastes extracted sugar production used as energy sources. <i>Fuel</i> , 2022 , 323, 124235	7.1	0
2	Irrawaddy dolphins continue to decline.. <i>Science</i> , 2022 , 376, 810	33.3	0
1	Cobalt ferrite/cellulose membrane inserted catalytic syringe filter for facile in-situ filtration/degradation of emerging organic pollutants in water via activating peroxymonosulfate. <i>Materials and Design</i> , 2022 , 110817	8.1	0