

# Fernanda Rebelo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/577939/publications.pdf>

Version: 2024-02-01

23  
papers

413  
citations

840119

11  
h-index

752256

20  
g-index

24  
all docs

24  
docs citations

24  
times ranked

874  
citing authors

#	ARTICLE	IF	CITATIONS
1	High cesarean prevalence in a national population-based study in Brazil: the role of private practice. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 903-908.	1.3	92
2	C-reactive protein and later preeclampsia. <i>Journal of Hypertension</i> , 2013, 31, 16-26.	0.3	61
3	A systematic review of the associations between maternal nutritional biomarkers and depression and/or anxiety during pregnancy and postpartum. <i>Journal of Affective Disorders</i> , 2018, 232, 185-203.	2.0	34
4	Blood Pressure Variation Throughout Pregnancy According to Early Gestational BMI: A Brazilian Cohort. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 284-91.	0.3	30
5	Blood Pressure in Healthy Pregnancy and Factors Associated With No Mid-Trimester Blood Pressure Drop: A Prospective Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 680-689.	1.0	20
6	Association Between the Mode of Delivery and Infant Gut Microbiota Composition Up to 6 Months of Age: A Systematic Literature Review Considering the Role of Breastfeeding. <i>Nutrition Reviews</i> , 2021, 80, 113-127.	2.6	20
7	Association of Prepregnancy Dietary Patterns and Anxiety Symptoms from Midpregnancy to Early Postpartum in a Prospective Cohort of Brazilian Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 1626-1635.	0.4	19
8	Lower Inter-Partum Interval and Unhealthy Life-Style Factors Are Inversely Associated with n-3 Essential Fatty Acids Changes during Pregnancy: A Prospective Cohort with Brazilian Women. <i>PLoS ONE</i> , 2015, 10, e0121151.	1.1	17
9	Factors associated with maternal serum C-reactive protein throughout pregnancy: A longitudinal study in women of Rio de Janeiro, Brazil. <i>Nutrition</i> , 2015, 31, 1103-1108.	1.1	17
10	Association between plasma concentrations of vitamin D metabolites and depressive symptoms throughout pregnancy in a prospective cohort of Brazilian women. <i>Journal of Psychiatric Research</i> , 2017, 95, 1-8.	1.5	17
11	Gestational dietary patterns are not associated with blood pressure changes during pregnancy and early postpartum in a Brazilian prospective cohort. <i>European Journal of Nutrition</i> , 2016, 55, 21-32.	1.8	14
12	Association of antepartum suicidal ideation during the third trimester with infant birth weight and gestational age at delivery. <i>Psychology, Health and Medicine</i> , 2019, 24, 127-136.	1.3	13
13	Total cholesterol and leptin concentrations are associated with prospective changes in systemic blood pressure in healthy pregnant women. <i>Journal of Hypertension</i> , 2014, 32, 127-134.	0.3	9
14	Plasma adiponectin and depressive symptoms during pregnancy and the postpartum period: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2016, 194, 171-179.	2.0	9
15	Polymorphisms of Leptin (G2548A) and Leptin Receptor (Q223R and K109R) Genes and Blood Pressure During Pregnancy and the Postpartum Period: A Cohort. <i>American Journal of Hypertension</i> , 2017, 30, 130-140.	1.0	9
16	Hepatic, Renal and Inflammatory Biomarkers are Positively Associated with Blood Pressure Changes in Healthy Pregnant Women. <i>Medicine (United States)</i> , 2015, 94, e683.	0.4	8
17	Fatores associados à retenção de peso pós-parto em uma coorte de mulheres, 2005-2007. <i>Revista Brasileira De Saude Materno Infantil</i> , 2010, 10, 219-227.	0.2	7
18	Maternal C-reactive protein concentrations during pregnancy and birth weight in a prospective cohort in Rio de Janeiro, Brazil. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2346-2353.	0.7	6

#	ARTICLE	IF	CITATIONS
19	Plasma adiponectin is inversely associated with antenatal anxiety: Results from a Brazilian cohort. <i>Psychoneuroendocrinology</i> , 2015, 51, 92-100.	1.3	5
20	Changes in Maternal Plasma Adiponectin from Late Pregnancy to the Postpartum Period According to the Mode of Delivery: Results from a Prospective Cohort in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2016, 11, e0158886.	1.1	3
21	Television viewing and abdominal obesity in women according to smoking status: results from a large cross-sectional population-based study in Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2013, 16, 137-145.	0.3	2
22	Serum fatty acids are positively associated with changes in systemic blood pressure throughout pregnancy. <i>Pregnancy Hypertension</i> , 2018, 13, 7-13.	0.6	1
23	Maternal Serum Fatty Acids are Positively Associated with Systolic Blood Pressure Changes during Pregnancy: Longitudinal Study.. <i>FASEB Journal</i> , 2015, 29, 598.19.	0.2	0