

Fernanda Rebelo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/577939/publications.pdf>

Version: 2024-02-01

23
papers

413
citations

840585

11
h-index

752573

20
g-index

24
all docs

24
docs citations

24
times ranked

874
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association Between the Mode of Delivery and Infant Gut Microbiota Composition Up to 6 Months of Age: A Systematic Literature Review Considering the Role of Breastfeeding. <i>Nutrition Reviews</i> , 2021, 80, 113-127. | 2.6 | 20 |
| 2 | Association of antepartum suicidal ideation during the third trimester with infant birth weight and gestational age at delivery. <i>Psychology, Health and Medicine</i> , 2019, 24, 127-136. | 1.3 | 13 |
| 3 | A systematic review of the associations between maternal nutritional biomarkers and depression and/or anxiety during pregnancy and postpartum. <i>Journal of Affective Disorders</i> , 2018, 232, 185-203. | 2.0 | 34 |
| 4 | Serum fatty acids are positively associated with changes in systemic blood pressure throughout pregnancy. <i>Pregnancy Hypertension</i> , 2018, 13, 7-13. | 0.6 | 1 |
| 5 | Polymorphisms of Leptin (G2548A) and Leptin Receptor (Q223R and K109R) Genes and Blood Pressure During Pregnancy and the Postpartum Period: A Cohort. <i>American Journal of Hypertension</i> , 2017, 30, 130-140. | 1.0 | 9 |
| 6 | Association between plasma concentrations of vitamin D metabolites and depressive symptoms throughout pregnancy in a prospective cohort of Brazilian women. <i>Journal of Psychiatric Research</i> , 2017, 95, 1-8. | 1.5 | 17 |
| 7 | Maternal C-reactive protein concentrations during pregnancy and birth weight in a prospective cohort in Rio de Janeiro, Brazil. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2346-2353. | 0.7 | 6 |
| 8 | Gestational dietary patterns are not associated with blood pressure changes during pregnancy and early postpartum in a Brazilian prospective cohort. <i>European Journal of Nutrition</i> , 2016, 55, 21-32. | 1.8 | 14 |
| 9 | Plasma adiponectin and depressive symptoms during pregnancy and the postpartum period: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2016, 194, 171-179. | 2.0 | 9 |
| 10 | Changes in Maternal Plasma Adiponectin from Late Pregnancy to the Postpartum Period According to the Mode of Delivery: Results from a Prospective Cohort in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2016, 11, e0158886. | 1.1 | 3 |
| 11 | Hepatic, Renal and Inflammatory Biomarkers are Positively Associated with Blood Pressure Changes in Healthy Pregnant Women. <i>Medicine (United States)</i> , 2015, 94, e683. | 0.4 | 8 |
| 12 | Blood Pressure Variation Throughout Pregnancy According to Early Gestational BMI: A Brazilian Cohort. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 284-91. | 0.3 | 30 |
| 13 | Lower Inter-Partum Interval and Unhealthy Life-Style Factors Are Inversely Associated with n-3 Essential Fatty Acids Changes during Pregnancy: A Prospective Cohort with Brazilian Women. <i>PLoS ONE</i> , 2015, 10, e0121151. | 1.1 | 17 |
| 14 | Factors associated with maternal serum C-reactive protein throughout pregnancy: A longitudinal study in women of Rio de Janeiro, Brazil. <i>Nutrition</i> , 2015, 31, 1103-1108. | 1.1 | 17 |
| 15 | Blood Pressure in Healthy Pregnancy and Factors Associated With No Mid-Trimester Blood Pressure Drop: A Prospective Cohort Study. <i>American Journal of Hypertension</i> , 2015, 28, 680-689. | 1.0 | 20 |
| 16 | Association of Prepregnancy Dietary Patterns and Anxiety Symptoms from Midpregnancy to Early Postpartum in a Prospective Cohort of Brazilian Women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 1626-1635. | 0.4 | 19 |
| 17 | Plasma adiponectin is inversely associated with antenatal anxiety: Results from a Brazilian cohort. <i>Psychoneuroendocrinology</i> , 2015, 51, 92-100. | 1.3 | 5 |
| 18 | Maternal Serum Fatty Acids are Positively Associated with Systolic Blood Pressure Changes during Pregnancy: Longitudinal Study.. <i>FASEB Journal</i> , 2015, 29, 598.19. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Total cholesterol and leptin concentrations are associated with prospective changes in systemic blood pressure in healthy pregnant women. <i>Journal of Hypertension</i> , 2014, 32, 127-134. | 0.3 | 9 |
| 20 | C-reactive protein and later preeclampsia. <i>Journal of Hypertension</i> , 2013, 31, 16-26. | 0.3 | 61 |
| 21 | Television viewing and abdominal obesity in women according to smoking status: results from a large cross-sectional population-based study in Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2013, 16, 137-145. | 0.3 | 2 |
| 22 | High cesarean prevalence in a national population-based study in Brazil: the role of private practice. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 903-908. | 1.3 | 92 |
| 23 | Fatores associados à retenção de peso pós-parto em uma coorte de mulheres, 2005-2007. <i>Revista Brasileira De Saude Materno Infantil</i> , 2010, 10, 219-227. | 0.2 | 7 |