
## **Carrie Ritchie**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5780289/publications.pdf Version: 2024-02-01



#	Article	IF	Citations
1	Evaluation of a physical activity promotion intervention for adults with whiplash associated disorders: a single-case experimental design study. Disability and Rehabilitation, 2022, 44, 7255-7268.	1.8	5
2	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study. BMC Musculoskeletal Disorders, 2022, 23, 395.	1.9	0
3	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Örebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 207-215.	3.5	3
4	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. Brazilian Journal of Physical Therapy, 2021, 25, 471-480.	2.5	1
5	Development and use of mobile messaging for individuals with musculoskeletal pain conditions: a scoping review protocol. BMJ Open, 2021, 11, e048964.	1.9	1
6	Implementation of a novel stratified PAthway of CarE for common musculoskeletal (MSK) conditions in primary care: protocol for a multicentre pragmatic randomised controlled trial (the PACE MSK) Tj ETQq0 0 0 rg	gBTi <b>∕Ø</b> verl¢	ock010 Tf 50 5
7	Exercise-induced Hypoalgesia Is Impaired in Chronic Whiplash-associated Disorders (WAD) With Both Aerobic and Isometric Exercise. Clinical Journal of Pain, 2020, 36, 601-611.	1.9	21
8	Medical and allied health service use during acute and chronic post-injury periods in whiplash injured individuals. BMC Health Services Research, 2020, 20, 260.	2.2	7
9	Evaluation of a novel intervention to improve physical activity for adults with whiplash associated disorders: Protocol for a multiple-baseline, single case experimental study. Contemporary Clinical Trials Communications, 2019, 16, 100455.	1.1	9
10	Medicine use during acute and chronic postinjury periods in whiplash-injured individuals. Pain, 2019, 160, 844-851.	4.2	5
11	Agreement is very low between a clinical prediction rule and physiotherapist assessment for classifying the risk of poor recovery of individuals with acute whiplash injury. Musculoskeletal Science and Practice, 2019, 39, 73-79.	1.3	6
12	An Interactive Website for Whiplash Management (My Whiplash Navigator): Process Evaluation of Design and Implementation. JMIR Formative Research, 2019, 3, e12216.	1.4	7
13	Referral to specialist physiotherapists in the management of whiplash associated disorders: Perspectives of healthcare practitioners. Musculoskeletal Science and Practice, 2018, 34, 14-26.	1.3	15
14	Physiotherapist-delivered Stress Inoculation Training for acute whiplash-associated disorders: A qualitative study of perceptions and experiences. Musculoskeletal Science and Practice, 2018, 38, 30-36.	1.3	9

	qualitative study of perceptions and experiences. Musculoskeletal Science and Practice, 2018, 38, 30-36.	110	-
15	Exercise induced hypoalgesia is elicited by isometric, but not aerobic exercise in individuals with chronic whiplash associated disorders. Scandinavian Journal of Pain, 2017, 15, 14-21.	1.3	52
16	Health practitioners' perceptions of adopting clinical prediction rules in the management of musculoskeletal pain: a qualitative study in Australia. BMJ Open, 2017, 7, e015916.	1.9	13
17	Clinical prediction rules for prognosis and treatment prescription in neck pain: A systematic review. Musculoskeletal Science and Practice, 2017, 27, 155-164.	1.3	33
18	Living with ongoing whiplash associated disorders: a qualitative study of individual perceptions and experiences. BMC Musculoskeletal Disorders, 2017, 18, 531.	1.9	16

CARRIE RITCHIE

#	Article	IF	CITATIONS
19	Implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): protocol of a randomised, controlled trial. Journal of Physiotherapy, 2016, 62, 111.	1.7	26
20	Recovery Pathways and Prognosis After Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 851-861.	3.5	32
21	StressModEx – Physiotherapist-led Stress Inoculation Training integrated with exercise for acute whiplash injury: study protocol for a randomised controlled trial. Journal of Physiotherapy, 2015, 61, 157.	1.7	11
22	External Validation of a Clinical Prediction Rule to Predict Full Recovery and Ongoing Moderate/Severe Disability Following Acute Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 242-250.	3.5	70
23	Response. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 722-3.	3.5	0
24	Shared learning for oral health therapy and dental students: enhanced understanding of roles and responsibilities through interprofessional education. European Journal of Dental Education, 2013, 17, e56-e63.	2.0	17
25	Derivation of a clinical prediction rule to identify both chronic moderate/severe disability and full recovery following whiplash injury. Pain, 2013, 154, 2198-2206.	4.2	105
26	Rating of Perceived Exertion (RPE). Journal of Physiotherapy, 2012, 58, 62.	1.7	48
27	Randomized trial of three strategies to promote physical activity in general practice. Preventive Medicine, 2009, 48, 156-163.	3.4	58
28	Reliability and validity of physical fitness field tests for adults aged 55 to 70 years. Journal of Science and Medicine in Sport, 2005, 8, 61-70.	1.3	77
29	Promoting physical activity to older adults: A preliminary evaluation of three general practice-based strategies. Journal of Science and Medicine in Sport, 2005, 8, 446-450.	1.3	16
30	Selective acceptance of acute whiplash guidelines: a qualitative analysis of perceptions of health professionals in Australia. Disability and Rehabilitation, 0, , 1-8.	1.8	0