

Nachiappan Chockalingam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5780339/publications.pdf>

Version: 2024-02-01

246
papers

3,723
citations

145106

33
h-index

242451

47
g-index

271
all docs

271
docs citations

271
times ranked

3422
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower Extremity Kinetics and Kinematics in Runners with Patellofemoral Pain: A Retrospective Caseâ€“Control Study Using Musculoskeletal Simulation. Applied Sciences (Switzerland), 2022, 12, 585.	1.3	5
2	Evaluation and optimisation of a footwear assessment tool for use within a clinical environment. Journal of Foot and Ankle Research, 2022, 15, 12.	0.7	1
3	A quantitative comparison of plantar soft tissue strainability distribution and homogeneity between ulcerated and non-ulcerated patients using ultrasound strain elastography. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2022, , 095441192210747.	1.0	2
4	Predicting the risk of amputation and death in patients with diabetic foot ulcer. A longâ€“term prospective cohort study of patients in Tanzania. Endocrinology, Diabetes and Metabolism, 2022, , e00336.	1.0	2
5	Increased exposure to loading is associated with decreased plantar soft tissue hardness in people with diabetes and neuropathy. Diabetes Research and Clinical Practice, 2022, 187, 109865.	1.1	7
6	<sc>COVIDâ€“19</sc> and critical care capacity: Can we mitigate demand?. Respiriology, 2022, 27, 107-108.	1.3	3
7	An in vivo model for overloading-induced soft tissue injury. Scientific Reports, 2022, 12, 6047.	1.6	4
8	Prescription practices for rigid ankle-foot orthoses among UK orthotists. Prosthetics and Orthotics International, 2022, Publish Ahead of Print, .	0.5	1
9	Shore hardness is a more representative measurement of bulk tissue biomechanics than of skin biomechanics.. Medical Engineering and Physics, 2022, 105, 103816.	0.8	5
10	The accuracy of first metatarsophalangeal joint palpation guided injections. An arthrography cadaveric study. Foot & Ankle Surgery Techniques, Reports & Cases, 2022, 2, 100219.	0.1	3
11	The potential impact of allied health professional telehealth consultations on health inequities and the burden of treatment. International Journal for Equity in Health, 2022, 21, .	1.5	10
12	Ankle Foot Orthoses: Standardisation of terminology. Foot, 2021, 46, 101702.	0.4	3
13	Longitudinal effects of evidence-based physical education in Maltese children. Child and Adolescent Obesity, 2021, 4, 98-116.	1.3	1
14	The role of tissue biomechanics in improving the clinical management of diabetic foot ulcers. , 2021, , 123-141.		1
15	Validation of a non-invasive imaging photoplethysmography device to assess plantar skin perfusion, a comparison with laser speckle contrast analysis. Journal of Medical Engineering and Technology, 2021, 45, 170-176.	0.8	5
16	A four-experiment examination of ankle kinetics, kinematics and lateral ligament strains during different conditions: an examination using musculoskeletal simulation. Sport Sciences for Health, 2021, 17, 465-480.	0.4	0
17	A method to improve the computational efficiency of the Chan-Vese model for the segmentation of ultrasound images. Biomedical Signal Processing and Control, 2021, 67, 102560.	3.5	8
18	A systematic evaluation of cutaneous microcirculation in the foot using postâ€“occlusive reactive hyperemia. Microcirculation, 2021, 28, e12692.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Coordination pattern and variability in a flexion movement control test used in clinical assessment. <i>Studies in Health Technology and Informatics</i> , 2021, 280, 272-273.	0.2	0
20	Advancements in data analysis and visualisation techniques to support multiple single-subject analyses: an assessment of movement coordination and coordination variability. <i>Studies in Health Technology and Informatics</i> , 2021, 280, 146-149.	0.2	1
21	Quantifying three-dimensional lumbar kinematics during gait using optoelectronic motion capture: a comparison of two kinematic models. <i>Studies in Health Technology and Informatics</i> , 2021, 280, 276-277.	0.2	0
22	Cosmetic changes in patients following a Schroth exercise regime: a two year follow-up. <i>Studies in Health Technology and Informatics</i> , 2021, 280, 302.	0.2	0
23	Assessment of three-dimensional movement of the spine and pelvis during routine clinical assessment. <i>Studies in Health Technology and Informatics</i> , 2021, 280, 274-275.	0.2	0
24	A novel concept for low-cost non-electronic detection of overloading in the foot during activities of daily living. <i>Royal Society Open Science</i> , 2021, 8, 202035.	1.1	4
25	The Effect of Spinal Orthoses on Immobilizing the Cervical Spine. <i>Journal of Prosthetics and Orthotics</i> , 2021, Publish Ahead of Print, .	0.2	0
26	The Thermo-Pressure Concept: A New Model in Diabetic Foot Risk Stratification. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7473.	1.3	3
27	Defining and grouping children's therapeutic footwear and criteria for their prescription: an international expert Delphi consensus study. <i>BMJ Open</i> , 2021, 11, e051381.	0.8	4
28	A low-cost field ventilator: An urgent global need. <i>Health Science Reports</i> , 2021, 4, e349.	0.6	5
29	The Role of Cutaneous Microcirculatory Responses in Tissue Injury, Inflammation and Repair at the Foot in Diabetes. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 732753.	2.0	17
30	How has the COVID-19 pandemic affected orthotic services in the United Kingdom?. <i>Prosthetics and Orthotics International</i> , 2021, 45, 373-377.	0.5	2
31	Prevalence of musculoskeletal injury and pain of UK-based podiatrists and the impact of enforced altered working practices. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 53.	0.7	2
32	Barriers to Accessing Assistive Technology in Africa. <i>Assistive Technology</i> , 2021, , 0-0.	1.2	0
33	The emergence of telehealth in orthotic services across the United Kingdom. <i>Assistive Technology</i> , 2021, , 1-6.	1.2	3
34	The Biomechanical Properties of Human Fresh-Frozen vs Thiel Embalmed Foot Tendons. <i>Acta Scientific Orthopaedics</i> , 2021, 4, .	0.0	1
35	The Charcot Foot: An Emerging Public Health Problem for African Diabetes Patients. <i>International Journal of Lower Extremity Wounds</i> , 2021, , 153473462110666.	0.6	1
36	Exploration of implementation, financial and technical considerations within allied health professional (AHP) telehealth consultation guidance: a scoping review including UK AHP professional bodies' guidance. <i>BMJ Open</i> , 2021, 11, e055823.	0.8	14

#	ARTICLE	IF	CITATIONS
37	A scoping literature review of studies assessing effectiveness and cost-effectiveness of prosthetic and orthotic interventions. <i>Disability and Rehabilitation: Assistive Technology</i> , 2020, 15, 60-66.	1.3	7
38	Does user perception affect adherence when wearing biomechanically optimised ankle foot orthosis “ footwear combinations: A pilot study. <i>Foot</i> , 2020, 43, 101655.	0.4	8
39	Exploratory Investigation into Energy Expenditure Using Tuned versus Nontuned Ankle-Foot Orthoses “Footwear Combinations in Children with Cerebral Palsy. <i>Journal of Prosthetics and Orthotics</i> , 2020, 32, 14-23.	0.2	3
40	The effect of tuning ankle foot orthoses-footwear combinations on gait kinematics of children with cerebral palsy: A case series. <i>Foot</i> , 2020, 43, 101660.	0.4	6
41	Reliability and validity of an enhanced paper grip test; A simple clinical test for assessing lower limb strength. <i>Gait and Posture</i> , 2020, 81, 120-125.	0.6	12
42	Optimised cushioning in diabetic footwear can significantly enhance their capacity to reduce plantar pressure. <i>Gait and Posture</i> , 2020, 79, 244-250.	0.6	30
43	Predicting the risk of future diabetic foot ulcer occurrence: a prospective cohort study of patients with diabetes in Tanzania. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001122.	1.2	20
44	Effectiveness of therapeutic footwear for children: A systematic review. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 23.	0.7	8
45	Comparative study of the strength characteristics of a novel wood-plastic composite and commonly used synthetic casting materials. <i>Clinical Biomechanics</i> , 2020, 77, 105064.	0.5	4
46	A Synoptic Overview of Neurovascular Interactions in the Foot. <i>Frontiers in Endocrinology</i> , 2020, 11, 308.	1.5	8
47	Analysing patterns of coordination and patterns of control using novel data visualisation techniques in vector coding. <i>Foot</i> , 2020, 44, 101678.	0.4	13
48	Thermal characteristics of rheumatoid feet in remission: Baseline data. <i>PLoS ONE</i> , 2020, 15, e0243078.	1.1	14
49	Surface electromyography of the foot: A protocol for sensor placement. <i>Foot</i> , 2019, 41, 24-29.	0.4	2
50	Kinematic and Kinetic Comparison of Fresh Frozen and Thiel-Embalmed Human Feet for Suitability for Biomechanical Educational and Research Settings. <i>Journal of the American Podiatric Medical Association</i> , 2019, 109, 113-121.	0.2	3
51	Key concepts in children's footwear research: a scoping review focusing on therapeutic footwear. <i>Journal of Foot and Ankle Research</i> , 2019, 12, 25.	0.7	14
52	Can a combination of lifestyle and clinical characteristics explain the presence of foot ulcer in patients with diabetes?. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 437-444.	1.2	9
53	The relationship between hallux grip force and balance in people with diabetes. <i>Gait and Posture</i> , 2019, 70, 109-115.	0.6	9
54	Everyday footwear: An overview of what we know and what we should know on ill-fitting footwear and associated pain and pathology. <i>Foot</i> , 2019, 39, 11-14.	0.4	17

#	ARTICLE	IF	CITATIONS
55	Localized pressure stimulation using turf-like structures can improve skin perfusion in the foot. <i>Microcirculation</i> , 2019, 26, e12543.	1.0	5
56	Cross-sectional survey of orthotic service provision in the UK: does where you live affect the service you receive?. <i>BMJ Open</i> , 2019, 9, e028186.	0.8	6
57	Segmentation of Patellar tendon from Ultrasound Images using Active Shape Models. , 2019, , .		1
58	A comparison of thermographic characteristics of the hands and wrists of rheumatoid arthritis patients and healthy controls. <i>Scientific Reports</i> , 2019, 9, 17204.	1.6	20
59	Agreement of clinical tests for the diagnosis of peripheral arterial disease. <i>Primary Care Diabetes</i> , 2019, 13, 82-86.	0.9	11
60	Diabetes foot screening: Challenges and future strategies. <i>Foot</i> , 2019, 38, 8-11.	0.4	5
61	3D Printed Clamps to Study the Mechanical Properties of Tendons at Low Strains. <i>Physica Status Solidi (B): Basic Research</i> , 2019, 256, 1800159.	0.7	9
62	Agreement Between the Spatiotemporal Gait Parameters of Healthy Adults From the OptoGait System and a Traditional Three-Dimensional Motion Capture System. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .	0.6	21
63	Acute effects of different orthoses on lower extremity kinetics and kinematics during running; a musculoskeletal simulation analysis. <i>Acta of Bioengineering and Biomechanics</i> , 2019, 21, .	0.2	8
64	G493-Structured physical education “ an answer to obesity crisis? ”. , 2019, , .		0
65	Acute effects of different orthoses on lower extremity kinetics and kinematics during running; a musculoskeletal simulation analysis. <i>Acta of Bioengineering and Biomechanics</i> , 2019, 21, 13-25.	0.2	0
66	The identification of higher forefoot temperatures associated with peripheral arterial disease in type 2 diabetes mellitus as detected by thermography. <i>Primary Care Diabetes</i> , 2018, 12, 312-318.	0.9	14
67	A Preliminary Study on the Effect of Computer-Aided Designed and Manufactured Orthoses on Chronic Plantar Heel Pain. <i>Foot and Ankle Specialist</i> , 2018, 11, 112-116.	0.5	3
68	Hidden dangers revealed by misdiagnosed diabetic neuropathy: A comparison of simple clinical tests for the screening of vibration perception threshold at primary care level. <i>Primary Care Diabetes</i> , 2018, 12, 111-115.	0.9	11
69	Diabetes foot screening: Current practice and the future. <i>Foot</i> , 2018, 34, 17.	0.4	1
70	FRI0557-Thermographic analysis of hands and wrists of rheumatoid arthritis patients. , 2018, , .		0
71	Automated Region Extraction from Thermal Images for Peripheral Vascular Disease Monitoring. <i>Journal of Healthcare Engineering</i> , 2018, 2018, 1-14.	1.1	14
72	The Effect of Toe Flexion Exercises on Grip. <i>Journal of the American Podiatric Medical Association</i> , 2018, 108, 355-361.	0.2	4

#	ARTICLE	IF	CITATIONS
73	Thigh-Derived Inertial Sensor Metrics to Assess the Sit-to-Stand and Stand-to-Sit Transitions in the Timed Up and Go (TUG) Task for Quantifying Mobility Impairment in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2018, 9, 684.	1.1	32
74	Shear wave elastography can assess the in-vivo nonlinear mechanical behavior of heel-pad. <i>Journal of Biomechanics</i> , 2018, 80, 144-150.	0.9	16
75	Establishing Differences in Thermographic Patterns between the Various Complications in Diabetic Foot Disease. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-7.	0.6	34
76	The Application of Medical Thermography to Discriminate Neuroischemic Toe Ulceration in the Diabetic Foot. <i>International Journal of Lower Extremity Wounds</i> , 2018, 17, 102-105.	0.6	13
77	Footwear choices for painful feet – an observational study exploring footwear and foot problems in women. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 23.	0.7	26
78	Interpreting Ground Reaction Forces in Gait. , 2018, , 609-623.		0
79	Hallux plantar flexor strength in people with diabetic neuropathy: Validation of a simple clinical test. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 1-9.	1.1	10
80	A systematic review of randomised controlled trials assessing effectiveness of prosthetic and orthotic interventions. <i>PLoS ONE</i> , 2018, 13, e0192094.	1.1	52
81	Trunk and Spine Models for Instrumented Gait Analysis. , 2018, , 571-582.		0
82	EFFECTS OF FOOTWEAR VARIATIONS ON THREE-DIMENSIONAL KINEMATICS AND TIBIAL ACCELERATIONS OF SPECIFIC MOVEMENTS IN AMERICAN FOOTBALL. <i>Journal of Mechanics in Medicine and Biology</i> , 2017, 17, 1750026.	0.3	7
83	Comparison of in vivo vs. frozen vs. Thiel cadaver specimens in visualisation of anatomical structures of the ankle on proton density Magnetic Resonance Imaging (MRI) through a visual grading analysis (VGA) study. <i>Radiography</i> , 2017, 23, 117-124.	1.1	10
84	Medical-grade footwear: the impact of fit and comfort. <i>Journal of Foot and Ankle Research</i> , 2017, 10, 2.	0.7	28
85	A pilot investigation into the relationship between static diagnosis of ankle equinus and dynamic ankle and foot dorsiflexion during stance phase of gait: Time to revisit theory?. <i>Foot</i> , 2017, 30, 47-52.	0.4	7
86	A clinically applicable non-invasive method to quantitatively assess the visco-hyperelastic properties of human heel pad, implications for assessing the risk of mechanical trauma. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 68, 287-295.	1.5	26
87	Can plantar soft tissue mechanics enhance prognosis of diabetic foot ulcer?. <i>Diabetes Research and Clinical Practice</i> , 2017, 126, 182-191.	1.1	36
88	Subject Specific Optimisation of the Stiffness of Footwear Material for Maximum Plantar Pressure Reduction. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1929-1940.	1.3	27
89	Defining excessive, over, or hyper-pronation: A quandary. <i>Foot</i> , 2017, 31, 49-55.	0.4	24
90	A Simulation of the Viscoelastic Behaviour of Heel Pad During Weight-Bearing Activities of Daily Living. <i>Annals of Biomedical Engineering</i> , 2017, 45, 2750-2761.	1.3	20

#	ARTICLE	IF	CITATIONS
91	Using Wearable Inertial Sensors to Compare Different Versions of the Dual Task Paradigm during Walking. , 2017, , .		1
92	Wearable sensor metric for fidgeting. , 2017, , .		5
93	Shank-to-Vertical Angle in Ankle-Foot Orthoses: A Comparison of Static and Dynamic Assessment in a Series of Cases. Journal of Prosthetics and Orthotics, 2017, 29, 161-167.	0.2	6
94	Coordination pattern between the forefoot and rearfoot during walking on an inclined surface. Footwear Science, 2017, 9, S120-S122.	0.8	1
95	On the Use of Auxetics in Footwear: Investigating the Effect of Padding and Padding Material on Forefoot Pressure in High Heels. Physica Status Solidi (B): Basic Research, 2017, 254, 1700528.	0.7	15
96	Finite element modelling of the foot for clinical application: A systematic review. Medical Engineering and Physics, 2017, 39, 1-11.	0.8	40
97	The relationship between arch height and foot length: Implications for size grading. Applied Ergonomics, 2017, 59, 243-250.	1.7	25
98	The Radiological and Clinical Assessment of a Cohort of AIS Patients in Serbia and Bulgaria. Spine Journal, 2017, 17, S329.	0.6	3
99	Do research papers provide enough information on design and material used in ankle foot orthoses for children with cerebral palsy? A systematic review. Journal of Children's Orthopaedics, 2017, 11, 263-271.	0.4	21
100	The role of "non-traditional" physical activities in improving balance in older adults: A review. Journal of Human Sport and Exercise, 2017, 12, .	0.2	6
101	Automated segmentation of regions of interest from thermal images of hands. , 2017, 2017, 3822-3826.		1
102	Non-Instrumental Movement Inhibition (NIMI) Differentially Suppresses Head and Thigh Movements during Screenic Engagement: Dependence on Interaction. Frontiers in Psychology, 2016, 7, 157.	1.1	18
103	A Critical Evaluation of Existing Diabetic Foot Screening Guidelines. Review of Diabetic Studies, 2016, 13, 158-186.	0.5	36
104	Braces for Idiopathic Scoliosis in Adolescents. Spine, 2016, 41, 1813-1825.	1.0	61
105	The Complex Relationship Between Empathy, Engagement and Boredom. , 2016, , .		6
106	Automated Segmentation and Temperature Extraction from Thermal Images of Human Hands, Shins and Feet. IFMBE Proceedings, 2016, , 275-280.	0.2	5
107	Three-dimensional kinematics of the lumbar spine during gait using marker-based systems: a systematic review. Journal of Medical Engineering and Technology, 2016, 40, 172-185.	0.8	25
108	Reconstruction of lung volume from biplanar radiographs in scoliosis. Spine Journal, 2016, 16, S110.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Comparison between standard solid and liquid models to predict time dependent behavior of heel pad. <i>Foot and Ankle Surgery</i> , 2016, 22, 41.	0.8	0
110	Do people who load their feet differently need insoles that have different stiffness?. <i>Foot and Ankle Surgery</i> , 2016, 22, 66.	0.8	0
111	Do Barefoot Scienceâ„¢ insoles alter foot function?. <i>Foot and Ankle Surgery</i> , 2016, 22, 66-67.	0.8	0
112	The Applicability of Plantar Padding in Reducing Peak Plantar Pressure in the Forefeet of Healthy Adults. <i>Journal of the American Podiatric Medical Association</i> , 2016, 106, 246-251.	0.2	5
113	Experience Design. , 2016, , .		0
114	Mitigating Denial-of-Service attacks in wide-area LQR control. , 2016, , .		3
115	Avascular necrosis: Is there a role for biomechanical examination as a potential modality for its detection and treatment?. <i>International Musculoskeletal Medicine</i> , 2016, 38, 59-62.	0.1	1
116	Heel pressures with generic and focused rigid heel cast devices while in a static supine and seated position. <i>Journal of Wound Care</i> , 2016, 25, 328-334.	0.5	1
117	The College of Podiatry Annual Conference 2015: meeting abstracts. <i>Journal of Foot and Ankle Research</i> , 2016, 9, .	0.7	1
118	Differences in the mechanical characteristics of plantar soft tissue between ulcerated and non-ulcerated foot. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1293-1299.	1.2	27
119	Multi-segment kinematic model to assess three-dimensional movement of the spine and back during gait. <i>Prosthetics and Orthotics International</i> , 2016, 40, 624-635.	0.5	29
120	Assessment and Diagnosis of Posterior Tibial Tendon Dysfunction. <i>Journal of the American Podiatric Medical Association</i> , 2016, 106, 27-36.	0.2	4
121	A mathematical method for quantifying in vivo mechanical behaviour of heel pad under dynamic load. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 341-350.	1.6	18
122	A Comparison of Patient-Reported Outcome Measures Following Different Treatment Approaches for Adolescents with Severe Idiopathic Scoliosis: A Systematic Review. <i>Asian Spine Journal</i> , 2016, 10, 1170.	0.8	25
123	Trunk and Spine Models for Instrumented Gait Analysis. , 2016, , 1-12.		0
124	Interpreting Ground Reaction Forces in Gait. , 2016, , 1-15.		1
125	The effects of medical grade footwear on forefoot pressure. <i>Footwear Science</i> , 2015, 7, S75-S76.	0.8	0
126	Patellofemoral kinetics during running in heelless and conventional running shoes. <i>Footwear Science</i> , 2015, 7, S111-S112.	0.8	0

#	ARTICLE	IF	CITATIONS
127	Braces for idiopathic scoliosis in adolescents. The Cochrane Library, 2015, 2015, CD006850.	1.5	96
128	Semi-automated Lung Field Segmentation in Scoliosis Radiographs: An Exploratory Study. Journal of Medical and Biological Engineering, 2015, 35, 608-616.	1.0	3
129	The Effect of an Intervention Program on Functional Movement Screen Test Scores in Mixed Martial Arts Athletes. Journal of Strength and Conditioning Research, 2015, 29, 219-225.	1.0	86
130	Thermographic Patterns of the Upper and Lower Limbs: Baseline Data. International Journal of Vascular Medicine, 2015, 2015, 1-9.	0.4	72
131	Effects of the site and extent of plantar cutaneous stimulation on dynamic balance and muscle activity while walking. Foot, 2015, 25, 159-163.	0.4	10
132	Quantification of rear-foot, fore-foot coordination pattern during gait using a new classification. Footwear Science, 2015, 7, S32-S33.	0.8	7
133	Response. Prosthetics and Orthotics International, 2015, 39, 260.	0.5	2
134	Assessment of lower leg muscle force distribution during isometric ankle dorsi and plantar flexion in patients with diabetes: a preliminary study. Journal of Diabetes and Its Complications, 2015, 29, 282-287.	1.2	18
135	The effects of sport-specific and minimalist footwear on the kinetics and kinematics of three netball-specific movements. Footwear Science, 2015, 7, 31-36.	0.8	17
136	Numerical investigation of the optimum cushioning properties of insole materials: the effect of subject-specific geometry and loading. Footwear Science, 2015, 7, S136-S137.	0.8	0
137	Negative Poisson's ratios in tendons: An unexpected mechanical response. Acta Biomaterialia, 2015, 24, 201-208.	4.1	100
138	THE INFLUENCE OF SLOW RECOVERY INSOLE ON PLANTAR PRESSURE AND CONTACT AREA DURING WALKING. Journal of Mechanics in Medicine and Biology, 2015, 15, 1540005.	0.3	2
139	Ankle foot orthosis's footwear combination tuning. Prosthetics and Orthotics International, 2015, 39, 126-133.	0.5	14
140	A method for subject-specific modelling and optimisation of the cushioning properties of insole materials used in diabetic footwear. Medical Engineering and Physics, 2015, 37, 531-538.	0.8	37
141	Surgical versus non-surgical interventions in people with adolescent idiopathic scoliosis. The Cochrane Library, 2015, , CD010663.	1.5	57
142	The effects of shoe temperature on the kinetics and kinematics of running. Footwear Science, 2015, 7, 173-180.	0.8	5
143	Where should a school shoe provide flexibility and support for the asymptomatic 6- to 10-year-olds and on what information is this based? A Delphi yielded consensus. Prosthetics and Orthotics International, 2015, 39, 213-218.	0.5	13
144	The effect of wearing a diabetic sandal in altering standing balance parameters in people with diabetes and neuropathy. Footwear Science, 2015, 7, S34-S35.	0.8	0

#	ARTICLE	IF	CITATIONS
145	Footwear mismatch – do we wear correct-sized shoes?. <i>Footwear Science</i> , 2015, 7, S76-S77.	0.8	3
146	A new coordination pattern classification to assess gait kinematics when utilising a modified vector coding technique. <i>Journal of Biomechanics</i> , 2015, 48, 3506-3511.	0.9	58
147	Assessment and Diagnosis of Posterior Tibial Tendon Dysfunction: Do We Share the Same Opinions and Beliefs?. <i>Journal of the American Podiatric Medical Association</i> , 2015, , .	0.2	2
148	Determinantes de la satisfacción laboral en diferentes situaciones clínicas de podología. <i>Revista Internacional De Ciencias Podológicas</i> , 2014, 8, .	0.1	0
149	Towards a dimensional approach to common mental disorders in the ICD-11?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 481-482.	1.3	10
150	Investigation into the kinetics and kinematics during running in the heelless shoe. <i>Footwear Science</i> , 2014, 6, 139-145.	0.8	3
151	Quantifying lumbar-pelvis coordination during gait using a modified vector coding technique. <i>Journal of Biomechanics</i> , 2014, 47, 1020-1026.	0.9	109
152	Severity of pronation and classification of first metatarsophalangeal joint dorsiflexion increases the validity of the Hubscher Manoeuvre for the diagnosis of functional hallux limitus. <i>Foot</i> , 2014, 24, 62-65.	0.4	20
153	An MRI compatible loading device for the reconstruction of clinically relevant plantar pressure distributions and loading scenarios of the forefoot. <i>Medical Engineering and Physics</i> , 2014, 36, 1205-1211.	0.8	5
154	The relationship between the mechanical properties of heel-pad and common clinical measures associated with foot ulcers in patients with diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 488-493.	1.2	38
155	The impact of different footwear characteristics, of a ballet flat pump, on centre of pressure progression and perceived comfort. <i>Foot</i> , 2014, 24, 116-122.	0.4	10
156	Influence of footwear designed to boost energy return on the kinetics and kinematics of running compared to conventional running shoes. <i>Comparative Exercise Physiology</i> , 2014, 10, 199-206.	0.3	8
157	The Effectiveness of Footwear and Other Removable Off-loading Devices in the Treatment of Diabetic Foot Ulcers: A Systematic Review. <i>Current Diabetes Reviews</i> , 2014, 10, 215-230.	0.6	21
158	The effect of shoe toe box shape and volume on forefoot interdigital and plantar pressures in healthy females. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 28.	0.7	47
159	Footwear choices made by young women and their potential impact on foot health. <i>Journal of Health Psychology</i> , 2013, 18, 1422-1431.	1.3	22
160	A pilot comparison of forefoot plantar pressures in newly diagnosed rheumatoid arthritis patients and non-rheumatic subjects. <i>Foot</i> , 2013, 23, 120-122.	0.4	4
161	The effect of tuning ankle foot orthoses-footwear combination on the gait parameters of children with cerebral palsy. <i>Prosthetics and Orthotics International</i> , 2013, 37, 95-107.	0.5	42
162	Surgical versus non-surgical interventions for adolescent idiopathic scoliosis: a Cochrane review protocol. <i>Scoliosis</i> , 2013, 8, .	0.4	0

#	ARTICLE	IF	CITATIONS
163	An automated segmentation technique for the processing of foot ultrasound images. , 2013, , .		5
164	Evaluation of lower limb electromyographic activity when using unstable shoes for the first time. Prosthetics and Orthotics International, 2013, 37, 275-281.	0.5	16
165	Hidden dangers revealed by misdiagnosed peripheral arterial disease using ABPI measurement. Diabetes Research and Clinical Practice, 2013, 102, 112-116.	1.1	29
166	The importance of clinical biomechanical assessment of foot deformity and joint mobility in people living with type-2 diabetes within a primary care setting. Primary Care Diabetes, 2013, 7, 45-50.	0.9	34
167	The effectiveness of footwear as an intervention to prevent or to reduce biomechanical risk factors associated with diabetic foot ulceration: A systematic review. Journal of Diabetes and Its Complications, 2013, 27, 391-400.	1.2	43
168	Focused rigidity casts: an overview. Journal of Wound Care, 2013, 22, 53-57.	0.5	2
169	Mean head and shoulder heights when seated. , 2013, , .		5
170	The effects of focused-rigidity casts on forefoot plantar pressures: a pilot investigation. Journal of Wound Care, 2013, 22, 237-243.	0.5	1
171	Comments and Reply to: Foot Plantar Pressure Measurement System: A Review. Sensors 2012, 12, 9884-9912. Sensors, 2013, 13, 3527-3529.	2.1	1
172	The relationship between stiffness and comfort in casual ballet pump shoes - a pilot study. Footwear Science, 2013, 5, S23-S24.	0.8	0
173	Where should a school shoe provide flexibility and support for the asymptomatic 6-10 year old and on what information is this based? A Delphi yielded consensus. Footwear Science, 2013, 5, S24-S25.	0.8	0
174	The effect of temperature on the rebound characteristics of material combinations commonly used in diabetic insoles. Footwear Science, 2013, 5, S91-S93.	0.8	1
175	Peak and average pressure correlations and their ratio at different plantar regions of the foot. Footwear Science, 2013, 5, S96-S98.	0.8	4
176	Validity and reliability of a new ankle dorsiflexion measurement device. Prosthetics and Orthotics International, 2013, 37, 289-297.	0.5	26
177	Development of a method for quantifying the midsole reaction model parameters. Computer Methods in Biomechanics and Biomedical Engineering, 2013, 16, 1273-1277.	0.9	3
178	Comparison of design features in diabetic footwear and their effect on plantar pressure. Footwear Science, 2013, 5, S67-S69.	0.8	0
179	Sagittal Plane Kinematics of Passive Dorsiflexion of the Foot in Adolescent Athletes. Journal of the American Podiatric Medical Association, 2013, 103, 394-399.	0.2	2
180	Mathematical Models to Assess Foot-€"Ground Interaction. Medicine and Science in Sports and Exercise, 2013, 45, 1524-1533.	0.2	15

#	ARTICLE	IF	CITATIONS
181	Exercises for Adolescent Idiopathic Scoliosis. Spine, 2013, 38, E883-E893.	1.0	89
182	Plantar pressure distribution in ice skates while gliding and standing compared to barefoot and trainer conditions. Baltic Journal of Health and Physical Activity, 2013, 5, .	0.2	1
183	Comparing four technologies for measuring postural micromovements during monitor engagement. , 2012, , .		6
184	Influence of footwear choice, velocity and surfaces on tibial accelerations experienced by field hockey participants during running. Footwear Science, 2012, 4, 213-219.	0.8	18
185	Diabetic foot complications in Malta: Prevalence of risk factors. Foot, 2012, 22, 294-297.	0.4	20
186	Effect of insole material on lower limb kinematics and plantar pressures during treadmill walking. Prosthetics and Orthotics International, 2012, 36, 53-62.	0.5	35
187	Effects of foot orthoses: How important is the practitioner?. Gait and Posture, 2012, 35, 383-388.	0.6	32
188	The effect of three different toe props on plantar pressure and patient comfort. Journal of Foot and Ankle Research, 2012, 5, 22.	0.7	8
189	Exercises for adolescent idiopathic scoliosis. The Cochrane Library, 2012, , CD007837.	1.5	84
190	Comparison of Pelvic Complex Kinematics During Treadmill and Overground Walking. Archives of Physical Medicine and Rehabilitation, 2012, 93, 2302-2308.	0.5	35
191	Should preparation for elite sporting participation be included in the rehabilitation process of war-injured veterans?. Prosthetics and Orthotics International, 2012, 36, 270-277.	0.5	7
192	Investigation of localised pressure applied to specific sites on the lateral aspect of the foot's dorsum by the upper parts of footwear during sports specific movements. Human Movement, 2012, 13, 350-354.	0.5	0
193	The effect of calf muscle stretching exercises on ankle joint dorsiflexion and dynamic foot pressures, force and related temporal parameters. Foot, 2012, 22, 10-17.	0.4	28
194	Repeatability of WalkinSense® in shoe pressure measurement system: A preliminary study. Foot, 2012, 22, 35-39.	0.4	34
195	Function of the triceps surae muscle group in low and high arched feet: An exploratory study. Foot, 2012, 22, 56-59.	0.4	3
196	The effect of uncontrolled moment and short-term, repeated passive stretching on maximum ankle joint dorsiflexion angle. Foot, 2012, 22, 77-80.	0.4	1
197	The effect of the use of a walkway and the choice of the foot on plantar pressure assessment when using pressure platforms. Foot, 2012, 22, 100-104.	0.4	6
198	Finite Element Analysis Methods in Footwear Design. , 2012, , 346-365.		0

#	ARTICLE	IF	CITATIONS
199	The effect of leg length discrepancy on pelvis and spine kinematics during gait. <i>Studies in Health Technology and Informatics</i> , 2012, 176, 104-7.	0.2	19
200	Investigation of a low cost method to quantify cosmetic defect. <i>Studies in Health Technology and Informatics</i> , 2012, 176, 282-5.	0.2	2
201	Screening for peripheral vascular disease in patients with type 2 diabetes in Malta in a primary care setting. <i>Quality in Primary Care</i> , 2012, 20, 409-14.	0.8	2
202	Exploración de la flexión dorsal del tobillo: Una revisión. <i>Revista Internacional De Ciencias Podológicas</i> , 2011, 6, .	0.1	1
203	Do foot orthoses replicate the static longitudinal arch angle during midstance in walking?. <i>Foot</i> , 2011, 21, 129-132.	0.4	3
204	Clinical Assessment of Ankle Joint Dorsiflexion. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 59-69.	0.2	46
205	Sagittal plane kinematics of the foot during passive ankle dorsiflexion. <i>Prosthetics and Orthotics International</i> , 2011, 35, 425-431.	0.5	15
206	Posterior Tibial Tendon Dysfunction. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 176-186.	0.2	26
207	By designing "blades"™ for Oscar Pistorius are prosthetists creating an unfair advantage for Pistorius and an uneven playing field?. <i>Prosthetics and Orthotics International</i> , 2011, 35, 482-483.	0.5	7
208	Analysis of the 5 iron golf swing when hitting for maximum distance. <i>Journal of Sports Sciences</i> , 2011, 29, 1079-1088.	1.0	34
209	Foot Orthoses. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 341-348.	0.2	19
210	Braces for Idiopathic Scoliosis in Adolescents. <i>Spine</i> , 2010, 35, 1285-1293.	1.0	68
211	Radiographic Angles in Hallux Valgus: Comparison between Manual and Computer-Assisted Measurements. <i>Journal of Foot and Ankle Surgery</i> , 2010, 49, 523-528.	0.5	40
212	Conservative treatment of tibialis posterior tendon dysfunction: A review. <i>Foot</i> , 2010, 20, 18-26.	0.4	42
213	Radiographic measurements of hallux angles: A review of current techniques. <i>Foot</i> , 2010, 20, 27-31.	0.4	51
214	Braces for idiopathic scoliosis in adolescents. A cochrane review. <i>Scoliosis</i> , 2010, 5, .	0.4	5
215	Materials used for footwear orthoses: a review. <i>Footwear Science</i> , 2010, 2, 93-110.	0.8	22
216	Braces for idiopathic scoliosis in adolescents. , 2010, , CD006850.		67

#	ARTICLE	IF	CITATIONS
217	Braces for Idiopathic Scoliosis in Adolescents - A Cochrane Review. Spine Journal, 2010, 10, S130-S131.	0.6	0
218	A caseâ€series study to explore the efficacy of foot orthoses in treating first metatarsophalangeal joint pain. Journal of Foot and Ankle Research, 2010, 3, 17.	0.7	26
219	Plantar pressure measurements using an in-shoe system and a pressure platform: A comparison. Gait and Posture, 2010, 31, 397-399.	0.6	66
220	The Effect of Heel Height on Gait and Posture. Journal of the American Podiatric Medical Association, 2009, 99, 512-518.	0.2	54
221	Functional Hallux Limitus. Journal of the American Podiatric Medical Association, 2009, 99, 236-243.	0.2	27
222	What influences someone when purchasing new trainers?. Footwear Science, 2009, 1, 71-72.	0.8	7
223	Foot orthoses and dental appliancesâ€”Is there a relationship?. Foot, 2009, 19, 145-148.	0.4	2
224	A clinical guideline for the conservative management of tibialis posterior tendon dysfunction. Foot, 2009, 19, 211-217.	0.4	8
225	An Assessment of Strapping Techniques Commonly Used for Pronated Foot Deformities. Journal of the American Podiatric Medical Association, 2009, 99, 391-398.	0.2	2
226	Assessment of the centre of pressure pattern and moments about S2 in scoliotic subjects during normal walking. Scoliosis, 2008, 3, 10.	0.4	27
227	Marker placement for movement analysis in scoliotic patients: a critical analysis of existing systems. Studies in Health Technology and Informatics, 2008, 140, 166-9.	0.2	3
228	Positional relationship between leg rotation and lumbar spine during quiet standing. Studies in Health Technology and Informatics, 2008, 140, 231-9.	0.2	3
229	Ankle joint dorsiflexion: Assessment of true values necessary for normal gait. International Journal of Therapy and Rehabilitation, 2007, 14, 76-82.	0.1	14
230	A study into the relationship between foot orthoses and dental appliances. Journal of Biomechanics, 2007, 40, S710.	0.9	0
231	An enhanced protocol to reduce error in electromagnetic tracking of first metatarsophalangeal joint motions. Gait and Posture, 2006, 23, 391-394.	0.6	9
232	Reliability of marker placements and optoelectronic systems for analysing spinal movement. International Journal of Therapy and Rehabilitation, 2005, 12, 208-214.	0.1	0
233	Assessment of ground reaction force during scoliotic gait. European Spine Journal, 2004, 13, 750-754.	1.0	63
234	A pilot study of the reaction forces at the heel during walking with the application of four different wound dressings. Journal of Tissue Viability, 2004, 14, 63-66.	0.9	2

#	ARTICLE	IF	CITATIONS
235	The effect of simple insoles on three-dimensional foot motion during normal walking. <i>Clinical Biomechanics</i> , 2004, 19, 972-977.	0.5	53
236	A comparison of three kinematic systems for assessing spinal range of movement. <i>International Journal of Therapy and Rehabilitation</i> , 2003, 10, 402-407.	0.1	4
237	Non-invasive measurements of scoliosis and the spine: a review of the literature. <i>International Journal of Therapy and Rehabilitation</i> , 2003, 10, 554-562.	0.1	3
238	Do strain gauge force platforms need in situ correction?. <i>Gait and Posture</i> , 2002, 16, 233-237.	0.6	39
239	Introduction to biomechanical assessment of gait. <i>International Journal of Therapy and Rehabilitation</i> , 2002, 9, 15-23.	0.1	1
240	Computer-assisted Cobb measurement of scoliosis. <i>European Spine Journal</i> , 2002, 11, 353-357.	1.0	60
241	Kinematic differences in lower limb gait analysis of scoliotic subjects. <i>Studies in Health Technology and Informatics</i> , 2002, 91, 173-7.	0.2	5
242	The influence of four wound dressings on the kinetics of human walking. <i>Journal of Wound Care</i> , 2001, 10, 371-374.	0.5	6
243	Functional hallux limitus. <i>Journal of the American Podiatric Medical Association</i> , 1993, 83, 698-699.	0.2	0
244	Viscoelasticity in Foot-Ground Interaction. , 0, , .		2
245	EFFECTS OF A PROPHYLACTIC KNEE SLEEVE ON THE ANTERIOR CRUCIATE LIGAMENT AND LOWER EXTREMITY BIOMECHANICS: AN EXAMINATION USING MUSCULOSKELETAL SIMULATION. <i>Journal of Mechanics in Medicine and Biology</i> , 0, , .	0.3	0
246	A concept for movement-based computerized segmentation of connective tissue in ultrasound imaging. <i>Multimedia Tools and Applications</i> , 0, , .	2.6	1