

Ze ai Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5783729/zeai-huang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,176
citations

17
h-index

33
g-index

33
ext. papers

1,541
ext. citations

8.9
avg, IF

4.7
L-index

#	Paper	IF	Citations
32	Ultrahigh surface density of Co-N ₂ C single-atom-sites for boosting photocatalytic CO ₂ reduction to methanol. <i>Applied Catalysis B: Environmental</i> , 2022 , 300, 120695	21.8	14
31	Intermolecular hydrogen bond modulating the selective coupling of protons and CO ₂ to CH ₄ over nitrogen-doped carbon layers modified cobalt. <i>Chemical Engineering Journal</i> , 2022 , 444, 136585	14.7	2
30	Modulating electron density of vacancy site by single Au atom for effective CO photoreduction. <i>Nature Communications</i> , 2021 , 12, 1675	17.4	48
29	Insights into the Nonthermal Effects of Light in Dry Reforming of Methane to Enhance the H ₂ /CO Ratio Near Unity over Ni/Ga ₂ O ₃ . <i>ACS Catalysis</i> , 2021 , 11, 4730-4738	13.1	18
28	Bi/BiOCl Nanosheets Enriched with Oxygen Vacancies to Enhance Photocatalytic CO ₂ Reduction. <i>Transactions of Tianjin University</i> , 2021 , 27, 155-164	2.9	8
27	Dual-Function Reaction Center for Simultaneous Activation of CH and O via Oxygen Vacancies during Direct Selective Oxidation of CH into CHO. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 46694-46702	9.5	2
26	Metallic Pt and PtO _x dual-cocatalyst-loaded WO ₃ for photocatalytic production of peroxydisulfate and hydrogen peroxide. <i>Journal of Materials Science</i> , 2020 , 55, 11829-11840	4.3	10
25	B-O Bonds in Ultrathin Boron Nitride Nanosheets to Promote Photocatalytic Carbon Dioxide Conversion. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 9935-9943	9.5	39
24	Mo Promotes Interfacial Interaction and Induces Oxygen Vacancies in 2D/2D of Mo-g-C ₃ N ₄ and Bi ₂ O ₂ CO ₃ Photocatalyst for Enhanced NO Oxidation. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 9509-9518	3.9	9
23	Promotion of photocatalytic steam reforming of methane over Ag ⁰ /Ag ⁺ -SrTiO ₃ . <i>Chinese Chemical Letters</i> , 2020 , 31, 1530-1534	8.1	9
22	Interfacial Oxygen Vacancy Engineered Two-Dimensional g-C ₃ N ₄ /BiOCl Heterostructures with Boosted Photocatalytic Conversion of CO ₂ . <i>ACS Applied Energy Materials</i> , 2020 , 3, 4610-4618	6.1	49
21	Important Role of Strontium Atom on the Surface of SrKTaO with a Tetragonal Tungsten Bronze Structure to Improve Adsorption of CO for Photocatalytic Conversion of CO by HO. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 37875-37884	9.5	6
20	Solar-light-driven photocatalytic production of peroxydisulfate over noble-metal loaded WO ₃ . <i>Chemical Communications</i> , 2019 , 55, 3813-3816	5.8	17
19	Atomically dispersed Mo atoms on amorphous g-C ₃ N ₄ promotes visible-light absorption and charge carriers transfer. <i>Applied Catalysis B: Environmental</i> , 2019 , 250, 273-279	21.8	57
18	Monolithic g-C ₃ N ₄ /reduced graphene oxide aerogel with in situ embedding of Pd nanoparticles for hydrogenation of CO ₂ to CH ₄ . <i>Applied Surface Science</i> , 2019 , 475, 953-960	6.7	50
17	Recent progress in photocatalytic conversion of carbon dioxide over gallium oxide and its nanocomposites. <i>Current Opinion in Chemical Engineering</i> , 2018 , 20, 114-121	5.4	11
16	Flux method fabrication of potassium rare-earth tantalates for CO ₂ photoreduction using H ₂ O as an electron donor. <i>Catalysis Today</i> , 2018 , 300, 173-182	5.3	18

15	Photocatalytic Conversion of Carbon Dioxide over A ₂ BTa ₅ O ₁₅ (A = Sr, Ba; B = K, Na) Using Ammonia as an Efficient Sacrificial Reagent. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 8247-8255	8.3	7
14	Which is an Intermediate Species for Photocatalytic Conversion of CO ₂ by H ₂ O as the Electron Donor: CO ₂ Molecule, Carbonic Acid, Bicarbonate, or Carbonate Ions?. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 8711-8721	3.8	43
13	Efficient photocatalytic carbon monoxide production from ammonia and carbon dioxide by the aid of artificial photosynthesis. <i>Chemical Science</i> , 2017 , 8, 5797-5801	9.4	6
12	CO ₂ capture, storage, and conversion using a praseodymium-modified Ga ₂ O ₃ photocatalyst. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 19351-19357	13	25
11	Enhancement of CO Evolution by Modification of GaO with Rare-Earth Elements for the Photocatalytic Conversion of CO by HO. <i>Langmuir</i> , 2017 , 33, 13929-13935	4	32
10	Sodium Cation Substitution in SrKTaO toward Enhancement of Photocatalytic Conversion of CO Using HO as an Electron Donor. <i>ACS Omega</i> , 2017 , 2, 8187-8197	3.9	7
9	Tuning the selectivity toward CO evolution in the photocatalytic conversion of CO ₂ with H ₂ O through the modification of Ag-loaded Ga ₂ O ₃ with a ZnGa ₂ O ₄ layer. <i>Catalysis Science and Technology</i> , 2016 , 6, 1025-1032	5.5	73
8	Fabrication of well-shaped Sr ₂ KTa ₅ O ₁₅ nanorods with a tetragonal tungsten bronze structure by a flux method for artificial photosynthesis. <i>Applied Catalysis B: Environmental</i> , 2016 , 199, 272-281	21.8	28
7	Effect of Pore Structure on the Electro-Fenton Activity of ACF@OMC Cathode. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 8492-8499	3.9	17
6	Effect of contact interface between TiO ₂ and g-C ₃ N ₄ on the photoreactivity of g-C ₃ N ₄ /TiO ₂ photocatalyst: (0 0 1) vs (1 0 1) facets of TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2015 , 164, 420-427	21.8	386
5	Ti powder-assisted synthesis of Ti ³⁺ self-doped TiO ₂ nanosheets with enhanced visible-light photoactivity. <i>RSC Advances</i> , 2014 , 4, 19588-19593	3.7	44
4	Fabrication of TiO ₂ hollow microspheres by ammonia-induced self-transformation. <i>Journal of Alloys and Compounds</i> , 2014 , 612, 69-73	5.7	12
3	N-Doped ordered mesoporous carbon grafted onto activated carbon fibre composites with enhanced activity for the electro-Fenton degradation of Brilliant Red X3B dye. <i>RSC Advances</i> , 2014 , 4, 60168-60175	3.7	19
2	Facile preparation of Ti ³⁺ self-doped TiO ₂ nanosheets with dominant {001} facets using zinc powder as reductant. <i>Journal of Alloys and Compounds</i> , 2014 , 601, 88-93	5.7	37
1	Transformation of TiOF ₂ cube to a hollow nanobox assembly from anatase TiO ₂ nanosheets with exposed {001} facets via solvothermal strategy. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 8663-9	9.5	71