

Hugh E Senior

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5784698/publications.pdf>

Version: 2024-02-01

36
papers

2,608
citations

331670

21
h-index

361022

35
g-index

38
all docs

38
docs citations

38
times ranked

3715
citing authors

#	ARTICLE	IF	CITATIONS
1	Facilitators and barriers to general practitioner and general practice nurse participation in end-of-life care: systematic review. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2019-002109.	1.6	14
2	General practice nurses and physicians and end of life: a systematic review of models of care. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2019-002114.	1.6	9
3	End-of-life care in rural and regional Australia: Patients'™, carers'™ and general practitioners'™ expectations of the role of general practice, and the degree to which they were met. <i>Health and Social Care in the Community</i> , 2020, 28, 2160-2171.	1.6	7
4	Predicting Those Who Are at Risk of Dying within Six to Twelve Months in Primary Care: A Retrospective Case-Control General Practice Chart Analysis. <i>Journal of Palliative Medicine</i> , 2019, 22, 1417-1424.	1.1	4
5	Systematic review of general practice end-of-life symptom control. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 411-420.	1.6	33
6	Using intuition or a formal palliative care needs assessment screening process in general practice to predict death within 12 months: A randomised controlled trial. <i>Palliative Medicine</i> , 2018, 32, 384-394.	3.1	38
7	Systematic review of the effectiveness, barriers and facilitators to general practitioner engagement with specialist secondary services in integrated palliative care. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 385-399.	1.6	42
8	General practitioners (GPs) and end-of-life care: a qualitative study of Australian GPs and specialist palliative care clinicians. <i>BMJ Supportive and Palliative Care</i> , 2018, , bmjspcare-2018-001531.	1.6	20
9	Identifying palliative care needs in residential care. <i>Australian Journal of Primary Health</i> , 2018, 24, 524.	0.9	12
10	General practice palliative care: patient and carer expectations, advance care plans and place of death—a systematic review. <i>BMJ Supportive and Palliative Care</i> , 2018, , bmjspcare-2018-001549.	1.6	19
11	Consequences of sarcopenia among nursing home residents at long-term follow-up. <i>Geriatric Nursing</i> , 2017, 38, 406-411.	1.9	33
12	Randomised trial of restorative home care for frail older people in New Zealand. <i>Nursing Older People</i> , 2017, 29, 27-33.	0.2	16
13	A series of n-of-1 trials of stimulants in brain injured children. <i>NeuroRehabilitation</i> , 2017, 40, 11-21.	1.3	13
14	CPAP for Prevention of Cardiovascular Events in Obstructive Sleep Apnea. <i>New England Journal of Medicine</i> , 2016, 375, 919-931.	27.0	1,544
15	Investigating innovative means of prompting activity uptake in older adults with type 2 diabetes: a feasibility study of exergaming. <i>Journal of Sports Medicine and Physical Fitness</i> , 2016, 56, 1221-1225.	0.7	3
16	Testing pilocarpine drops for dry mouth in advanced cancer using n-of-1 trials: A feasibility study. <i>Palliative Medicine</i> , 2015, 29, 967-974.	3.1	10
17	The Effect of Methylphenidate on Fatigue in Advanced Cancer: An Aggregated N-of-1 Trial. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 289-296.	1.2	40
18	Prevalence and risk factors of sarcopenia among adults living in nursing homes. <i>Maturitas</i> , 2015, 82, 418-423.	2.4	128

#	ARTICLE	IF	CITATIONS
19	Prevalence and Risk Factors for Low Habitual Walking Speed in Nursing Home Residents: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1993-1999.	0.9	24
20	Aggregated n-of-1 trials of central nervous system stimulants versus placebo for paediatric traumatic brain injury – a pilot study. <i>Trials</i> , 2014, 15, 54.	1.6	16
21	Assessing sarcopenic prevalence and risk factors in residential aged care: methodology and feasibility. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2014, 5, 229-236.	7.3	26
22	Case conferences between general practitioners and specialist teams to plan end of life care of people with end stage heart failure and lung disease: an exploratory pilot study. <i>BMC Palliative Care</i> , 2014, 13, 24.	1.8	42
23	Do pilocarpine drops help dry mouth in palliative care patients: a protocol for an aggregated series of n-of-1 trials. <i>BMC Palliative Care</i> , 2013, 12, 39.	1.8	10
24	Providing general practice needs-based care for carers of people with advanced cancer: a randomised controlled trial. <i>British Journal of General Practice</i> , 2013, 63, e683-e690.	1.4	26
25	Objectively Measured Activity Patterns among Adults in Residential Aged Care. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6783-6798.	2.6	65
26	Neuropsychological Profiles of 5-Year Ischemic Stroke Survivors by Oxfordshire Stroke Classification and Hemisphere of Lesion. <i>Stroke</i> , 2012, 43, 50-55.	2.0	48
27	Should Care Managers for Older Adults Be Located in Primary Care? A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 86-92.	2.6	48
28	A randomized trial of the effects of two novel nicotine replacement therapies on tobacco withdrawal symptoms and user satisfaction. <i>Addiction</i> , 2010, 105, 1290-1298.	3.3	22
29	Natural History of Attention Deficits and Their Influence on Functional Recovery from Acute Stages to 6 Months after Stroke. <i>Neuroepidemiology</i> , 2010, 35, 255-262.	2.3	31
30	Attention Deficits After Incident Stroke in the Acute Period: Frequency Across Types of Attention and Relationships to Patient Characteristics and Functional Outcomes. <i>Topics in Stroke Rehabilitation</i> , 2010, 17, 463-476.	1.9	45
31	A single-blind, randomized, crossover trial of the effects of a nicotine pouch on the relief of tobacco withdrawal symptoms and user satisfaction. <i>Nicotine and Tobacco Research</i> , 2009, 11, 715-721.	2.6	25
32	Why Do Older People in New Zealand Enter Residential Care Rather than Choosing to Remain at Home, and Who Makes that Decision?. <i>Ageing International</i> , 2009, 34, 15-32.	1.3	26
33	Reducing Attention Deficits After Stroke Using Attention Process Training. <i>Stroke</i> , 2009, 40, 3293-3298.	2.0	130
34	Interventions for fatigue management after traumatic brain injury. <i>The Cochrane Library</i> , 2007, , .	2.8	3
35	Poststroke dementia: prevalence, incidence and risk factors. <i>Aging Health</i> , 2006, 2, 799-807.	0.3	0
36	Functional protective role for mucin glycosylated repetitive domains. <i>FEBS Journal</i> , 1999, 266, 105-111.	0.2	35