

Miguel de Arajo Nobre

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5786395/miguel-de-araujo-nobre-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

2,326

citations

21

h-index

47

g-index

89

ext. papers

2,688

ext. citations

3.1

avg, IF

5.22

L-index

#	Paper	IF	Citations
82	"All-on-Four" immediate-function concept with Brånemark System implants for completely edentulous mandibles: a retrospective clinical study. <i>Clinical Implant Dentistry and Related Research</i> , 2003 , 5 Suppl 1, 2-9	3.9	361
81	All-on-4 immediate-function concept with Brånemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study. <i>Clinical Implant Dentistry and Related Research</i> , 2005 , 7 Suppl 1, S88-94	3.9	267
80	A longitudinal study of the survival of All-on-4 implants in the mandible with up to 10 years of follow-up. <i>Journal of the American Dental Association</i> , 2011 , 142, 310-20	1.9	175
79	The use of computer-guided flapless implant surgery and four implants placed in immediate function to support a fixed denture: preliminary results after a mean follow-up period of thirteen months. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, S26-34	4	132
78	"All-on-4" immediate-function concept for completely edentulous maxillae: a clinical report on the medium (3 years) and long-term (5 years) outcomes. <i>Clinical Implant Dentistry and Related Research</i> , 2012 , 14 Suppl 1, e139-50	3.9	122
77	A new approach to rehabilitate the severely atrophic maxilla using extramaxillary anchored implants in immediate function: a pilot study. <i>Journal of Prosthetic Dentistry</i> , 2008 , 100, 354-66	4	107
76	A pilot study of complete edentulous rehabilitation with immediate function using a new implant design: case series. <i>Clinical Implant Dentistry and Related Research</i> , 2006 , 8, 223-32	3.9	88
75	Short implants placed one-stage in maxillae and mandibles: a retrospective clinical study with 1 to 9 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2007 , 9, 15-21	3.9	87
74	Retrievable metal ceramic implant-supported fixed prostheses with milled titanium frameworks and all-ceramic crowns: retrospective clinical study with up to 10 years of follow-up. <i>Journal of Prosthodontics</i> , 2012 , 21, 256-64	3.9	59
73	Excess Mortality Estimation During the COVID-19 Pandemic: Preliminary Data from Portugal. <i>Acta Medica Portuguesa</i> , 2020 , 33, 376-383	1.4	53
72	All-on-4 Treatment Concept for the Rehabilitation of the Completely Edentulous Mandible: A 7-Year Clinical and 5-Year Radiographic Retrospective Case Series with Risk Assessment for Implant Failure and Marginal Bone Level. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 2, e531-41	3.9	52
71	Implants (3.3 mm diameter) for the rehabilitation of edentulous posterior regions: a retrospective clinical study with up to 11 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2011 , 13, 95-103	3.9	52
70	Prevalence of periodontitis, dental caries, and peri-implant pathology and their relation with systemic status and smoking habits: Results of an open-cohort study with 22009 patients in a private rehabilitation center. <i>Journal of Dentistry</i> , 2017 , 67, 36-42	4.8	46
69	Extramaxillary surgical technique: clinical outcome of 352 patients rehabilitated with 747 zygomatic implants with a follow-up between 6 months and 7 years. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 1, e153-62	3.9	39
68	The NobelGuide All-on-4 Treatment Concept for Rehabilitation of Edentulous Jaws: A Retrospective Report on the 7-Years Clinical and 5-Years Radiographic Outcomes. <i>Clinical Implant Dentistry and Related Research</i> , 2017 , 19, 233-244	3.9	38
67	Implants placed in immediate function in periodontally compromised sites: a five-year retrospective and one-year prospective study. <i>Journal of Prosthetic Dentistry</i> , 2007 , 97, S86-95	4	37
66	The NobelGuide All-on-4 Treatment Concept for Rehabilitation of Edentulous Jaws: A Prospective Report on Medium- and Long-Term Outcomes. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 2, e406-16	3.9	32

65	The All-on-4 treatment concept for the rehabilitation of the completely edentulous mandible: A longitudinal study with 10 to 18 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 565-577	3.9	30
64	Double Full-Arch Versus Single Full-Arch, Four Implant-Supported Rehabilitations: A Retrospective, 5-Year Cohort Study. <i>Journal of Prosthodontics</i> , 2015 , 24, 263-70	3.9	30
63	Non-adherence to antibiotic therapy in patients visiting community pharmacies. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 86-91	2.3	29
62	Risk factors of peri-implant pathology. <i>European Journal of Oral Sciences</i> , 2015 , 123, 131-9	2.3	23
61	Short-term report of an ongoing prospective cohort study evaluating the outcome of full-arch implant-supported fixed hybrid polyetheretherketone-acrylic resin prostheses and the All-on-Four concept. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 692-702	3.9	20
60	Immediate full-arch rehabilitation of the severely atrophic maxilla supported by zygomatic implants: a prospective clinical study with minimum follow-up of 6 years. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017 , 46, 1592-1599	2.9	20
59	Non-surgical treatment of peri-implant pathology. <i>International Journal of Dental Hygiene</i> , 2006 , 4, 84-90	2.6	20
58	The Influence of Crown-to-Implant Ratio on Short Implant Marginal Bone Loss. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 1156-63	2.8	20
57	Flap vs. flapless surgical techniques at immediate implant function in predominantly soft bone for rehabilitation of partial edentulism: a prospective cohort study with follow-up of 1 year. <i>European Journal of Oral Implantology</i> , 2008 , 1, 293-304		20
56	The All-on-4 concept for full-arch rehabilitation of the edentulous maxillae: A longitudinal study with 5-13 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 538-549	3.9	19
55	The Role of Health Preconditions on COVID-19 Deaths in Portugal: Evidence from Surveillance Data of the First 20293 Infection Cases. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	19
54	Immediate loading short implants inserted on low bone quantity for the rehabilitation of the edentulous maxilla using an All-on-4 design. <i>Journal of Oral Rehabilitation</i> , 2015 , 42, 615-23	3.4	18
53	Peri-implant maintenance of immediate function implants: a pilot study comparing hyaluronic acid and chlorhexidine. <i>International Journal of Dental Hygiene</i> , 2007 , 5, 87-94	2.6	18
52	Single-Tooth Rehabilitations Supported by Dental Implants Used in an Immediate-Provisionalization Protocol: Report on Long-Term Outcome with Retrospective Follow-Up. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 2, e511-9	3.9	17
51	Immediate rehabilitation of completely edentulous arches with a four-implant prosthesis concept in difficult conditions: an open cohort study with a mean follow-up of 2 years. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 1177-90	2.8	17
50	Risk Factors for Implant Failure and Peri-Implant Pathology in Systemic Compromised Patients. <i>Journal of Prosthodontics</i> , 2018 , 27, 409-415	3.9	16
49	Dental implants in diabetic patients: retrospective cohort study reporting on implant survival and risk indicators for excessive marginal bone loss at 5 years. <i>Journal of Oral Rehabilitation</i> , 2016 , 43, 863-870	3.7	16
48	Comparison of marginal bone loss and implant success between axial and tilted implants in maxillary All-on-4 treatment concept rehabilitations after 5 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2017 , 19, 849-859	3.9	14

47	Preliminary report on the outcome of tilted implants with longer lengths (20-25 mm) in low-density bone: one-year follow-up of a prospective cohort study. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17 Suppl 1, e134-42	3.9	12
46	Complete Edentulous Rehabilitation Using an Immediate Function Protocol and an Implant Design Featuring a Straight Body, Anodically Oxidized Surface, and Narrow Tip with Engaging Threads Extending to the Apex of the Implant: A 5-year Retrospective Clinical Study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018 , 47, 1079-1085	2.8	12
45	Immediate function dental implants inserted with less than 30Ncm of torque in full-arch maxillary rehabilitations using the All-on-4 concept: retrospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018 , 47, 1079-1085	2.9	12
44	Five-year outcome of a retrospective cohort study on the rehabilitation of completely edentulous atrophic maxillae with immediately loaded zygomatic implants placed extra-maxillary. <i>European Journal of Oral Implantology</i> , 2014 , 7, 267-81		12
43	Long-Term Outcome of Implant Rehabilitations in Patients with Systemic Disorders and Smoking Habits: A Retrospective Clinical Study. <i>Clinical Implant Dentistry and Related Research</i> , 2016 , 18, 649-65	3.9	10
42	Evaluation of Clinical Soft Tissue Parameters for Extramaxillary Zygomatic Implants and Conventional Implants in All-on-4 Hybrid Rehabilitations: Short-Term Outcome and Proposal of Clinical Recommendations for Intervention in Recall Appointments. <i>Implant Dentistry</i> , 2015 , 24, 267-74	2.4	10
41	Hybrid Polyetheretherketone (PEEK)-Acrylic Resin Prostheses and the All-on-4 Concept: A Full-Arch Implant-Supported Fixed Solution with 3 Years of Follow-Up. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
40	Individual lithium disilicate crowns in a full-arch, implant-supported rehabilitation: a clinical report. <i>Journal of Prosthodontics</i> , 2014 , 23, 495-500	3.9	9
39	Influence of systemic conditions on the incidence of periimplant pathology: a case-control study. <i>Implant Dentistry</i> , 2014 , 23, 305-10	2.4	9
38	Attributable fractions, modifiable risk factors and risk stratification using a risk score for peri-implant pathology. <i>Journal of Prosthodontic Research</i> , 2017 , 61, 43-53	4.3	8
37	Posterior maxillary implants inserted with bicortical anchorage and placed in immediate function for partial or complete edentulous rehabilitations. A retrospective clinical study with a median follow-up of 7 years. <i>Oral and Maxillofacial Surgery</i> , 2015 , 19, 19-27	1.6	8
36	Five-year outcome of a retrospective cohort study comparing smokers vs. nonsmokers with full-arch mandibular implant-supported rehabilitation using the All-on-4 concept. <i>Journal of Oral Science</i> , 2018 , 60, 177-186	1.5	6
35	The influence of rehabilitation characteristics in the incidence of peri-implant pathology: a case-control study. <i>Journal of Prosthodontics</i> , 2014 , 23, 21-30	3.9	6
34	Axial Implants in Immediate Function for Partial Rehabilitation in the Maxilla and Mandible: A Retrospective Clinical Study Evaluating the Long-Term Outcome (Up to 10 Years). <i>Implant Dentistry</i> , 2015 , 24, 557-64	2.4	6
33	Clinical outcomes in the presence and absence of keratinized mucosa in mandibular guided implant surgeries: a pilot study with a proposal for the modification of the technique. <i>Quintessence International</i> , 2013 , 44, 149-57	2	6
32	The prognosis of partial implant-supported fixed dental prostheses with cantilevers. A 5-year retrospective cohort study. <i>European Journal of Oral Implantology</i> , 2013 , 6, 51-9		6
31	Outcome of dental implants in diabetic patients with and without cardiovascular disease: A 5-year post-loading retrospective study. <i>European Journal of Oral Implantology</i> , 2016 , 9, 87-95		6
30	Three-Year Outcome of Fixed Partial Rehabilitations Supported by Implants Inserted with Flap or Flapless Surgical Techniques. <i>Journal of Prosthodontics</i> , 2016 , 25, 357-63	3.9	5

29	Partial Rehabilitation with Distally Tilted and Straight Implants in the Posterior Maxilla with Immediate Loading Protocol: A Retrospective Cohort Study with 5-Year Follow-up. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 891-9	2.8	5
28	Leakage of Microbial Endotoxin through the Implant-Abutment Interface in Oral Implants: An In Vitro Study. <i>BioMed Research International</i> , 2016 , 2016, 9219071	3	5
27	A Peri-Implant Disease Risk Score for Patients with Dental Implants: Validation and the Influence of the Interval between Maintenance Appointments. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
26	A new approach for maxilla reconstruction. <i>European Journal of Oral Implantology</i> , 2009 , 2, 101-14		5
25	Adult Patient Risk Stratification Using a Risk Score for Periodontitis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
24	The Workflow of a New Dynamic Navigation System for the Insertion of Dental Implants in the Rehabilitation of Edentulous Jaws: Report of Two Cases. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
23	Immediate loading of implants placed in patients with untreated periodontal disease: a 5-year prospective cohort study. <i>European Journal of Oral Implantology</i> , 2014 , 7, 295-304		4
22	Retrospective cohort clinical investigation of a dental implant with a narrow diameter and short length for the partial rehabilitation of extremely atrophic jaws. <i>Journal of Oral Science</i> , 2017 , 59, 357-363	1.5	3
21	Associations of clinical characteristics and interval between maintenance visits with peri-implant pathology. <i>Journal of Oral Science</i> , 2014 , 56, 143-50	1.5	3
20	Immediate Function of Anodically Oxidized Surface Implants (TiUnite) for Fixed Prosthetic Rehabilitation: Retrospective Study with 10 Years of Follow-Up. <i>BioMed Research International</i> , 2016 , 2016, 2061237	3	3
19	Outcomes of Immediate Function Implant Prosthetic Restorations with Mechanical Complications: A Retrospective Clinical Study with 5 Years of Follow-Up. <i>European journal of prosthodontics and restorative dentistry, The</i> , 2017 , 25, 26-34	0.9	3
18	A Prognostic Model for the Outcome of Nobel Biocare Dental Implants with Peri-Implant Disease after One Year. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
17	Reply to Comment on Nogueira, P.J., et al. "The Role of Health Preconditions on COVID-19 Deaths in Portugal: Evidence from Surveillance Data of the First 20293 Infection Cases". 2020, , 2368. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
16	Necrotizing Sialometaplasia and Bulimia: A Case Report. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	2
15	Poly-ether-ether-ketone and implant dentistry: the future of mimicking natural dentition is now!. <i>Polymer International</i> , 2021 , 70, 999	3.3	2
14	Partial rehabilitation of the posterior edentulous maxilla using axial and tilted implants in immediate function to avoid bone grafting. <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2011 , 32, E136-45	0.3	2
13	Risk Score to Predict Dental Caries in Adult Patients for Use in the Clinical Setting. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	1
12	Avaliaçã Radiogrãfica de Ajuste Passivo em Estruturas Implanto-Suportadas. <i>Revista Portuguesa De Estomatologia, Medicina Dentaria E Cirurgia Maxilofacial</i> , 2010 , 51, 207-215	0.6	1

11	Influence of Smoking Habits on the Prevalence of Dental Caries: A Register-Based Cohort Study. <i>European Journal of Dentistry</i> , 2021 , 15, 714-719	2.6	1
10	Improving morbidity information in Portugal: Evidence from data linkage of COVID-19 cases surveillance and mortality systems.. <i>International Journal of Medical Informatics</i> , 2022 , 163, 104763	5.3	1
9	Reply to a Comment about the Article Published in Acta Med Port 2020; Apr 27; doi:10.20344/amp.13928. <i>Acta Medica Portuguesa</i> , 2020 , 33, 534-535	1.4	
8	Correlation between the use of over-the-counter medicines and adherence in elderly patients on multiple medications. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 92-7	2.3	
7	An overview of the All-on-4 implant philosophy. <i>Faculty Dental Journal</i> , 2012 , 3, 20-27	0.6	
6	Extramaxillary Zygomatic Implants 2020 , 87-107		
5	Double Full-Arch Versus Single Full-Arch, Four Implant-Supported Rehabilitations: A Retrospective, 5-Year Cohort Study 131-139		
4	The Influence of Rehabilitation Characteristics in the Incidence of Peri-Implant Pathology: A Case-Control Study 140-151		
3	Retrievable Metal Ceramic Implant-Supported Fixed Prosthesis With Milled Titanium Frameworks And All-Ceramic Crowns 2016 , 214-224		
2	Double Full-Arch Versus Single Full-Arch, Four Implant-Supported Rehabilitations 2016 , 256-264		
1	Prevention of Mandible Fractures in Medication-Related Osteonecrosis of the Jaws: The Role of Virtual Surgical Planning and Computer-Aided Design and Manufacturing in Two Clinical Case Reports. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7894	2.6	