

# Bin-Chi Liao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5789842/publications.pdf>

Version: 2024-02-01

25  
papers

689  
citations

758635

12  
h-index

713013

21  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1154  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors for Non-Small-Cell Lung Cancer Patients with Leptomeningeal Carcinomatosis. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1754-1761.	0.5	145
2	Second and third-generation epidermal growth factor receptor tyrosine kinase inhibitors in advanced nonsmall cell lung cancer. <i>Current Opinion in Oncology</i> , 2015, 27, 94-101.	1.1	126
3	Exon 16-Skipping HER2 as a Novel Mechanism of Osimertinib Resistance in EGFR L858R/T790M-Positive Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2020, 15, 50-61.	0.5	56
4	Association between programmed death-ligand 1 expression, immune microenvironments, and clinical outcomes in epidermal growth factor receptor mutant lung adenocarcinoma patients treated with tyrosine kinase inhibitors. <i>European Journal of Cancer</i> , 2020, 124, 110-122.	1.3	56
5	Update on recent preclinical and clinical studies of T790M mutant-specific irreversible epidermal growth factor receptor tyrosine kinase inhibitors. <i>Journal of Biomedical Science</i> , 2016, 23, 86.	2.6	41
6	Optimal management of EGFR -mutant non-small cell lung cancer with disease progression on first-line tyrosine kinase inhibitor therapy. <i>Lung Cancer</i> , 2017, 110, 7-13.	0.9	40
7	Lung Cancer in Republic of China. <i>Journal of Thoracic Oncology</i> , 2021, 16, 519-527.	0.5	34
8	Afatinib and Pembrolizumab for Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma (ALPHA Study): A Phase II Study with Biomarker Analysis. <i>Clinical Cancer Research</i> , 2022, 28, 1560-1571.	3.2	33
9	Second-line treatment of EGFR T790M-negative non-small cell lung cancer patients. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591989028.	1.4	28
10	Treating patients with ALK-positive non-small cell lung cancer: latest evidence and management strategy. <i>Therapeutic Advances in Medical Oncology</i> , 2015, 7, 274-290.	1.4	20
11	Association of Programmed Death-Ligand 1 Expression with Fusion Variants and Clinical Outcomes in Patients with Anaplastic Lymphoma Kinase-Positive Lung Adenocarcinoma Receiving Crizotinib. <i>Oncologist</i> , 2020, 25, 702-711.	1.9	17
12	CD73 Is Regulated by the EGFR-ERK Signaling Pathway in Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2021, 41, 1231-1242.	0.5	16
13	Novel EGFR Inhibitors in Non-small Cell Lung Cancer: Current Status of Afatinib. <i>Current Oncology Reports</i> , 2017, 19, 4.	1.8	15
14	Comparative Effectiveness of First-Line Platinum-Based Chemotherapy Regimens for Advanced Lung Squamous Cell Carcinoma. <i>Clinical Lung Cancer</i> , 2015, 16, 137-143.	1.1	14
15	First-Line Management of EGFR-Mutated Advanced Lung Adenocarcinoma: Recent Developments. <i>Drugs</i> , 2013, 73, 357-369.	4.9	12
16	Outcomes of research biopsies in clinical trials of EGFR mutation-positive non-small cell lung cancer patients pretreated with EGFR-tyrosine kinase inhibitors. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 326-331.	0.8	10
17	Cytotoxic Chemotherapy as First-Line Therapy for Advanced Non-Small-Cell Lung Cancer in Taiwan: Daily Practice. <i>Journal of Cancer</i> , 2016, 7, 1515-1523.	1.2	9
18	Treating brain metastases in non-small cell lung cancer patients: what have we learnt from pharmaceutical recent clinical trials?. <i>Expert Opinion on Pharmacotherapy</i> , 2018, 19, 851-864.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Computed tomographic characteristics for patients with unresectable gastric cancer harboring low-volume peritoneal carcinomatosis. <i>Medical Oncology</i> , 2017, 34, 143.	1.2	6
20	Afatinib and pembrolizumab for recurrent or metastatic head and neck squamous cell carcinoma (ALPHA Study): A phase II study with biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2021, 39, 6024-6024.	0.8	3
21	A phase II trial of durvalumab (MEDI4736) and tremelimumab with chemotherapy in metastatic EGFR mutant non-squamous non-small cell lung cancer (NSCLC) following progression on EGFR tyrosine kinase inhibitors (TKIs) (ILLUMINATE).. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS9631-TPS9631.	0.8	2
22	Active or Attractive? Oral Antiangiogenesis Therapy Plus EGFR Tyrosine Kinase Inhibitor in EGFR-Mutant NSCLC. <i>Journal of Thoracic Oncology</i> , 2021, 16, 1426-1428.	0.5	0
23	Serial Plasma Cell-Free Circulating Tumor DNA Tests Identify Genomic Alterations for Early Prediction of Osimertinib Treatment Outcome in EGFR T790Mâ€“Positive NSCLC. <i>JTO Clinical and Research Reports</i> , 2021, 2, 100099.	0.6	0
24	Epidermal growth factor receptor tyrosine kinase inhibitors on clinical outcome of advanced non-small cell lung cancer patients with leptomeningeal carcinomatosis.. <i>Journal of Clinical Oncology</i> , 2015, 33, e19061-e19061.	0.8	0
25	Front-line erlotinib in unselected patient with advanced NSCLC followed by standard chemotherapy with gemcitabine and cisplatin - TORCH study. <i>Translational Lung Cancer Research</i> , 2012, 1, 227-9.	1.3	0