Jonas Busch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5790576/publications.pdf

Version: 2024-02-01

331670 315739 1,621 75 21 38 citations h-index g-index papers 80 80 80 2581 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Inhibiting WNT and NOTCH in renal cancer stem cells and the implications for human patients. Nature Communications, 2020, 11, 929.	12.8	113
2	Identification of Metastamirs as Metastasis-associated MicroRNAs in Clear Cell Renal Cell Carcinomas. International Journal of Biological Sciences, 2012, 8, 1363-1374.	6.4	92
3	Piwi-interacting RNAs as novel prognostic markers in clear cell renal cell carcinomas. Journal of Experimental and Clinical Cancer Research, 2015, 34, 61.	8.6	90
4	Residual Tumor Size and IGCCCG Risk Classification Predict Additional Vascular Procedures in Patients with Germ Cell Tumors and Residual Tumor Resection: A Multicenter Analysis of the German Testicular Cancer Study Group. European Urology, 2012, 61, 403-409.	1.9	82
5	Reference genes for the relative quantification of microRNAs in renal cell carcinomas and their metastases. Analytical Biochemistry, 2011, 417, 233-241.	2.4	78
6	Comprehensive Evaluation of Prostate Specific Membrane Antigen Expression in the Vasculature of Renal Tumors: Implications for Imaging Studies and Prognostic Role. Journal of Urology, 2018, 199, 370-377.	0.4	71
7	Diagnostic and prognostic potential of differentially expressed miRNAs between metastatic and non-metastatic renal cell carcinoma at the time of nephrectomy. Clinica Chimica Acta, 2013, 416, 5-10.	1.1	62
8	Cooperative Effect of miR-141-3p and miR-145-5p in the Regulation of Targets in Clear Cell Renal Cell Carcinoma. PLoS ONE, 2016, 11, e0157801.	2.5	61
9	Renal cell carcinoma with venous extension: prediction of inferior vena cava wall invasion by MRI. Cancer Imaging, 2018, 18, 17.	2.8	56
10	Intrinsic resistance to tyrosine kinase inhibitors is associated with poor clinical outcome in metastatic renal cell carcinoma. BMC Cancer, 2011, 11, 295.	2.6	54
11	Diagnostic and prognostic potential of circulating cell-free genomic and mitochondrial DNA fragments in clear cell renal cell carcinoma patients. Clinica Chimica Acta, 2016, 452, 109-119.	1.1	52
12	Progression free survival of first line vascular endothelial growth factor-targeted therapy is an important prognostic parameter in patients with metastatic renal cell carcinoma. European Journal of Cancer, 2012, 48, 1023-1030.	2.8	46
13	Sequence Therapy in Patients with Metastatic Renal Cell Carcinoma: Comparison of Common Targeted Treatment Options Following Failure of Receptor Tyrosine Kinase Inhibitors. European Urology, 2011, 60, 1163-1170.	1.9	43
14	Image-guided Irreversible Electroporation of Localized Prostate Cancer: Functional and Oncologic Outcomes. Radiology, 2019, 292, 250-257.	7.3	40
15	Management of Germ Cell Tumours of the Testis in Adult Patients. German Clinical Practice Guideline Part I: Epidemiology, Classification, Diagnosis, Prognosis, Fertility Preservation, and Treatment Recommendations for Localized Stages. Urologia Internationalis, 2021, 105, 169-180.	1.3	37
16	Higher rates of upgrading and upstaging in older patients undergoing radical prostatectomy and qualifying for active surveillance. BJU International, 2014, 114, 517-521.	2.5	33
17	Male Extragonadal Germ Cell Tumors of the Adult. Oncology Research and Treatment, 2016, 39, 140-144.	1.2	32
18	Native T1 Mapping as an In Vivo Biomarker for the Identification of Higher-Grade Renal Cell Carcinoma. Investigative Radiology, 2019, 54, 118-128.	6.2	31

#	Article	IF	Citations
19	Long-term oncological and continence outcomes after laparoscopic radical prostatectomy: a single-centre experience. BJU International, 2012, 110, E985-E990.	2.5	30
20	Use of quantitative T2 mapping for the assessment of renal cell carcinomas: first results. Cancer Imaging, 2019, 19, 35.	2.8	25
21	Retrospective Comparison of Triple-sequence Therapies in Metastatic Renal Cell Carcinoma. European Urology, 2013, 64, 62-70.	1.9	23
22	Efficacy of nivolumab/ipilimumab in patients with initial or late progression with nivolumab: Updated analysis of a tailored approach in advanced renal cell carcinoma (TITAN-RCC) Journal of Clinical Oncology, 2021, 39, 4576-4576.	1.6	23
23	Comparison of surgical technique (Open vs. Laparoscopic) on pathological and long term functional outcomes following radical prostatectomy. BMC Urology, 2014, 14, 18.	1.4	22
24	Oncological outcomes, quality of life outcomes and complications of partial cystectomy for selected cases of muscle-invasive bladder cancer. Scientific Reports, 2018, 8, 8360.	3.3	22
25	Laparoscopic and open postchemotherapy retroperitoneal lymph node dissection in patients with advanced testicular cancer $\hat{a} \in \hat{a}$ a single center analysis. BMC Urology, 2012, 12, 15.	1.4	21
26	Categories of response to first line vascular endothelial growth factor receptor targeted therapy and overall survival in patients with metastatic renal cell carcinoma. European Journal of Cancer, 2014, 50, 563-569.	2.8	20
27	Matched comparison of outcomes following open and minimally invasive radical prostatectomy for high-risk patients. World Journal of Urology, 2014, 32, 1411-1416.	2.2	19
28	Does the Prostate Health Index Depend on Tumor Volume?â€"A Study on 196 Patients after Radical Prostatectomy. International Journal of Molecular Sciences, 2017, 18, 488.	4.1	19
29	Management of Germ Cell Tumours of the Testes in Adult Patients: German Clinical Practice Guideline, PART II – Recommendations for the Treatment of Advanced, Recurrent, and Refractory Disease and Extragonadal and Sex Cord/Stromal Tumours and for the Management of Follow-Up, Toxicity, Quality of Life, Palliative Care, and Supportive Therapy. Urologia Internationalis, 2021, 105, 181-191.	1.3	19
30	The prostate health index PHI predicts oncological outcome and biochemical recurrence after radical prostatectomy - analysis in 437 patients. Oncotarget, 2017, 8, 79279-79288.	1.8	19
31	miR-9-5p in Nephrectomy Specimens is a Potential Predictor of Primary Resistance to First-Line Treatment with Tyrosine Kinase Inhibitors in Patients with Metastatic Renal Cell Carcinoma. Cancers, 2018, 10, 321.	3.7	18
32	Consensus paper: current state of first- and second-line therapy in advanced clear-cell renal cell carcinoma. Future Oncology, 2020, 16, 2307-2328.	2.4	17
33	Sequential mTOR inhibitor treatment with temsirolimus in metastatic renal cell carcinoma following failure of VEGF receptor tyrosine kinase inhibitors. World Journal of Urology, 2013, 31, 805-809.	2.2	15
34	Assessment of the extracellular volume fraction for the grading of clear cell renal cell carcinoma: first results and histopathological findings. European Radiology, 2019, 29, 5832-5843.	4.5	15
35	Outcome of kidney function after ischaemic and zero-ischaemic laparoscopic and open nephron-sparing surgery for renal cell cancer. BMC Nephrology, 2019, 20, 40.	1.8	14
36	Circulating and Tissue Expression Levels of YKL-40 in Renal Cell Cancer. Journal of Urology, 2016, 195, 1120-1125.	0.4	13

#	Article	lF	CITATIONS
37	Costâ€effectiveness analysis of multiple imaging modalities in diagnosis and followâ€up of intermediate complex cystic renal lesions. BJU International, 2021, 128, 575-585.	2.5	13
38	Oncologic outcomes between open and robotic-assisted radical cystectomy: a propensity score matched analysis. World Journal of Urology, 2014, 32, 1441-1446.	2.2	12
39	Endocytosis-Mediated Replenishment of Amino Acids Favors Cancer Cell Proliferation and Survival in Chromophobe Renal Cell Carcinoma. Cancer Research, 2020, 80, 5491-5501.	0.9	11
40	Risk prediction models for biochemical recurrence after radical prostatectomy using prostate-specific antigen and Gleason score. Asian Journal of Andrology, 2014, 16, 897.	1.6	11
41	Value of Prostate Specific Antigen Density and Percent Free Prostate Specific Antigen for Prostate Cancer Prognosis. Journal of Urology, 2012, 188, 2165-2170.	0.4	10
42	Matched comparison of robotâ€assisted, laparoscopic and open radical prostatectomy regarding pathologic and oncologic outcomes in obese patients. World Journal of Urology, 2015, 33, 397-402.	2.2	10
43	Significant reduction in positive surgical margin rate after laparoscopic radical prostatectomy by application of the modified surgical margin recommendations of the 2009 International Society of Urological Pathology consensus. BJU International, 2016, 118, 750-757.	2.5	10
44	Identification of miR-21-5p and miR-210-3p serum levels as biomarkers for patients with papillary renal cell carcinoma: a multicenter analysis. Translational Andrology and Urology, 2020, 9, 1314-1322.	1.4	10
45	Selective Lymph Node Dissection for Castration-Resistant Prostate Cancer. Urologia Internationalis, 2012, 88, 441-446.	1.3	9
46	Impact of positive surgical margins on oncological outcome following laparoscopic radical prostatectomy (LRP): long-term results. World Journal of Urology, 2013, 31, 395-401.	2.2	9
47	Outcome of Patients after Third and Fourth Kidney Transplantation. Urologia Internationalis, 2016, 97, 445-449.	1.3	9
48	Long-Term Donor Outcomes after Pure Laparoscopic versus Open Living Donor Nephrectomy: Focus on Pregnancy Rates, Hypertension and Quality of Life. Urologia Internationalis, 2016, 97, 450-456.	1.3	9
49	Decreased Mitochondrial DNA Content Drives OXPHOS Dysregulation in Chromophobe Renal Cell Carcinoma. Cancer Research, 2020, 80, 3830-3840.	0.9	9
50	Efficacy of fourth-line targeted therapy in patients with metastatic renal cell carcinoma: a retrospective analysis. World Journal of Urology, 2016, 34, 1147-1154.	2.2	7
51	Serum Vitamin D is Not Helpful for Predicting Prostate Cancer Aggressiveness Compared with the Prostate Health Index. Journal of Urology, 2016, 196, 709-714.	0.4	7
52	Fate of Finally Transplanted Deceased Donor Kidneys Initially Rejected at Other Kidney Transplantation Centers. Urologia Internationalis, 2014, 93, 474-481.	1.3	5
53	Limited utility of qPCR-based detection of tumor-specific circulating mRNAs in whole blood from clear cell renal cell carcinoma patients. BMC Urology, 2020, 20, 7.	1.4	5
54	Complications, functional and quality of life outcomes following primary and secondary implantation of penile prosthesis at a tertiary referral center. International Journal of Impotence Research, 2018, 30, 49-53.	1.8	5

#	Article	IF	CITATIONS
55	Retrospective Analysis of Fifth-Line Targeted Therapy Efficacy in Patients with Metastatic Renal Cell Carcinoma. Urologia Internationalis, 2017, 98, 184-190.	1.3	4
56	Prevalence of Late-Onset Hypogonadism in Men with Localized and Metastatic Renal Cell Carcinoma. Urologia Internationalis, 2017, 98, 191-197.	1.3	4
57	Perioperative Changes and Progress in Photoselective Vaporization of the Prostate with GreenLight XPS 180 W System: A Single Center Experience. Urologia Internationalis, 2018, 100, 463-469.	1.3	4
58	Additive Value of Transrectal Systematic Ventral Biopsies in Combination with Magnet Resonance Imaging/Ultrasound Fusion-Guided Biopsy in Patients with 3 or More Negative Prostate Biopsies. Urologia Internationalis, 2020, 104, 205-213.	1.3	4
59	Can magnetic resonance imaging replace conventional computerized tomography for follow-up of patients with testicular cancer? A systematic review. World Journal of Urology, 2022, 40, 2843-2852.	2.2	4
60	Staging lymphadenectomy in patients with localized high risk prostate cancer: comparison of the laparoendoscopic single site (LESS) technique with conventional multiport laparoscopy. BMC Urology, 2014, 14, 92.	1.4	2
61	The Effect of Evolving Strategies in the Surgical Management of Organ-Confined Prostate Cancer: Comparison of Data from 2005 to 2014 in a Multicenter Setting. Advances in Therapy, 2017, 34, 576-585.	2.9	2
62	Perioperative and oncologic outcome in patients treated for renal cell carcinoma with an extended inferior vena cava tumour thrombus level II-IV. Aktuelle Urologie, 2019, , .	0.3	2
63	Lymphatic micrometastases predict biochemical recurrence in patients undergoing radical prostatectomy and pelvic lymph node dissection for prostate cancer. Aktuelle Urologie, 2019, 50, 612-618.	0.3	2
64	The value of digital rectal examination in clinical practice. AME Medical Journal, 0, 3, 45-45.	0.4	1
65	Analysis of quality of life and late biochemical predictors for localized cancer recurrence following radical prostatectomy. World Journal of Urology, 2020, 38, 1501-1507.	2.2	1
66	Urolithiasis in Renal Allografts: Complications and Outcomes. Experimental and Clinical Transplantation, 2017, 15, 164-170.	0.5	1
67	First-line salvage treatment options for germ cell tumor patients failing stage-adapted primary treatment. World Journal of Urology, 2022, , $1.$	2.2	1
68	1013 SINGLE PORT LAPAROSCOPIC VARICOCELECTOMY: INITIAL EXPERIENCE AND COMPARISON WITH THE CONVENTIONAL MULTIPORT LAPAROSCOPIC TECHNIQUE. Journal of Urology, 2012, 187, .	0.4	0
69	472 EPIGENETICALLY REPRESSED MIRNAS AS PREDICTORS OF TUMOR RECURRENCE IN CLEAR CELL RENAL CELL CARCINOMA PATIENTS FOLLOWING RADICAL NEPHRECTOMY. Journal of Urology, 2013, 189, .	0.4	0
70	MP85-18 CIRCULATING FREE GENOMIC AND MITOCHONDRIAL DNA FRAGMENTS AND THEIR DIAGNOSTIC AND PROGNOSTIC POTENTIAL IN CLEAR CELL RENAL CELL CARCINOMA PATIENTS. Journal of Urology, 2016, 195, .	0.4	0
71	MP59-19 OUTCOME OF KIDNEY FUNCTION AFTER ISCHAEMIC ANDÂZERO-ISCHAEMIC LAPAROSCOPIC AND OPEN NEPHRON-SPARING SURGERY FOR RCC. Journal of Urology, 2017, 197, .	0.4	0
72	Tumor shrinkage during VEGF inhibitor therapy as an independent predictor of PFS and OS in renal cell carcinoma (RCC) Journal of Clinical Oncology, 2013, 31, 423-423.	1.6	0

#	Article	IF	CITATIONS
73	Management of growing teratoma syndrome (GTS): Results of the German Testicular Cancer Study Group Journal of Clinical Oncology, 2018, 36, 566-566.	1.6	0
74	Early Continence and Extravasation After Open Retropubic Radical Prostatectomy – Interrupted vs Continuous Suturing for Vesicourethral Anastomosis. Therapeutics and Clinical Risk Management, 2020, Volume 16, 1289-1296.	2.0	0
75	Novel predictive biomarkers of response to immune checkpoint blockade with nivolumab $\hat{A}\pm$ ipilimumab in the TITAN-RCC phase 2 trial Journal of Clinical Oncology, 2022, 40, 367-367.	1.6	0